SUNBUGGER #6
SPRAY CONCENTRATE

AN INSECTICIDE FOR THE CONTROL OF LISTED INSECTS ON DOGS, CATS AND ORNAMENTALS

ACTIVE INGREDIENTS:	By Wt.
*Malathion: *O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate	10.00%
Inert Ingredients	90.00%

CAUTION
KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center Immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. Drink 1/2 to four glasses of milk or water. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYE: Flush eyes with plenty of water for atleast 15 minutes. Call a physician if irritation persists.

NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to Atropine.

See Side Panel For Precautional Statements.

EPA Reg. No. 9754-6 EPA Est. No. 11474CA01

MANUFACTURED BY:
GroLyfe, A Division of SUNGRO CHEMICALS, INC.
P.O.BOX 24632 LOS ANGELES, CA. 90024

NET CONTENTS_____Gallons

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

HARMFUL IF SWALLOWED: Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Do not contaminate feed or food products. Food wrapping such as tarpaper and tobaccopaper should not be used for food purposes after use with insecticides

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and run-off may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not apply directly to water except as specified on this label. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not apply Sunbugger 6 in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to the workers who are expected to be in a treated area or in an area to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written or oral warnings must include the following information: "CAUTION, Area to be treated with malathion (date of application). Do not enter without appropriate protective clothing until sprays have dried." Or in the case of citrus, grapes, cantaloupes and peaches, "Do not enter treated areas to perform activities that involve substantial or prolonged contact with treated foliage for 1 day."

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surfaces until sprays have dried.

PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Keep container closed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are extremely hazardous . Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.".

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Seller makes no warranty, expressed or implied, as to the merchantability, fitness for a particular purpose, or otherwise, concerning the use of this product other than as indicated on this label. Seller shall not be liable for any injury, damage or loss resulting from the handling, storing or use of this product not in strict accordance with the label directions given herein.

DIRECTOR FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ LABEL BEFORE SPRAYING

Use strictly in accordance with label contents, warnings, and regulations.

FLY CONTROL: Mix 1 gallon Malathion Spray Concentrate to 5 gallons of water (1/4 pint per gallon) and apply as below.

Baited Spray: To attract flies and prolonged effectiveness, use 10 pounds of sugar or 1 gallon corn syrup or unsulfurized molasses per 50 gallons of diluted mix (1 cup sugar or syrup per gallon). Apply diluted spray for 250 sq. ft. of painted surface or 2 quart if unpainted. Treat outer walls like rest of composite such as outside of buildings, inside walls, ceilings, door and window frames of barns, pens, sheds, poultry houses, houses, garbage cans, and other structures. Do not use in milk rooms or stores where edible products are handled.

MOSQUITO AND SMALL FLYING INSECTS: Outdoors use a 2-5% fog, aerosol or space spray. Dilute 1 part Malathion Spray Concentrate in 4-5 parts water, fuel oil or diesel oil. Direct fog or aerosol to areas where insects are a problem.

For 5% fog, dilute one part Malathion Spray Concentrate to one part of water.

Mosquito Larvae.(in standing water): Apply at a rate of 2 quarts per acre(1/2 pound actual Malathion per acre). Mix in sufficient water or oil for good coverage.

SPOT TREATMENT: Dilute one part to 20 parts water(1/2 pint per gallon) and apply.

HOUSE HOLD INSECTS: (Roaches, Ants, Crickets, Spiders, Silverfish, Clover Mites, Earwigs, Carpet Beetles, Clothes Moths, Bedbugs): Mix 1/2 pint in one quart of water(1 quart per gallon) or for oil base spray mix 1 part Malathion Spray Concentrate with 2 parts deodorized kerosene solution. Apply as a coarse spray or with a paint brush or low pressure spray to areas where insects rest or hide as window sills, baseboards, under sinks, stoves stove vent and under carpet margins, closets and other areas frequented by these pests.

ORNAMENTALS, SHRUBS, SHADE TREES: Aphids, Spider Mites, White Fly, Mealbugs, Thips, Twolined Plant Bugs, Leafhoppers, Gypsymoth Scale, Scale Scale: Use one gallon to 100 gallons of water(1 1/4 oz. to one gallon of water). Soft Brown Scale, Monterey Pine Scale, Black Scale, Juniper Scale: 1 1/2 gallons to 100 gallons water(2 oz. to one gallon water). Pine Needle Scale: Use 2 3/4 gallons to 100 gallons water(3 1/2 oz. to one gallon water). Leaf Miner: 1 1/4 gallons to 100 gallons water(1 3/4 oz. to one gallon water).

CITRUS (Grapefruit, Limes, Lemons, Oranges, Tangerines): California Red Scales, Yellow Scales, Purple Scales, Black Scales, Soft Scales, Chinese Scales, Thripes: 1 1/2 gallons to 100 gallons water(2oz. to one gallon water). Do not apply to crops for a period of 7 days prior to harvest.

DOGS AND CATS: Pizzo- Direct application: Apply spray of 5 ounces per gallon of water. Wet the animal thoroughly using a hand sprayer. Repeat treatments may be used within 2 to 3 weeks.

BEST AVAILABLE COPY

ACCEPTED
FEB 16 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9754-6