

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAY 28 2004

Mr. Larry Mackson Manager Gro-Lyfe, Division of Sungro Chemicals, Inc. P.O. Box 24632 Los Angeles, CA 90024

Dear Mr. Mackson:

Subject:

Sunbugger #6 Spray Concentrate

EPA Reg. No. 9754-6

Your Application Dated February 16, 2004

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, As Amended (FIFRA), is acceptable, provided that you submit two copies of your final printed label incorporating the following correction before you release the product for shipment.

Remove the paragraph consisting of redundant and misplaced lettering appearing on the lower right side of the label.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely,

Marilyn A. Mautz

**Biologist** 

Insecticide-Rodenticide Branch Registration Division (7504C)

many De may

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HARMFUL IF SWALLOWED: Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Do not contaminate food or feed products. Food utensifs such as teaspoons and tablespoons should not be used for food purposes after use with insecticides.

Do not allow contact with treated surfaces until sprays have dried.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and run-off may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

For aquatic uses, do not apply directly to water except as specified on this label.

### PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Use only outdoors in strict accordance with label cautions, warnings, and directions.

FLY CONTROL: Mix 1 gallon Malathion Spray Concentrate to 9 gallons of water (1/4 pint per gallon) and apply as below.

Baited Spray: To attract flies and prolonged effectiveness, use 10 pounds of sugar or 1 gallon syrup or unsulfurized molasses per 50 gallons of diluted mix (1 cup sugar or syrup per gallon).

Apply one quart per 250 sq. ft. of painted surface or 2 quarts if unpainted. Treat areas where flies rest or congregate such as outside of buildings, walls, door and window frames of jams, garbage cans, and other structures.

MOSQUITO AND SMALL INSECTS: Outdoors use a 2-3% fog, aerosol or space spray. Dilute 1 part Malathion Spray Concentrate in 4-5 parts water, fuel oil or diesel oil. Direct fog or aerosol to areas where insects are a problem.

For 5% fog, dilute one part Malathion Spray Concentrate to one part of water. Mosquito Larvae (in standing water): Apply at a rate of 2 quarts per acre (1/2 pound actual Malathion per acre).

# **SUNBUGGER #6**

## **SPRAY CONCENTRATE**

AN INSECTICIDE FOR THE CONTROL
OF MOSQUITOES AND LISTED INSECTS

ACTIVE INGREDIENTS

\*Malathion: \*O,O-dimethyl phosphorodithioate ofdiethyl mercaptosuccinate

INERT INGREDIENTS

TOTAL

10.00% 90.00% 100.00%

BY WT.

CONTAINS PETROLEUM DISTILLATES

## CAUTION

## KEEP OUT OF REACH OF CHILDREN

(See side panel for additional precautions)

EPA Reg. No. 9754-6

E.P.A. Est. No. 11474CA01

### FIRST AID:

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center of doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take officontaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If INHALED: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

SYMPTOMS OF POISONING: A sense of 'tightness' in chest. Sweating. Contracted pupils. Stomach pains, Vomiting and diarrhea.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Questions? 1-800-463-9179 or call poison control center.

NOTE TO PHYSICIAN:

Contains petroleum distillates vomitting may cause aspiration pneumonia. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube.

Manufactured By: GRO-LYFE, division of SUNGRO CHEMICALS, INC. P.O.BOX 24632 LOS ANGELES, CA. 90024

NET CONTENTS GALS. (

LITERS)

## READ LABEL BEFORE SPRAYING

Mix in sufficient water or oil for good coverage. Broadcast use only over intermittently flooded areas. Applications may not be made around bodies of water where fish or shellfish are grown and/or harvested commercially.

SPOT TREATMENT: Dilute one part to 20 parts water (1/2 pint per gallon) and apply.

HOUSEHOLD INSECTS: Outdoors (Roaches, Ants, Crickets, Spiders, Silverfish, Earwigs, Carpet Beetles, Clothes Moths, Bedbugs): Mix 1/2 pint in one quart of water (1 quart per gallon) or for oil base spray mix 1 part Malathion Spray Concentrate with 2 parts deodorized kerosene solution. Apply as a coarse spray or with a paint brush or low pressure spray to areas where insects run or hide as window sills, under eaves, along foundations and other areas frequented by these pests.

ORNAMENTALS, SHRUBS, SHADE TREES: Aphids, Spider Mites, White Fly, Mailbags, Thrips, Tarnished Plant Bugs, Leafhoppers, Oystershell Scale, Scurfy Scale: Use one gallon to 100 gallons of water (1 1/4 oz. to one gallon of water). Soft Brown Scale, Monterey Pine Scale, Black Scale, Juniper Scales: 1 1/2 gallons to 100 gallons water (2 oz. to one gallon water). Leaf Miner: 1 1/4 gallons to 100 gallons water (1 3/4 oz. to one gallon water).

CITRUS (Grapefruit and Oranges), California Red Scales, Yellow Scales, Purple Scales, Black Scales, Soft Scales, Citricola Scales, Thrips: 2oz to one gallon water. Do not apply for a period of 7 days prior to harvest.

### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool dry place. Keep container closed. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide waste are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance."

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Seller makes no warranty, expressed or implied, as to the merchantibility, fitness for a particular purpose, or otherwise, concerning the use of this product other than as indicated on this label. Seller shall not be liable for any injury, damage or loss resulting from the handling, storing or use of this product not in strict accordance with the label directions given hereon

Itimksn aat,erse rile,a otemrcatait,ftns o aiulrprps,o trws,cncrn h s fti rdutohrta siictdo hslbl Sle hl o elbefrayiuy ag ris esin rmg the use of this product other than as indicated on this label. Seller shall not be liable for any injury, damage or loss resulting from the handling, storing or use of this product not in strict accordance with the label directions given hereon. ACCPPTRES 021604lam

with COMMENTS in EPA Letter Dated:

## MAY 28 2004

Other the Foderal Inserticide, Funcicide, and Rodenticide Act as amended, for the pesticide St.