PERVO PAINT COMPANY 6624 Stanford Avenue Los Angeles, Calif.

COLORAMA PAINT, ANTI FOULING, VINYL-RED (FORMULA NO.121/63)

Military Specification MIL-P-15931B

U.S.D.A. Reg. No:

This specification covers one grade of paint - Anti fouling, Vinyl Red, Formula No.121/63. The paint is formulated at high viscosity for hot or Airless Spray but may be thinned, if necessary, for conventional spray or brush application.

Special Instructions: Contents may be applied by hot spray (temperature not to exceed 120°F), Airless Spray or regular cold spray (normally no thinning required). When thinning is necessary use Methyl Isobutyl Ketone.

ACTIVE INGREDIENT:	<u> %</u>
Cuprous Oxide	70.4
INERT INGREDIENT:	29.6
Total	100.0

Caution: Harmful if swallowed. May be absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid storage near feed or food products. Keep out of reach of children.


ANTIDOTES

If swallowed give milk or white of egg beaten with water, then a tablespoonful of salt in a glass of warm water, and repeat until vomit fluid is clear. Repeat the treatment. Call a physician immediately.

If on skin, wash immediately with soap and warm water.

If in eyes, flush with water for at least 15 minutes and get medical attention.

NET CONTENTS....One U.S.Gallon



PERVO PAINT COMPANY 6624 Stanford Avenue Los Angeles, Calif.

COLORAMA PAINT, ANTIFOULING, COLD PLASTIC, SHIPBO'TTOM NAVY FORMULA NO. 105

Military Specification MIL-P-19451A

U.S.D.A. Reg.No.

This specification covers antifouling shipbottom paint, Navy Formula No.105 for use on Navy vessels. The paint can be applied at ordinary atmospheric temperatures without melting (different from hot plastic paint).

ACTIVE INGREDIENT	%
Cuprous Oxide	40.4
INERT INGREDIENTS	59.6
TOTAL	100.0

Caution: Harmful if swallowed. May be absorbed through skin. Avoid breathing dust or spray rist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid storage near feed or food products. Keep out of reach of children.

ANTIDOTES

If swallowed, give milk or white of egg beaten with water, then a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Repeat the treatment. Call a physician immediately.

If on skin, wash immediately with soap and warm water.

If in eyes, flush with water for at least 15 minutes and get medical attention.

NET CONTENTS....One U. S. Gallon

