

IODINE SANITIZER

ACTIVE INGREDIENTS: alpha — (p-Nonylphenyl)

WARNING: KEEP OUT OF REACH OF CHILDREN

Sea first aid statement on side panel.

Causes eye or skin mutation. Do not get in eyes, on skin or on clothing. Har infall if the Howerd Avoid contamination of food.

CONTENTS: 128 ounces (1 gallon) E.P.A. Reg. No. 9768-28

THATCHER CHEMICAL COMPANY

SALT LAKE CITY, UTAH 84106

ACCEPTED

SEP 28 1974

FUNCICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO. 77/ ()

TO SANITIZE:

Use a solution of 1 ounce of T-CHEM lodine Sanitize indine) to sanitize. Equipment should be thoroughly (least 2 minutes in the solution. Drain thoroughly and

If a concentration in excess of 25 ppm titratable iodine equipment a final potable water rinse must be made

Rinse empty container thoroughly with water and dis

NOTE: Use fresh solution for each milking. Where twice-a-day, follow above method each time. Follow I covering cleaning and sanitization.

IMPORTANT: This product is its own indicator of germ presence of active ingredient-iodine. When the color lodine Sanitizer is not affected by water hardness or

FIRST AI

In case of contact, immediately flush eyes or skin with peyes, call a physician. Remove and wash contamina

If swallowed, drink promotly a large quantity of milk, egcavailable drink large quantities of water. Avoid alcoho