

READ AVAILABLE COPY

THIS PRODUCT MAY BE SOLD AND USED FOR COMMERCIAL PURPOSES ONLY. NOT FOR HOUSEHOLD USE.

PRECAUTIONARY STATEMENTS DANGER

Hazards to Humans and Domestic Animals... Do not get it in eyes, on skin or on clothing...

Do not apply the product in such a manner as to drift or penetrate adjacent waters or other persons...

Environmental Hazards... Do not let this product or its contents enter any water body...

Physical or Chemical Hazards... Do not use your hand or store near heat or open flame

GENERAL INFORMATION

DINITROL is a water soluble formulation of 4,6-dinitro-o-cresol (DNOC) effective both as a pre-emergence and post-emergence...

Local conditions affect the use of herbicides. State agricultural or extension service would specialise in many states...

Do not spray or allow spray to drift to contact desirable plants or ornamentals

All application rates are expressed as broadcast rates. Band applications will require proportionately less spray per acre...

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

RE-ENTRY STATEMENTS

Do not enter treated areas without protective clothing until sprays have dried

Because certain states may require more restrictive re-entry intervals for various crops treated with this product...

PROTECTIVE CLOTHING REQUIRED

Wear chemical workers goggles or face shield, impermeable gloves and apron while pouring and transferring the concentrated product...

NOTICE TO CROP OWNERS: Written or oral warnings must be given to workers who are expected to be in a treated area...

DANGER

Area treated with Dinoseb on labels. Do not enter without appropriate protective clothing...

Handwritten notes: RECEIVED, APR 19 1985, Federal Insecticide, Fungicide, and Rodenticide Act, registered under 9779-1

COTTAGE: Broadcast Post-emergence—Use DINITROL at the broadcast rate of 2 to 3 gal. with 1 to 3 gal. of agricultural surfactant...

DINITROL

DINITRO WEED KILLER FOR CONTROLLING BROADLEAF WEEDS AND GRASSES

ACTIVE INGREDIENT: DINOSEB (2-sec-butyl-4,6-dinitrophenol), as the ethanolamine salt (of the ethanol series) 51.0%
INERT INGREDIENTS: 49.0%
Product contains the equivalent of 3.0 lb. of DINOSEB per gallon. Contains Methanol

STOP—READ LABEL BEFORE USING!

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO POISON VENENO



PRECAUCION AL USUARIO Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SPLASHED IN EYES, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention... IF SWALLOWED, call a physician or Poison Control Center...

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NOTICE TO DRUM HANDLER: AVOID USE OF FIRE, LEAKY OR DAMAGED DRUMS, OR OTHER EMERGENCY. REPORT AT ONCE BY TOLL-FREE TELEPHONE TO: 800-424-8300.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE

Store in a dry location away from children, animals, birds, bees, and other agricultural chemicals

Keep away from heat or fire. Do not allow water into container as it may cause a dangerous steam of product

Handle in accordance with information given under PRECAUTIONARY STATEMENTS

Do not store under conditions where the temperature may exceed 120°F or be below 45°F

Keep storage area locked when not in use

In the event of spillage or leakage, soak up material with absorbent clay, sand, kieselguhr or other absorbent material. Soak up and dispose of in accordance with information given under PESTICIDE DISPOSAL

In case of fire or other emergency, report at once by toll-free telephone to 800-424-8300

DISPOSAL

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law...

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or purchase and dispose of in a sanitary landfill...

TYPES OF TREATMENT:

Pre-emergence Treatment: (Application after crop is planted but before emergence) For best results the soil surface should be free of clods, trash, lumpy firm and slightly moist...

Post-emergence Treatment: (Application after crop emergence) For best results weeds and especially grasses should be sprayed when they are small...

ALFALFA: Apply 1 to 1 1/2 quarts of DINITROL in 20 to 40 gallons of water per acre as soon as fall chickweed appears...

OATS, RYE, WHEAT, AND BARLEY SEEDING ALONE OR INTERPLANTED WITH A LEGUME:

POST-EMERGENCE: Use 1 1/2 to 2 quarts of DINITROL in 25 to 40 gallons of water per acre when grain is 3 to 6 inches tall...

PEANUTS: Make one early application (pre-emergence, early cracking stage, or early post-emergence) followed by one or two later post-emergence applications...

FIRE EMERGENCY

Use of water per acre at planting and emergence

EARLY POST-EMERGENCE: Such an application will not provide for early weeding...

LATER POST-EMERGENCE: Two directed applications of DINITROL in about 40 days will control emerged leaves...

SOYBEANS: Pre-emergence application of DINITROL in about 40 days will control emerged leaves...

EARLY POST-EMERGENCE: Application of DINITROL in about 40 days will control emerged leaves...

DIRECTED POST-EMERGENCE: When soybeans are 5 to 8 inches tall, use DINITROL in about 40 gallons of water...

NOTICE: Riverside Chemical Co. its chemical description on the label when used under abnormal conditions...

EPA EST. NO.

NET CONTENT



ACTIVE INGREDIENT:

Butoxyethanol ester of 2,2,4,4-tetrachlorophenoxypropionic acid 97%

INERT INGREDIENTS 3%

100%

U.S. Federal Government
EPA Reg. No. 15490-11
Registered under the Pesticide Act

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for STATEMENT OF PRACTICAL TREATMENT and additional precautionary statements.

NET CONTENTS _____ GALLONS

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Do not breathe vapor. Do not allow contact with skin, eyes, or clothing. Wash thoroughly after handling. Do not contaminate feed or foodstuffs.

Statement of Practical Treatment

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.

Environmental Hazards

Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in a National Pollutant Discharge Elimination System (NPDES) permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE & DISPOSAL

STORAGE: Store in original container separate from other pesticides, fertilizers, food and feed.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product

SIDE
PANEL

