

1(rts)

RIVERSIDE CHEMICAL COMPANY  
**Champion Chemical Company**  
Marks, Mississippi 39046  
CANTON, MISSISSIPPI 39046

HIGHWAY 51 SOUTH

TELEPHONE 859-2323

should begin when an infestation reaches the point where control is required and be repeated as necessary. Full coverage of plants during application is essential to good control. Do not apply on cotton after bolls begin to open. Cotton which has received applications of this material should not be grazed by dairy animals or animals being finished for slaughter.

TOMATOES

Tropical mite

Use 15 to 30 pounds per acre. Use the lower

dosage when plants are small and the higher dosage when plants are older. For good mite control, it is necessary to treat both upper and lower leaf surfaces. During the pre-bloom period, apply when mites first appear and repeat as necessary. After fruits begin to form, make one application if necessary. Do not apply within 25 days of first picking.

CAUTION: Workers entering treated areas within 24 hours of application should wear protective clothing.

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.


NET CONTENTS 50 POUNDS

USA REG. NO. 8877488 777

Manufactured by:

**CHAMPION CHEMICAL COMPANY**  
RIVERSIDE CHEMICAL COMPANY

**CANTON, MISSISSIPPI**  
MARKS, MISSISSIPPI



2142

RIVERSIDE CHEMICAL COMPANY

# Champion Chemical Company

Marks, Mississippi, U.S.A.  
CANTON, MISSISSIPPI, U.S.A.

REGISTERED TRADE MARK

REGISTERED TRADE MARK

## ETHION DUST

### ACTIVE INGREDIENT:

\*Ethion

1.00%

### INERT INGREDIENTS:

TOTAL

99.00%  
100.00%

\*O<sub>2</sub>O<sub>2</sub>O<sub>2</sub>O<sub>2</sub> - Tetraethyl S<sub>2</sub>S<sub>2</sub> - methylene bisphosphorodithioate

**DANGER - KEEP OUT OF REACH OF CHILDREN. SEE OTHER WARNINGS ON SIDE PANELS.**

### WARNING

May be fatal if swallowed, inhaled or absorbed through skin! Rapidly absorbed through skin! Do not get in eyes or skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Ethion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

### FIRST AID TREATMENT

**ANTIDOTE:** If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY.

If on skin, in case of contact, remove contaminated clothing and immediately wash skin with soap and water.

**ATROPINE IS ANTI-DOTAL** - Keep on hand an emergency supply of 20 tablets grains 1/100. In case of accidental poisoning, take 3 tablets (grs. 1/100) and call physician at once.

Physician: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

### DIRECTIONS FOR USE

#### COTTON

Aphids  
Spider Mites

For aphids use 13 to 25 pounds per acre. For spider mites use 13 pounds per acre.

Appl. undiluted as a dust under calm conditions with a dusting machine that will give thorough coverage to all plant surfaces. Applications

1(2)

RIVERSIDE CHEMICAL COMPANY  
**Champion Chemical Company**

MARKS, MISSISSIPPI 38616  
~~CANTON, MISSISSIPPI 38020~~

HIGHWAY 51 SOUTH

TELEPHONE 459-2323

should begin when an infestation reaches the point where control is required and be repeated as necessary. Full coverage of plants during application is essential to good control. Do not apply on cotton after bolls begin to open. Cotton which has received applications of this material should not be grazed by dairy animals or animals being finished for slaughter.

**TOMATOES**

Tropical mite

Use 15 to 30 pounds per acre. Use the lower

dosage when plants are small and the higher dosage when plants are older. For good mite control, it is necessary to treat both upper and lower leaf surfaces. During the pre-bloom period, apply when mites first appear and repeat as necessary. After fruits begin to form, make one application if necessary. Do not apply within 28 days of first picking.

**CAUTION:** Workers entering treated areas within 24 hours of application should wear protective clothing.

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.


NET CONTENTS 50 POUNDS

USDA REG. NO. ~~8877488~~ 9779-

Manufactured by:

~~ENAMRON CHEMICAL COMPANY~~  
RIVERSIDE CHEMICAL COMPANY

~~CANTON, MISSISSIPPI~~  
MARKS, MISSISSIPPI



AGRICULTURAL

CHEMICALS

2(012)

RIVERSIDE CHEMICAL COMPANY  
**Champion Chemical Company**  
Marks, Mississippi 38616  
CLAYTON WASHINGTON ROAD

REGISTERED TRADEMARK

REGISTERED TRADEMARK

**ETHION J DUST**

**ACTIVE INGREDIENT:**  
\*Ethion  
**INERT INGREDIENTS:**

4.00%  
96.00%  
TOTAL 100.00%

\*O,O,O\*,O\* - Tetraethyl S,S\* - methylene bisphosphorodithioate

**DANGER - KEEP OUT OF REACH OF CHILDREN. SEE OTHER WARNINGS ON SIDE PANELS.**

**WARNING**

May be fatal if swallowed, inhaled or absorbed through skin! Rapidly absorbed through skin! Do not get in eyes or skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Ethion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

**FIRST AID TREATMENT**

**ANTIDOTE:** If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. **CALL A PHYSICIAN IMMEDIATELY.**

If on skin, in case of contact, remove contaminated clothing and immediately wash skin with soap and water.

**ATROPINE IS ANTIDOTAL** - keep on hand an emergency supply of 20 tablets grains 1/100. In case of accidental poisoning, take 3 tablets (grs. 1/100) and call physician at once. Physician: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

**DIRECTIONS FOR USE**

**COTTON**                      Aphids                      For aphids use 13 to 25  
   Spider Mites                      pounds per acre. For spider  
      mites use 13 pounds per acre.  
Apply undiluted as a dust under calm conditions with a dusting machine that will give thorough coverage to all plant surfaces. Applications

**AGRICULTURAL**

**CHEMICALS**