


RIVERSIDE INDUSTRIES

MARKS, MISSISSIPPI

MARKS PHONE
FA 6-2411

23% PARATHION
USDA REG. NO. 9779-
RIVERSIDE CHEMICAL COMPANY
MARKS, MISSISSIPPI

Champion Chemical Company
Canton, Mississippi
Kaiser Chemical Company
Marks, Mississippi



23% PARATHION

ACTIVE INGREDIENTS		
Parathion*	not less than	23.00%
Xylene	not less than	67.00%
INERT INGREDIENTS	not more than	10.00%
	TOTAL	100.00%

*O,O-diethyl O-p-nitrophenyl thiophosphate

DANGER: KEEP OUT OF REACH OF CHILDREN. SEE OTHER WARNINGS ON SIDE PANELS.

8 POISON 8
DIRECTIONS

Peaches: For control of plum curculio, oriental fruit moth and aphids, use one pint to each 100 gallons of water. Two to six applications are usually necessary for curculio.

Apples: For control of plum curculio, use 1½ pints in 100 gallons of water. For Red Spider Mites, use 1 pint in 100 gallons of water; two applications at 10 day intervals may be necessary. For Red Banded Leaf Roller, use 1½ pints in 100 gallons of water. Make first applications in first cover spray. If second brood appears, applications should be made about the time of the fourth cover spray.

Tobacco: For aphids, midge larvae, slugs, snails, vegetable weevil larvae, and green June Beetle larvae in plant beds, use one pint in 100 gallons of water and apply at the rate of 3 to 10 gallons to each 100 square yards of bed. If applications are made 5 to 7 days prior to pulling plants, handlers should wear gloves. For aphids and suck flies on field plants, use one pint in 60 gallons of water and apply at the rate of 40 to 80 gallons per acre. Do not apply within 5 days of priming, or 15 days of cutting. Avoid plant juices coming in contact with the skin or other parts of the body of those who are engaged in cutting the crop. If applied within 30 days of priming, handlers should wear gloves.


Ornamentals (Outdoors): For aphids, mites, mealybugs, leaf tiers, white flies, and lace bugs, use one pint in 100 gallons of water.

NOTE: Do not apply to fruits and vegetables closer than 30 days before harvest.

WARNING

Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin! Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of

Champion Chemical Company
Canton, Mississippi
Riverside Chemical Company
Marks, Mississippi



a type passed by the U. S. Department of Agriculture for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep out of reach of children and domestic animals.

CAUTION

INFLAMMABLE: Keep away from fire. This product may injure certain varieties of apples such as McIntosh and related varieties.

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.

⊗ POISON ⊗
⊗ (In Red) ⊗

ANTIDOTE

If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately!

If on Skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

PHYSICIAN'S NOTE

Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine, preferable by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

NET CONTENTS 5 GALLONS
USDA REG. NO. 5800-00 7779-