

RIVERSIDE INDUSTRIES

MARKS, MISSISSIPPI

MARKS PHONE
FA 6-2411

STROBANE G-E
USDA REG. NO. 9779 -
RIVERSIDE CHEMICAL COMPANY
MARKS, MISSISSIPPI

RIVERSIDE INDUSTRIES

MARKS, MISSISSIPPI

STROBANE 6-E

ACCEPTED
8-23-67
MARKS PHONE
UNDER THE FIFTEENTH INSECTICIDE
FUNGICIDE AND FERTILIZER ACT
FOR A SUBSTANCE WHICH IS REGISTERED
ED UNDER NO. 9779-9

Comments

ACTIVE INGREDIENTS:

Strobane* 60.0%
Aromatic Petroleum Distillates 35.0%

INERT INGREDIENTS:

TOTAL 100.0%

*Terpene Polychlorinates, 65-67% Chlorine

SOLD FOR INSECTICIDAL PURPOSES

WARNING: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR OTHER WARNINGS.

MIXING DIRECTIONS

Always have at least half the required amount of water in the tank before adding the spray concentrate. Have pump overflow operating to assist in mixing.

DIRECTIONS FOR USE

Nozzles should be set to spray so they are at least 6 to 8 inches above the highest growth when spraying.

COTTON INSECTS:

For early season control of thrips, make two or three applications at seven-day intervals starting at the eight-leaf stage, earlier if thrips damage is apparent. Use One Pint per acre for the first application and One Quart per acre for the following spray. For control of Cutworms, apply 2 to 3 quarts per acre at first sign of damage.

For Late Season Emergency Controls, make such applications only if insect counts indicate they are necessary. Use 3 to 4 Pints per acre with three nozzles and enough gallonage to cover the plants. Repeat at five-day intervals, until boll weevil or boilworms are under control.

GRASSHOPPERS:

The best control of grasshoppers is obtained by treating when they are small. Spray along ditch banks, turn-rows, fences, weed patches and other non-crop areas where grasshoppers breed. When young grasshoppers appear in numbers, use 3 Pints Strobane 6-E, diluted with sufficient water per acre.

May be fatal if swallowed. DO NOT breathe spray mist. Do Not get on skin, in eyes, or on clothing. Wash thoroughly. Do Not contaminate food or feedstuffs.

Do Not pasture dairy animals or animals being fattened for slaughter in treated fields. Do Not apply nor allow to drift where livestock are grazing. Do Not store or handle near open flame. Keep container tightly closed when not in use.

RIVERSIDE INDUSTRIES

MARKS, MISSISSIPPI

MARKS PHONE
FA 6-2411

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.

ANTIDOTE

INTERNAL - Give One to Two Tablespoons of salt in glass of warm water, and repeat until vomit fluid is clear. Call a Physician immediately.
EXTERNAL - Wash with soap and water.

MANUFACTURED BY:
Riverside Chemical Company

Marks, Mississippi

USDA REG. NO. 9771 -

NET CONTENTS: 1, 5, 50, 55 Gallons

3 21917
9994-1 SUBJECT
MARKS