## RAYERSADE INDUSTRAES MARKS, MIESTSTREI

The second secon

MARKS PHONE F4 6-2411

25% METHYL PARATHION
USDA REG. NO. 9779RIVERSIDE CHEMICAL COMPANY
MARKS, WISSISSIPPI

ACCEPTED RAYERSIDE MOUSEMENT

270 Miles Marie

ACTIVE TYPEPTENTS

C. O-Dimethy: C-p-Xitropheny: a supplied of the control of the con

TNERT TNOREDIEN'S

\*Otherwise known as "Methyr Parathroom"

DIRECTIONS
Lie only as arrested,

COTTO: Cotton aphid, belt weevil, some species of spines miles, lieu hoppers, cotton leafworm and thrips. Ise one to three pints per acre, depending upon degree of intestation and size of plants. Apprication should not be made to cotton within 15 days of hand-picking.

SMALL GRAIN: Greenbug. Use 1'2 pints per acre. Do not apply after grain heads begin to form.

ALFALFA & VETCH: Spotted alfalfa aphid. Use 1½ pints per acre. Do not apply within 15 days of harvest or pasture.

DANGER: KEEP OUT OF REACH OF CHILDREN. SEE OTHER CAUTIONS ON RIGHT PANEL.

POISON S (In Red)

DANGER

FIRE HAZARD - FLAMMABLE - KEEP AWAY FROM HEAT OR OPEN FLAME.

Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the L. S. Department of Agriculture for Methyl Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be dayer of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use.

This product is toxic to fish and wildlife. Keep out of 'akes, streams, and ponds. Apply this product only as specified on this 'abel. Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.

RIVERSIDE CHEMICAL COMPANY

## Charmeionxxxhermiesxxxxxmarparry Marks, Mississippi 38646

HUNGKAGKAGONTHI

Trucking Sar-233

SYMPTOMS OF POISONING: A sense of "tightness" in chest. Stomach pains. Vomiting and diarrhea.

## ANTIDOTE

INTERNAL: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

EXTERNAL: If on skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

TO PHYSICIAN: Methyl Parathion is a cholinesterase inhibitor and exerts muscarine-like effects - i.e., stimulation of the parasympathetic nervous system. A parasympathetic depressant, such as atropire, is indicated to relieve symptoms. The administration of oxygen is helpful.

NET CONTENTS 5, 30, 55 GALLONS

USDA REG. NO. \$\$XXX\$Q 9779-

Manufactured By:

KHAMRIONX CHEMICALX COMPANY

RIVERSIDE CHEMICAL COMPANY

**CANTON**XX**MISSISSIPPI**MARKS, MISSISSIPPI

ACCEPTED

AUG 25 1967

UNDER THE FEDERAL PLANT TO ATTACHED COMMENTS