

Directions

Use Only As Directed.

If applied by aircraft, the minimum amount of water per acre should be approximately 3 to 5 gallons, consistent with crop growth and good coverage. If applied with ground equipment, this rate should be approximately 3 to 10 gallons per acre.

COTTON: Cotton aphid, boll weevil, some species of spider mites, fleahoppers, cotton leafworm and thrips. Use 1/2 to 1 1/2 pints per acre, depending upon degree of infestation and size of plants. Applications should not be made to cotton within 15 days of handpicking.

WHEAT AND OATS: Greenbug. Use 3/4 pint per acre. Do not apply after grain heads begin to form.

ALFALFA AND VETCH: Spotted alfalfa aphid. Use 3/4 pint per acre. Do not apply within 20 days of harvest or pasture. Birds and wildlife in treated areas may be killed.

Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

This product is poisonous to wildlife. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift of spray from areas treated.

Notice Of Warranty

NON-WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



METHYL PARATHION 4-E

(CONTAINS 4 POUNDS METHYL PARATHION
PER GALLON)

ACTIVE INGREDIENTS:

O, O-Dimethyl O-p-Nitrophenyl Thiophosphate*	44%
INERT INGREDIENTS	56%
TOTAL	100%

*Otherwise Known as Methyl Parathion

DANGER



POISON



Keep Out Of Reach Of Children

Manufactured by

Riverside Industries

Marks - Canton, Miss
Blytheville - Pine Bluff, Ark.
Montgomery - Decatur, Ala.
Jackson, Tenn.

Best Available copy

SYMPTOMS OF POISONING: A sense of "tightness" in chest. Stomach pains. Vomiting and diarrhea.

Antidote

INTERNAL: If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

EXTERNAL: If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.
TO PHYSICIAN: Compound exerts muscarine-like effects - i. e., stimulation of the parasympathetic nervous system. A parasympathetic depressant such as atropine, is indicated to relieve symptoms. The administration of oxygen is helpful.

CAUTION: Do not store near heat or open flame.

DISPOSAL OF CONTAINER AND WASTES: This container should not be reused for ANY purpose. When empty, it should be rendered useless by punching large holes in the top, bottom, and sides with an instrument such as an axe. It should then be mashed as flat as possible and buried underground as deep as practical, with at least 18 inches of soil covering. This should be done in an isolated area, away from habitation, and in a location which would not drain into, or cause pollution of lakes, streams, or ponds.

Any spray wastes or spillage resulting from the application of this material or the destruction of the container should be neutralized with a caustic solution and buried in a pit with the disposed container.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USDA REG. NO. 9779-34

9779-34

10-18-71

10/23

9779-34

OCT 18 1971

ACCEPTED
OCT 18 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

9779-34