

RIVERSIDE INDUSTRIES

MARKS, MISSISSIPPI

MARKS PHONE
FA 6-2411

ACCEPTED

RIVERSIDE
PEANUT INSECTICIDE FUNGICIDE

(*Sevin-Sulphur-Copper)

ACTIVE INGREDIENTS:

*Carbaryl (1-Naphthyl-N-methylcarbamate)	10.0%
Copper (In Basic Copper Sulfate)	
Expressed as Metallic	3.1%
Sulphur (Expressed as "S")	
(Sulphur 93% passed 325 mesh)	65.0%

INERT INGREDIENTS:

21.6%

TOTAL

100.0%

*Sevin, Trade Mark of UCC for 1-Naphthyl-N-methylcarbamate.

Effective for the control of leaf spot (*Cerospora Arachidicola*),
Velvet Bean Caterpillar or the Peanut Worm.

WARNING: KEEP OUT OF REACH OF CHILDREN. See other Cautions on Right Panel.

WHEN TO BEGIN: When First Spots appear on Basal Leaves.

NUMBER OF APPLICATIONS: Usually 4. Applied at about 10 day intervals,
the first dusting should be about the time of last cultivation.

AMOUNT OF MATERIAL: From 20 to 30 pounds of dust per acre for each
dusting depending on size of plant.

CAUTION

HARMFUL IF INHALED OR SWALLOWED.

Do not breathe dust. Do not take internally. Skin contact may be
harmful. Avoid contact. Wash hands before eating. Take a shower or
bath after work. Wear regular long sleeved work clothing. Change to
clean clothing daily.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, Cholinesterase
inhibitor. Atropine is antidotal.

AVOID CONTAMINATION OF FOODSTUFFS. Avoid contamination of feed, feeding
troughs, and watering receptacles.

Do not apply when weather conditions favor drift from areas treated.

For protection of honey bees, avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until 1 week after application.

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label.


Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

NON-WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NET WEIGHT: 50 Pounds

MANUFACTURED BY: RIVERSIDE CHEMICAL COMPANY MARKS, MISSISSIPPI

USDA REG. NO. 9779-LN



RIVERSIDE INDUSTRIES

MARKS, MISSISSIPPI

MARKS PHONE
FA 6 2411

RIVERSIDE
20% TOXAPHENE - 1% METHYL PARATHION DUST

DO NOT STORE WITH FOODSTUFFS. THIS MATERIAL RECOMMENDED FOR USE ON COTTON ONLY.

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene (Chlorine content 67 to 69%))	20%
O,O-Dimethyl O-p-Nitrophenyl Thiophosphate	1%

INERT INGREDIENTS:

79%	

TOTAL	100%

DIRECTIONS FOR USE

For use in control of certain cotton insects including bollworm, boll weevil, fleahopper, thrips, leaf worms, rapid plant bug, tarnished plant bug, grasshoppers on cotton.

This material is designed for use in the late season cotton insect control program to obtain control of the insects listed above. Apply at the rate of 10 - 15 lbs. of dust per acre. If only tarnished plant bug, rapid plant bug, and fleahopper are present, use 6 - 7 lbs. of dust per acre. For the control of aphids, a dosage of 25 pounds per acre is suggested. Repeat application if necessary.

o DANGER o
X POISON X
o o

KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed, inhaled or absorbed through skin! Rapidly absorbed through skin! Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before residues have dissipated.