

RIVERSIDE INDUSTRIES

MARKS, MISSISSIPPI

MARKS PHONE
FA 6-2411

RIVERSIDE
20% TOXAPHENE - 1% METHYLE PARATHION DUST

DO NOT STORE WITH FOODSTUFFS. THIS MATERIAL RECOMMENDED FOR USE ON COTTON ONLY.

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene (Chlorine content 67 to 69%))	20%
O,O-Dimethyl O-p-Nitrophenyl Thiophosphate	1%

INERT INGREDIENTS:

79%

TOTAL

100%

DIRECTIONS FOR USE

For use in control of certain cotton insects including bollworm, boll weevil, fleahopper, thrips, leaf worms, rapid plant bug, tarnished plant bug, grasshoppers on cotton.

This material is designed for use in the late season cotton insect control program to obtain control of the insects listed above. Apply at the rate of 10 - 15 lbs. of dust per acre. If only tarnished plant bug, rapid plant bug, and fleahopper are present, use 6 - 7 lbs. of dust per acre. For the control of aphids, a dosage of 25 pounds per acre is suggested. Repeat application if necessary.

o DANGER o
x POISON x

KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed, inhaled or absorbed through skin! Rapidly absorbed through skin! Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before residues have dissipated.

Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not get on clothing.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.


DO NOT apply to cotton later than 15 days before hand picking. Use only as specified on this label.

DO NOT apply on forage crops to be fed to dairy animals or animals being finished for slaughter.

DO NOT apply to humans or pets.

DO NOT graze or feed dairy animals and animals being finished for slaughter on treated cotton or cotton trash.

DO NOT reuse container. Destroy when empty. Do not apply when weather conditions favor drift from area treated. Do not ~~contaminate water~~ by cleaning of equipment or disposal of wastes.



P O I S O N

ANTIDOTE FOR METHYL PARATHION

INTERNAL: Give a tablespoonful of salt in a glass of warm water; repeat until vomit fluid is clear. Have patient lie down and keep quiet.

EXTERNAL: If skin is accidentally contaminated, wash thoroughly with soap and warm water.

CALL A PHYSICIAN IMMEDIATELY.

PHYSICIAN'S NOTE: Compound exerts muscarine-like effects - i.e., stimulation of the parasympathetic nervous system. Repeated use of a parasympathetic depressant, such as atropine to the limit of the patient's tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful.

NON-WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

MANUFACTURED BY: RIVERSIDE CHEMICAL COMPANY MARKS, MISSISSIPPI
USDA REG. NO. 9779-UR