

Only adding down directions - no change in labeling otherwise.



RIVERSIDE

120 HERBICIDE

# 120 HERBICIDE

CONTAINS 6.6 POUNDS OF MSMA PER GALLON.  
USEFUL FOR SELECTIVE POST-EMERGENT CONTROL OF CERTAIN  
GRASSES AND BROADLEAVED WEEDS IN COTTON. IN CERTAIN  
AGRICULTURAL PLANTINGS, AND IN NON-CROP AREAS.

ACTIVE INGREDIENT: Monosodium Acid Methanearsonate	51.0%
INERT INGREDIENTS:	49.0%
TOTAL	100.0%
Total Arsonic (as elemental) all in water soluble form	23.7%
*Product contains 6.6 lbs MSMA per gallon.	

ACCEPTED  
NOV 13 1985  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under EPA Reg. No. 9779-96

STOP—READ LABEL BEFORE USING!

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Contact your local poison control center, hospital, or physician. If the patient is unconscious, maintain breathing and heartbeat (cardiopulmonary resuscitation). If the patient is conscious and alert, induce vomiting (syrup of ipecac or stimulate the back of the throat with a finger). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON!

**IF INHALED:** Remove victim to fresh air and apply respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash with soap and water.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

See Back of Label for Additional Precautionary Statements

EPA REG. NO. 9779-96

EPA EST. NO. 9779-



MANUFACTURED BY

**RIVERSIDE/TERRA CORP.**

A SUBSIDIARY OF TERRA INTERNATIONAL, INC.  
TERRA CENTRE • 600 FOURTH STREET • SIOUX CITY, IOWA 51101

RIVERSIDE SERVES AGRICULTURE • AGRICULTURE SERVES EVERYONE

NET CONTENTS 2½ GALLON

### PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Keep children and domestic animals off treated areas until this material has been washed into the soil. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from target area.

#### GENERAL INFORMATION

RIVERSIDE 120 HERBICIDE is useful for selective post-emergent weed control, particularly for grassy weeds. Best results are obtained on young, actively growing weeds at air temperatures above 70°F.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

#### PROTECTIVE CLOTHING REQUIREMENTS

Wear protective clothing when handling or applying this product including long pants, long-sleeve shirt, and impermeable gloves and boots. Mixer-loaders should include an apron and full-face shield when handling or mixing concentrate. Flagmen should be fully protected during spray operations or mechanical flagmen used. Pilots and ground spraying applicators should wear a mask or respirator approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health.

### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

#### STORAGE

Store in a dry location away from children, animals, foods, feeds, seeds, or other agricultural chemicals. Handle in accordance with information given under "Precautionary Statements." In the event of spillage or leakage, soak up material with absorbent clay, sand, sawdust, or other absorbent material. Scrape up and dispose of in accordance with information given under "DISPOSAL." Repackage and relabel useable product in a sound container. In case of fire or other emergency, report at once by toll-free telephone to 800-424-9300.

#### DISPOSAL

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Plastic Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Metal Containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**COTTON:** RIVERSIDE 120 HERBICIDE is useful as a directed spray application to weeds in cotton for post-emergent control of grasses and broadleaved weeds, including barnyardgrass, crabgrass, cocklebur, Dallisgrass, foxtail, goosegrass, Johnsongrass, morningglow, nutsedge, pigweed, puncture vine, ragweed, sandbur, and watergrass.

RIVERSIDE 120 HERBICIDE factory pumping and bypass application of the grasses and weeds. Pro RIVERSIDE 120 HERBICIDE lactant, in 50 gallons of water gallons of this solution per acre.

**PREPLANT APPLICATION:** If use one preplant application. A acre. Cotton may be planted in

**DIRECTED APPLICATION:** D zies should be placed so as to of the weeds and grasses. App acre. For band application app width to be treated on cotton g during humid growing conditio weeks after the first applicatio

Slight burning and a reddish following the recommended tre

**APPLY ONLY WHEN COTTON AFTER FIRST BLOOM. DO NOT TREATED FIELDS.**

**AGRICULTURAL PLANTING:** plication in non-bearing viney chards, such as almond, app pear, plum, prune and tange per acre

Mix RIVERSIDE 120 HERBIC ACTIVATE, or comparable su in interspaces and around ba short of run-off. If regrowth o APPLICATIONS PER YEAR

**DO NOT ALLOW SPRAY SOL shield, if necessary, for nursery OR VINES FROM WHICH R TREATMENT.**

**NON-CROP:** RIVERSIDE 120 Dallisgrass, goosegrass, John tergrass, and similar weeds on ilar non-crop areas

Mix RIVERSIDE 120 HERBIC ACTIVATE, or comparable su tion thoroughly to the point may be used. If regrowth occu

**MIXING INSTRUCTIONS:** Rin the spray equipment (reservoir herbicide with agitation. First equipment thoroughly by flush prolonged period

**DO NOT CONTAMINATE WA ANIMALS, WILDLIFE AND AC**

**NOTICE:** RIVERSIDE/TERRA CORP and is reasonably fit for the purpose normal conditions of use, but neither for a particular purpose, express or im ions, or under abnormal conditions, or CORPORATION and buyer assumes th not be responsible for incidental or co

LAWN AND ORNAMENTAL TURF: RIVERSIDE 120 HERBICIDE is useful for control of Dallisgrass, sandbur, bahiagrass, nutsedge, barnyard sorrel with little or no injury to good lawn grasses. On new lawns, do not treat until after three mowings. Good grasses are discolored. Zoysia, bluegrass, and bermuda are quite tolerant. Do not use on St. Augustine or centipede. Mow lawns 1 to 2 inches before treatment. Mix 1 fluid ounce (2 tablespoons) of RIVERSIDE 120 HERBICIDE and 1/2 fluid ounce (1 tablespoon) of a suitable surfactant in 1 gallon of water and apply to an area of 1,000 square feet. Spray thoroughly to wet all undesirable plants. Repeat applications, 10 to 14 days, are needed for good control. DO NOT apply with hose-end applicators.

