

RIVERSIDE METHA-TOX

AN EMULSIFIABLE CONCENTRATE CONTAINING 1.5 POUNDS METHYL PARATHION AND 6 POUNDS OF TOXAPHENE PER GALLON. USEFUL FOR THE CONTROL OF CERTAIN INSECT PESTS OF COTTON, RICE, SMALL GRAINS (Barley, Oats, Rye, Wheat), AND SOYBEANS.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear water proof pants, coat, hat, rubber boots or rubber overboots. 2. Wear safety goggles. 3. Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection. 4. Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unexposed persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion-toxaphene combination and describe his condition. After first aid is given, see First Aid Treatment Section and if a doctor cannot come, take victim to clinic or hospital.

WASHING Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK Take off all work clothes and shoes. Wash with soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash and clean clothing and protective equipment with soap and water after each use. Respirator should be cleaned and fully repaired according to instructions included with respirator.

POISON SIGNS (Symptoms) ☠

Methyl parathion-toxaphene combination is a very dangerous poison. It rapidly enters the body on contact with the skin, eyes and nose. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms.

FIRST AID TREATMENT ☠

Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion-toxaphene combination and describe his condition.

IF BREATHING HAS STOPPED, start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly, induce vomiting by sticking fingers down the throat or by giving soapy or strong salty water to drink. Repeat until vomitus clears. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. Send for doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

In this product mixture, methyl parathion is the dominant toxic ingredient exerting muscarinic-like effects. It acts as a stimulant of the parasympathetic nervous system. Poisoning victims should be treated promptly with atropine to the limit of the victim's tolerance to relieve symptoms and to improve chances of survival. 2 PAM may be administered in conjunction with atropine. The administration of oxygen is helpful. Morphine should not be given to persons suspected of methyl parathion poisoning. Toxaphene produces central nervous system excitation which ordinarily responds to the barbituric and derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

ACTIVE INGREDIENTS:

O,O'-dimethyl O-p-nitrophenyl phosphorothioate* 15.00

Toxaphene** 6.00

Aromatic Petroleum Solvent 10.00

INERT INGREDIENTS: 4.00

TOTAL 35.00

*Methyl Parathion

**Technical Chlorinated Camphene Chlorine Content 67.69%

Contains 1.5 pounds Methyl Parathion plus 6 pounds Toxaphene per gallon.


STOP - READ LABEL BEFORE USING!

POISON
SEE SIDE
PANELS FOR
ANTIDOTE AND
PRECAUTIONS




DANGER
KEEP OUT OF
THE REACH OF
CHILDREN

NOT FOR HOME USE



CAN KILL IF SWALLOWED

This product can be fatal if swallowed. Do not drink or eat anything that may be contaminated with it.



CAN KILL BY SKIN CONTACT

This product can kill you if touched by the skin or if it gets on your eyes or on clothing. Wash your hands and clothes.



CAN KILL IF BREATHED

This product can kill you if vapors or spray mist are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife on treated areas may be killed. Do not apply where waterfowl are present. Do not apply where wildlife is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to shrimp and crab. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where there are important resources. Apply this product only as specified on this label.

HIGHLY TOXIC TO BEES

This product is highly toxic to bees. Do not apply to flowers or other plants visited by bees. For more information, contact your Cooperative Agricultural Extension Service.

GENERAL INFORMATION

RIVERSIDE METHA-TOX is useful for the control of certain insect pests of cotton, rice, small grains, barley, oats, RICE, RYE, WHEAT, BARLEY, OATS, SOYBEANS, and other crops. It is a contact insecticide. Apply by ground or aerial spray. For more information, contact your Cooperative Agricultural Extension Service.

When applying with ground spray, use a spray nozzle that will produce a fine mist. Do not apply in a way that will cause drift. Do not apply in a way that will cause runoff.

DO NOT USE, POUR, SPILL, OR STOP FLAME.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE

COTTON - Apply by ground or aerial spray. For more information, contact your Cooperative Agricultural Extension Service.

RICE - Apply by ground or aerial spray. For more information, contact your Cooperative Agricultural Extension Service.

SMALL GRAINS (Barley, Oats, Rye, Wheat) - Apply by ground or aerial spray. For more information, contact your Cooperative Agricultural Extension Service.

SOYBEANS - Apply by ground or aerial spray. For more information, contact your Cooperative Agricultural Extension Service.

ACCEPTED

MAY 17 1914

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 9779-117

This label prints in three colors: GREEN (CF 3/4 103) RED (104 HUL WARM LED) and BLACK. See tissue samples for color distribution. DEEDY/ME AT 5

RIVERSIDE MET-A-TOX

CONTAINING 1.5 POUNDS METHYL PARATHION AND 6 POUNDS OF TOXAPHENE PER GALLON.
INSECT PESTS OF COTTON, RICE, SMALL GRAINS (Barley, Oats, Rye, Wheat), AND SOYBEANS.

TREATMENT

any clinic or hospital immediately if the victim has been poisoned. The methyl parathion-toxaphene combination is a highly effective insecticide for the control of insect pests of cotton, rice, small grains, and soybeans.

STOPPED, start artificial respiration and maintain until doctor arrives.

If victim is awake (conscious), induce vomiting by emptying stomach by giving soap or salt water. Repeat until vomiting is no longer induced. If victim is unconscious, place victim on their side and keep head low.

WASH immediately flush eyes with water for at least 15 minutes. Remove contaminated clothing and shoes.

ANTIDOTE

The antidote for methyl parathion is the cholinesterase reactivator, 2-PAM (pyridoxal phosphate). 2-PAM is given in conjunction with atropine. Atropine is given to persons suffering from methyl parathion poisoning. Toxicity to the nervous system excites the response to the barbiturate drug should be considered. Atropinization fails to relieve symptoms.

ADDITIONAL INFORMATION

For more information, contact your local Agricultural Extension Service regarding pest control.

REGISTERED

4
INSECTICIDE
REGISTERED
EPA REG. NO. 9779-117

ACTIVE INGREDIENTS:	
O,O-dimethyl O-p-nitrophenyl phosphorothioate*	15.8%
Toxaphene**	55.4%
Aromatic Petroleum Solvent	26.2%
INERT INGREDIENTS:	4%
TOTAL	100.0%

*Methyl Parathion
**Technical Chlorinated Camphene Chlorine Content 67-69%
Contains 1.5 pounds Methyl Parathion plus 6 pounds Toxaphene per gallon.


STOP - READ LABEL BEFORE USING!

POISON
SEE SIDE
PANELS FOR
ANTIDOTE AND
PRECAUTIONS




DANGER
KEEP OUT OF
THE REACH OF
CHILDREN


NOT FOR HOME USE



DO NOT SWALLOW
CAN KILL IF SWALLOWED
This product can kill you if swallowed. It will irritate your mouth, throat, and stomach. If you swallow it, you may die.



DO NOT TOUCH
CAN KILL BY SKIN CONTACT
This product can kill you if touched by skin. It can be absorbed through your skin. Wash your hands and clothes immediately if you get it on you.



DO NOT BREATHE
CAN KILL IF BREATHED
This product can kill you if vapors or spray mist are breathed.

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish and wildlife, birds and other wildlife in nearby areas may be killed. Do not apply near water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to shrimp and crab. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this label.

HIGHLY TOXIC TO BEES
This product is highly toxic to bees used in direct treatment of residues on crops. Precautionary information may be obtained from your Cooperative Agricultural Extension Service.

GENERAL INFORMATION

RIVERSIDE MET-A-TOX is useful for the control of cotton insect pests of cotton, rice, small grains, soybeans, barley, oats, rye, and wheat.

RIVERSIDE MET-A-TOX may be applied by ground sprayers or by airplane. Mix with water to form a spray solution. To make the spray solution, add the amount of water to the amount of MET-A-TOX as shown on the label. Add the amount of water to the amount of MET-A-TOX as shown on the label. Add the amount of water to the amount of MET-A-TOX as shown on the label.

When applying with ground sprayers, use the recommended amount of MET-A-TOX per acre. When applying with airplane, use the recommended amount of MET-A-TOX per acre. Do not apply to plants that are stressed or damaged.

When applying with airplane, use the recommended amount of MET-A-TOX per acre. Do not apply to plants that are stressed or damaged.

Do not use, pour, spill, or store near heat or open flame.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

COTTON - For control of bollworm, tobacco budworm, and other cotton pests. Apply 3 to 4 pints per acre. Do not apply more than two applications per growing season. Do not apply to cotton plants that are stressed or damaged.

RICE - For control of rice pests. Apply 3 to 4 pints per acre. Do not apply more than two applications per growing season. Do not apply to rice plants that are stressed or damaged.

SMALL GRAINS - For control of small grain pests. Apply 3 to 4 pints per acre. Do not apply more than two applications per growing season. Do not apply to small grain plants that are stressed or damaged.

SOYBEANS - For control of soybean pests. Apply 3 to 4 pints per acre. Do not apply more than two applications per growing season. Do not apply to soybean plants that are stressed or damaged.

For control of Fall Armyworm, apply 5 1/2 to 8 pints of RIVERSIDE MET-A-TOX per acre.

Do not apply RIVERSIDE MET-A-TOX to soybeans later than 21 days prior to harvest. Do not apply more than two applications per growing season. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.

DISPOSAL OF CONTAINER AND WASTES

This container should not be reused for ANY purpose. When empty, it should be rendered unusable by punching large holes in the top, bottom, and sides with an instrument such as an axe. It should then be mashed as flat as possible and buried underground as deep as practical with at least 18 inches of soil covering. This should be done in an isolated area, away from habitation, and in a location which would not drain into or cause pollution of lakes, streams, or ponds.

Any spray wastes or spillage resulting from the application of this material or the destruction of the container should be neutralized with a caustic solution and buried in a pit with the disposed container.

NOTICE

Riverside Chemical Company warrants that the product conforms to the chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions or normal conditions of use. This warranty, however, does not extend to any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to Riverside Chemical Company, and buyer assumes the risk of any such use.

EPA REG. NO. 9779-117

NET CONTENTS




RIVERSIDE CHEMICAL CO.
Riverside serves agriculture. Agriculture serves everyone.

RED (103) RED (104) BLACK (105) ... FEEDING AT 55%



CO-RAX PELLETED BAIT RP

**A TOX-HID* COATED WARFARIN PELLETED BAIT
KILLS NORWAY RATS, ROOF RATS AND HOUSE MICE
FOR REPACKAGING ONLY**



ACTIVE INGREDIENT:

Warfarin (3-(*a*-acetylbenzyl)-4-hydroxycoumarin) --- 0.025%

INERT INGREDIENTS: ----- 99.975%

TOTAL: 100.000%

* TOX-HID - Wisconsin Alumni
Research Foundation -
Patent Pending.
TOX-HID, Trademark of Wisconsin
Alumni Res. Foundation.

CAUTION KEEP OUT OF REACH OF CHILDREN

Each particle of the Warfarin in this product has been specially coated with a material that reduces detection of the Warfarin by the rodents at the time the bait is consumed. The coating may help assure greater acceptance of the bait in cases where rodent awareness of un-coated Warfarin is responsible for low bait acceptability.

NOTE TO REPACKERS: Request specimen label Re-Directions For Use. Additional data may be required to support Registration of your product, if your labeling text or graphics are altered from the example in this literature, where the hazards or efficacy are affected by such alterations.

C A U T I O N - PRENTOX CO-RAX PELLETED BAIT RP contains as its active ingredient an anti-coagulant chemical, therefore, baits prepared with PRENTOX CO-RAX PELLETED BAIT RP must be protected from or placed where humans, livestock, wildlife, poultry or pets will not eat them. In case baits are eaten, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Call a Physician immediately. **BAITS SHOULD BE PLACED IN AREAS NOT ACCESSIBLE TO CHILDREN, PETS, WILDLIFE AND DOMESTIC ANIMALS OR IN TAMPER-PROOF BAIT BOXES.**

NOTE FOR PHYSICIANS: When a human has been known to have ingested any PRENTOX CO-RAX PELLETED BAIT RP, blood transfusions combined with intravenous injections and oral doses of Vitamin K are indicated, as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

This product is toxic to wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONTENTS _____ LBS.

Manufactured for:

E.P.A. EST. NO. 655-NJ-1
E.P.A. Reg. No. 655-515

