

For control of woody growth over 8 feet in height, basal, stump, or frill treatment is usually preferred.

#### AS OIL SPRAY:

Add the recommended amount of product to diesel oil, No. 1 or No. 2 fuel oil, or kerosene in the spray tank and mix thoroughly.

**BASAL TREATMENT:** Dilute 3 gallons of product with 97 gallons of oil (1 pint in 4 gallons) and use a knapsack sprayer to cover trunk, around trunk and stems from soil surface to about a height of 12 to 15 inches. Cover bark thoroughly, even to the point of runoff at the soil line. Application can be made any time of the year except when snow or water prevents application at the soil line. Although basal has proved to be quite effective, delayed response and kill often occur.

**STUMP TREATMENT:** Dilute 3 gallons of product with 97 gallons of oil (1 pint in 4 gallons) and apply to freshly cut stumps of large trees or woody plants. Make application with knapsack sprayer having a nozzle of medium orifice or by brush or swab. For best results, both sides and top of stumps should be thoroughly wet. Application can be made any time of the year except when snow and water prevents application of the soil line. Repeat application should regrowth appear.

**FRILL TREATMENT:** For control of plants having trunks more than 6 inches in diameter, make overlapping cuts in the bark around the trunk as close to the ground as possible. Treat fresh cuts with a mixture of 3 gallons of product in 97 gallons of oil (1 pint in 4 gallons). Application may be made in any season.

#### AS OIL-WATER AERIAL SPRAY

Best results are obtained when application is made to plants well leaved and actively growing.

**RANGELAND:** For the control of Mesquite, mix 1 gallon of product with 5 gallons of diesel oil and then mix with 18 gallons of water. The emulsion should be applied at the rate of 4 gallons per acre (2/3 lb. 2,4,5-T acid equivalent per acre).

For control of Hickory, Blackjock, and other Scrub oaks, mix 1 gallon of product with 2 gallons diesel oil and then mix with 7 gallons of water. Apply this emulsion at the rate of 5 gallons per acre (2 lbs. 2,4,5-T acid equivalent per acre).

**PINE RELEASE:** For the control of undesirable hardwoods in pine plantings, mix 1 gallon of product with 2 gallons diesel oil and mix with 7 gallons of water. Apply this emulsion at the rate of 5 gallons per acre (2 lbs. 2,4,5-T acid equivalent per acre). Where both the understory and a dense story of hardwoods are present, a second application may be necessary for control.

#### WARNING

DO NOT apply this product to flowers, fruits, vegetables, grapes, ornamentals, cotton, alfalfa, soybeans, clover, or other desirable plants. Minute quantities of this material may cause severe injury to beneficial or desirable plants, therefore caution must be exercised in the use of the chemical in close proximity to such plants. Avoid drift of spray. Use a coarse spray, which is less likely to drift.

Although this product contains an ester of low volatility, the vapors from the product may injure the more susceptible plants in the vicinity of the application.

DO NOT contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes and containers. Excessive amounts of this material in the soil may temporarily inhibit seed germination and plant growth.

---

~~DO NOT apply this product on lawns. Legumes, such as white clover, are susceptible to the chemical and may be severely damaged or killed.~~

DO NOT graze dairy animals on treated areas within 7 days after application.

DO NOT store this product near fertilizers, seeds, insecticides, or fungicides. DO NOT contaminate feed or foodstuffs.

DO NOT use spray equipment contaminated with this product for any other purpose. Such equipment SHOULD NOT be used for the application of insecticides, fungicides, or other agricultural products, unless it has been first cleaned very carefully with a suitable chemical cleaner.

DO NOT mix with liquid fertilizers.

#### CAUTION

This product may cause skin irritation. Avoid inhaling spray mist. Do not take internally. Avoid contact with the eyes, skin, or clothing. Flush eyes with clear water and get prompt medical attention.

KEEP OUT OF REACH OF CHILDREN

#### NOTICE OF WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.


DISTRIBUTED BY: RIVERSIDE INDUSTRIES  
USDA REG. NO. 9779

MARKS, MISSISSIPPI

R I V E R S I D E

HERBICIDE

LOW VOLATILE 2D-2T



Contains 2 lbs. of 2,4-D and 2 lbs. of 2,4,5T Acid Equivalents per gallon

ACTIVE INGREDIENTS:

2-Ethylhexyl Ester* of 2,4-Dichlorophenoxyacetic Acid	34.4%
(Equivalent of 22.8% of 2,4-Dichlorophenoxyacetic Acid)	

2-Ethylhexyl Ester* of 2,4,5-Trichlorophenoxyacetic Acid	32.9%
(Equivalent of 22.8% of 2,4,5-Trichlorophenoxyacetic Acid)	

INERT INGREDIENTS:

	32.7%
TOTAL	100.0%

\* An Isooctyl Ester

CAUTION:

READ ENTIRE LABEL FOR ADDITIONAL HANDLING PRECAUTIONS.

KEEP OUT OF REACH OF CHILDREN

LOW VOLATILE ESTER to control certain trees and brush in rights-of-way, forest management, fencerows, pastures, and for other noncrop uses.

WOODY PLANTS CONTROLLED

Mixtures of 2,4-D and 2,4,5-T have been found to give better results on certain woody and herbaceous plants than either chemical used alone.

RIVERSIDE LOW VOLATILE 2D-2T is recommended to kill and to control the following as well as many other noxious plants.

ALDER	ELDERBERRY	POISON IVY	WILLOW
ASPEN	ELM	POISON OAK	
BIRCH	HAWTHORN	POPLAR	
BLACKBERRY	HICKORY	SASSAFRAS	
BOX ELDER	HONEYSUCKLE	SAGE BRUSH	
BUCKBRUSH	LOCUST	SUMAC	
CHEROKEE ROSE	MULBERRY	SWEET GUM	
CHOKE CHERRY	OAK	WILD CHERRY	
COTTONWOOD	OSAGE ORANGE	WILD GRAPE	
ELDER	PERSIMMON	WILD PLUM	