ACCEPTED

UNDER FREE FO CHECHCIDE
FUNG A ACT
FOR AME A ACT
UNION TO 97777-193

## DIRECTIONS FOR USE

## AS WATER SPRAY

Add the recommended amount of product to about one-half the volume of water to be used in spraying. Mix well, then add remaining water and mix until spray mixture is uniform. Best results are abtained when applications are made while plants are well leafed and actively growing. Foliage and bark should be throughly wet with a coarse spray. Repeat applications may be necessary if new growth appears.

For control of woody plants up to 6 to 8 feet in height, this product should be applied in a spray containing I gallon mixed with 99 gallons of water.

Poison ivy, brambles, and some other species may be controlled by using 2 quarts in 100 gallons of water.

For woody plants over 8 feet in height, basel, stump, or frill treatment is usually preferred.

## AS OIL SPRAY

Add the recommended amount of product to diesel oil, No. 1 or No. 2 fuel oil, or kerosene in the spray tank and mix throughly.

BASAL TREATMENT: Dilute 3 gallons of product with 97 gallons of oil (I pint to 4 gallons), and use a knapsack sprayer to cover bark around trunk and stems from soil surface to about a height of 12 to 15 inches. Cover bark throughly, even to the point of runoff at the soil line. Application can be made any time of the year except when snow or water prevents application at the soil line. Although basal has proved to be quite effective, delayed response and kill often occur.

STUMP TREATMENT: Dilute 3 gallons of product with 97 gallons of oil (1 pint in 4 gallons), and apply to freshly cut stumps of large trees or woody plants. Make application with knapsack sprayer having a nozzle of medium orifice or by brush or swab. For best results, both sides and top of stumps should be thoroughly wet. Applications can be made any time of the year except when snow and water prevents application at the soil line. Repeat application should regrowth appear.

FRILL TREATMENT: For control of plants having trunks more than 6 inches in diameter, make overlapping cuts in the bark around the trunk as close to the ground as possible. Treat fresh cuts with a mixture of 3 gallons of product in 97 gallons of oil (I pint in 4 gallons). Application may be made at any time of the year.

## AS OIL-WATER AERIAL SPRAY

Best results are obtained when application is made to plant well leaded and actively growing. Dilute 1 to 3 quants of product with an equal amount of diesel cil and then mix with enough water to make 1 to large. Apply this mixture at the rate of 5 pallow paragraph.

WARNING

DO NOT apply this product to flowers, fruits, vegetables, grapes, ornamentals, cotton, alfalfa, soybeans, clover, or other desirable plants. Minute quantities of this material may cause severe injury to beneficial or desirable plants, therefore caution must be exercised in the use of the chemical in close proximity to such plants. Avoid drift of spra Use a coarse spray, which is less likely to drift.

Although this product contains an ester of low volatility, the vapors from the product may injure the more susceptible plants in the vicinity of the application.

DO NOT contaminate any body of water by direct application, cleaning of equipment or disposal of wastes and containers. Excessive amounts of this material in the soil may temporarily inhibit seed germination and plant growth.

DO NOT apply this product on lawns. Legumes, such as white clover, are susceptible to the chemical and may be severly damaged or killed.

DO NOT graze dairy animals on treated areas within 7 days after application.

DO NOT store this product near fertilizers, seeds, insecticides, or fungicides. DO NOT contaminate feed or foodstuff.

DO NOT use spray equipment contaminated with this product for any other purpose. Such equipment SHOULD NOT be used for the application of insecticides, fungicides, or other agricultural products unless it has been first cleaned very carefully with a suitable chemical cleaner.

DO NOT mix with liquid fertilizers.

CAUTION

This product may cause skin irritation. Avoid inhaling spray mist. Do not take internally. Avoid contact with the eyes, skin, or clothing. Fiush eyes with clear water and get prompt medical attention.

KEEP OUT OF REACH OF CHILDREN

NOTICE OF WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

CHATRIBUTED BY: RIVERCIDE INDUCTOR OF A PART O