

RESTRICTED USE PESTICIDE
 Sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

RIVERSIDE DITHON

CONTAINS 8 POUNDS PARATHION AND 3 POUNDS METHYL PARATHION PER GALLON
 USEFUL FOR THE CONTROL OF CERTAIN INSECT PESTS ON ALFALFA, CLOVER, CORN, COTTON, GRASS AND VETCH, SMALL GRAINS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
DANGER

CAN KILL OR MAIMIZE
 The product is highly toxic to humans and domestic animals. It is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions.

CAN HURT BY CONTACT
 The product is highly toxic to humans and domestic animals. It is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions.

CAN HURT IF BREATHED
 The product is highly toxic to humans and domestic animals. It is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING
 Wear a respirator with a canister or cartridge that is approved for use against organophosphorus pesticides. Wear protective clothing that covers the entire body, including a long-sleeved shirt, long pants, and gloves. Wear a hat and goggles. Do not eat, drink, or smoke while using this product.

WORK SAFETY RULES
 Do not use this product in or near homes, schools, day care centers, or other places where people live, work, or play. Do not use this product on lawns, lawns, or other areas where people walk. Do not use this product on crops that are being harvested for human consumption. Do not use this product on crops that are being harvested for animal consumption. Do not use this product on crops that are being harvested for seed. Do not use this product on crops that are being harvested for silage. Do not use this product on crops that are being harvested for hay. Do not use this product on crops that are being harvested for other purposes.

POISON SIGNS (Symptoms)
 Symptoms of poisoning include: nausea, vomiting, diarrhea, abdominal pain, muscle twitching, weakness, dizziness, headache, blurred vision, difficulty breathing, and loss of consciousness. If you experience any of these symptoms, seek medical attention immediately.

NOTE TO PHYSICIAN
 This product is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions. It is highly toxic to humans and domestic animals. It is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions.

POST TREATED AREA
 Do not enter the treated area until the spray has dried. Do not allow children or pets to enter the treated area until the spray has dried. Do not allow livestock to enter the treated area until the spray has dried.

ENVIRONMENTAL HAZARDS
 This product is highly toxic to fish, birds, and bees. It is also a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions.

PHYSICAL OR CHEMICAL HAZARDS
 This product is highly flammable. It is also a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions.

STOP — READ LABEL BEFORE USING!

ACTIVE INGREDIENTS:

O, O-dimethyl O p-nitrophenyl phosphorothioate*	58.1%
O, O-dimethyl O p-nitrophenyl phosphorothioate**	29.1%
Aromatic petroleum solvent	6.5%
INERT INGREDIENTS:	63%
Total	100%

*Parathion ethion as ethyl parathion
 **Methyl Parathion

KEEP OUT OF REACH OF CHILDREN

DANGER **POISON**

STATEMENT OF PRACTICAL TREATMENT

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion methyl parathion and describe his condition.

IF SWALLOWED Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE
 This product is a restricted use pesticide. It is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions. It is highly toxic to humans and domestic animals. It is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions.

REENTRY STATEMENT
 Do not reenter the treated area until the spray has dried. Do not allow children or pets to enter the treated area until the spray has dried. Do not allow livestock to enter the treated area until the spray has dried.

GENERAL INFORMATION
 This product is a restricted use pesticide. It is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions. It is highly toxic to humans and domestic animals. It is a severe irritant to the eyes, nose, throat, and respiratory tract. It is also a skin irritant and may cause allergic reactions.

ALFALFA, CLOVER, GRASS AND VETCH
 For control of certain insects on alfalfa, clover, grass and vetch, apply this product as a spray or dust. Use the following rates: Alfalfa, 1.5 to 2.0 gallons per acre; Clover, 1.5 to 2.0 gallons per acre; Grass, 1.5 to 2.0 gallons per acre; Vetch, 1.5 to 2.0 gallons per acre. Do not apply this product to crops that are being harvested for human consumption. Do not apply this product to crops that are being harvested for animal consumption. Do not apply this product to crops that are being harvested for seed. Do not apply this product to crops that are being harvested for silage. Do not apply this product to crops that are being harvested for hay. Do not apply this product to crops that are being harvested for other purposes.

CORN
 For control of certain insects on corn, apply this product as a spray or dust. Use the following rates: Corn, 1.5 to 2.0 gallons per acre. Do not apply this product to crops that are being harvested for human consumption. Do not apply this product to crops that are being harvested for animal consumption. Do not apply this product to crops that are being harvested for seed. Do not apply this product to crops that are being harvested for silage. Do not apply this product to crops that are being harvested for hay. Do not apply this product to crops that are being harvested for other purposes.

COTTON
 For control of certain insects on cotton, apply this product as a spray or dust. Use the following rates: Cotton, 1.5 to 2.0 gallons per acre. Do not apply this product to crops that are being harvested for human consumption. Do not apply this product to crops that are being harvested for animal consumption. Do not apply this product to crops that are being harvested for seed. Do not apply this product to crops that are being harvested for silage. Do not apply this product to crops that are being harvested for hay. Do not apply this product to crops that are being harvested for other purposes.

SMALL GRAINS
 For control of certain insects on small grains, apply this product as a spray or dust. Use the following rates: Small grains, 1.5 to 2.0 gallons per acre. Do not apply this product to crops that are being harvested for human consumption. Do not apply this product to crops that are being harvested for animal consumption. Do not apply this product to crops that are being harvested for seed. Do not apply this product to crops that are being harvested for silage. Do not apply this product to crops that are being harvested for hay. Do not apply this product to crops that are being harvested for other purposes.

This product should only be used on crops listed on the label. Do not use on other crops. Do not use on crops that are being harvested for human consumption. Do not use on crops that are being harvested for animal consumption. Do not use on crops that are being harvested for seed. Do not use on crops that are being harvested for silage. Do not use on crops that are being harvested for hay. Do not use on crops that are being harvested for other purposes.

NET CONTENTS: GALLONS
 LITERS

EPA REG. NO. 77-115
 EPA EST. NO. 979401

BEST DOCUMENT AVAILABLE

BEST

DE
icators of
for those
on

THON 63

DIRECTIONS FOR USE

GENERAL INFORMATION
MATERIALS INFORMATION
TOLERANCE INFORMATION
TOLERANCE INFORMATION
TOLERANCE INFORMATION

READ ENTIRE LABEL BEFORE USING THIS PRODUCT


WALF, CLOVER, GRASS AND BECH

CONVERSION TABLE
STORAGE AND DISPOSAL

CONVERSION TABLE
STORAGE AND DISPOSAL

STORAGE AND DISPOSAL

Finished size is 9x24



ORGANOPHOSPHORUS PESTICIDE, MIXTURE, LIQUID, NOS
(CONTAINS PARATHION AND METHYL PARATHION)
POISON B, UN2783, RQ



RIVERSIDE CHEMICAL CO.

RIVERSIDE SERVES AGRICULTURE AGRICULTURE SERVES EVERYONE

BEST DOCUMENT AVAILABLE

77272

2



OCT

Riverside Chemical Company
A Subsidiary of Terra Chemicals
International, Inc.
P.O. Box 1828
Sioux City, IA 51102

Gentlemen:

Subject: Dithon 63
EPA Registration No. 9779-125
Your Application Dated August 23, 1982

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Revise your container disposal statement to:

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

Plastic containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

-2-

Glass containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by other approved state and local procedures.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

TS-767; ELLENBERGER; DCR-24748; WANG-0319C; CBP; Raven; 479-2013; 9/23/82