
CITRUS-BEARING AND NON-BEARING (Except Florida): RIVERSIDE 912 HERBICIDE is useful as a directed application in citrus orchards, such as orange, grapefruit, tangerine, lemon and lime orchards. It should be applied at the rate of 1,3 to 2/3 gallons per acre.

Mix RIVERSIDE 912 HERBICIDE at the rate of 1/3 gallon in 50 gallons of water. Apply as a directed spray in interspaces and around base of trees. Spray unwanted vegetation to just short of run-off. If regrowth occurs, reapply as required; however, do not exceed 3 applications per year. Do not allow spray solution to contact fruit, leaves, stems or bark. Use a shield, if necessary, for nursery plantings or young trees.





CONTAINS 6 POUNDS OF MSMA PER GALLON PLUS EFFECTIVE SURFACTANT, USEFUL FOR SELECTIVE POST-EMERGENT CONTROL OF CERTAIN GRASSES AND BROADLEAVED WEEDS IN COTTON, IN LAWNS AND ORNAMENTAL TURF, IN CERTAIN AGRICULTURAL PLANTINGS, AND IN NON-CROP AREAS.

STOP—READ LABEL BEFORE USING!

ACTIVE INGREDIENT: Monosodium Acid Methanearsenale' INERT INGREDIENTS: . .

48 00% 52.00°° TOTAL 100 00%

Total Arsenic (as elemental) all in water soluble form

22.27%

"Product contains 6.00 lbs. MSMA per gartin

EPA REG. NO. 9779-133

EPA EST. NO. 9779- AL-01



MANCHACTUREDBY

RIVERSIDE/TERRA CORP.

A SUBSIDIARY OF TERHA INTERNATIONAL INC TERRA CENTRE - 600 FOURTH STREET - SIOUX CITY IOWA STIOT RIVERSIDE SERVES AGRICULTORE. AGRICULTORE SERVES EXERTONE

PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

ENVIRONMENTAL HAZARDS

GENERAL INFORMATION

DIRECTIONS FOR USE $\sigma_{\rm coll}(g_{\rm coll}) = \sigma_{\rm coll}(g_{\rm coll}) = \sigma_{\rm coll}(g_{\rm coll}) + \sigma_{\rm coll}(g_{\rm coll}) = \sigma_{\rm coll}(g_{\rm coll}) = \sigma_{\rm coll}(g_{\rm coll}) + \sigma_{\rm coll}(g_{\rm coll}) = \sigma_{\rm coll}(g_{\rm coll}) + \sigma_{\rm coll}(g_{\rm coll}) = \sigma_{\rm coll}(g_{\rm coll}) + \sigma_{\rm coll}(g_{\rm coll}) = \sigma_{\rm coll}(g_{\rm col$

RC-ENTRY STATEMENT

The control of the co

PROTECTIVE CLOTHING HEQUIREMENTS

We can be a compared to the control of the control

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL STORAGE

STORAGE

There is a first storage in the most of the control of th

PUSHICIDE DISPOSAL A CAMBRID AND THE REPORT OF THE PUBLIC AND THE CONTAINER DISPOSAL Plastic Containers, they contained to the best of the containers of the containers

COTION SERVICES OF PROPERTY CONTROL OF A STATE OF THE ACTION OF A STATE OF THE ACTION OF THE ACTION

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact your local poison control center, hospital, or phy sician. If the patient is unconscious, maintain breatning and heartbeat (cardiopalmonary resuscitation). If the patient is conscious and alert induce vomiting (syrup of ipecae or stimulate the back of the throat with a tinger). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON!

IF INHALED: Remove victim to fresh air and apply respiration if indicated

IF ON SKIN: Remove contaminated clothing and wash with soap and water IF IN EYES: Flush with plenty of water. Get medical attention if initiation persists.

RIVERSIDE 912 HERRICODE IN COMPANIE AND THE CONTROL OF T

English of Wester Schiller (1999) (1999)

Segan And March (2007) (1999)

AND THE CONTRACT OF THE CONTRA

EX. ON CONTRACT THE CONTRACT OF A STATE OF THE CONTRACT OF THE

AGRICULTURAR PLANTINGS BY VEHICLE OF A CONTROL OF A CONTR

The state of the s

STAR BY A TALENDA BRANCH OF BUTCH OWN THAT IS THE HARM HARM WITH A STAR OF THE STAR OWN THAT IS THE BUTCH OF THE STAR OF THE BUTCH OWN THE HARM WHEN BOTH THAT IS THE BUTCH OF THE STAR OF THE BUTCH OWN THE BUTCH

NON CROP is a second and effective and provide a constitution of the constitution of t

MIZING INSTRUCTIONS (Common text of the common text

Anna Caranter and Barthy Service Community of the Communi