

**DIRECTIONS FOR USE**

**ON COTTON:** Apply to the leaves and stems of the cotton plant, spider mites, and aphids. Use at the rate of 1/2 gallon per 100 square feet. Repeat application every 7 to 10 days. For severe infestation of the cotton plant, apply at the rate of 1/2 gallon per acre. For Methyl Parathion, repeat application every 7 to 10 days. For the control of the cotton bollworm, apply at the rate of 1/2 gallon per acre.

Repeat application every 7 to 10 days. For the control of the cotton bollworm, apply at the rate of 1/2 gallon per acre.

**ON SOYBEANS:** Apply to the leaves and stems of the soybean plant. For the control of the soybean beetle, apply at the rate of 1/2 gallon per acre. Repeat application every 7 to 10 days. For the control of the soybean aphid, apply at the rate of 1/2 gallon per acre.

**DANGER**

This is extremely poisonous to humans. Follow the directions carefully. Read and understand the label before using this product.

Keep out of reach of children.

For more information, contact your local health department.

**KILL A PLENTY**  
**BIG 6**

Contains: 6 lbs. Methyl Parathion per gallon

<b>ACTIVE INGREDIENTS:</b>	
O,O-dimethyl O-p- Nitrophenyl Thiophosphate*	62.7%
Aromatic Petroleum Distillate	30.3%
<b>INERT INGREDIENTS:</b>	7.0%
<b>Total</b>	<b>100.0%</b>

\* Formerly known as Methyl Parathion



**DANGER! KEEP OUT OF REACH OF CHILDREN**

This is extremely poisonous to humans. Follow the directions carefully. Read and understand the label before using this product.

Keep out of reach of children.

For more information, contact your local health department.

Manufactured By

**Adkins-Phelps, Inc.**

10000 W. 10th Street

Overland Park, Kansas 66204

**DANGER**  
**PHYSICIANS NOTE**

This is extremely poisonous to humans. Follow the directions carefully. Read and understand the label before using this product.

**DANGER**

**Antidotes:** For the treatment of acute poisoning, the following measures should be taken: 1. Remove the patient from the source of exposure. 2. Wash the exposed skin with soap and water. 3. If the patient has inhaled the product, move them to fresh air. 4. If the patient has swallowed the product, do not induce vomiting. 5. Seek medical attention immediately.

**Warning**

Keep out of reach of children. For more information, contact your local health department.

3677-140  
ACCEPTED  
Aug 10 1971

DIRECTIONS FOR USE  
ON COTTON

ON SOYBEANS

# KILL **4** PLENTY

## BIG 6

Contains 6 lbs Methyl Parathion per gallon

**ACTIVE INGREDIENTS**

O,O-dimethyl O-p-Nitrophenyl Thiophosphate 6.2

Aromatic Petroleum Distillate 2.8

**INERT INGREDIENTS**

Total

Manufactured By

PHYSICIANS NOTE

3677-140  
Aug 10 1944