

Net Contents:
50 Pounds

TOP-CROP

USDA
Reg. No.
9126-33

GENERAL INFORMATION

Suggested dosages refer to pounds of 50% SEVIN CONCENTRATE DUST to use per acre of crop treated. Where a dosage range is indicated use the lower rate on small or young plants and the higher rate on large or mature plants. Always use sufficient dust to obtain good coverage of the crop plants being treated. Apply when insects or their damage appear and repeat applications as necessary, or at 7 to 10 day intervals, unless shorter intervals are specified in "DIRECTIONS FOR USE."

DIRECTIONS FOR USE

For early-season control of Thrips, Flea Beetles, Cotton Fleahopper, Cotton Leafworm, and Striped Blister Beetle apply 1.5 to 2.0 pounds per acre.

For mid- and late-season control of Boll Weevil, Bollworm, Fall Armyworm, Cotton Leaf Perforator, Leaf Rollers, Leafhoppers, and Tarnished Plant Bug, apply 2 to 4 pounds per acre. Make applications every 5 to 7 days as long as control is necessary.

For control of Pink Bollworm apply 3 to 5 pounds per acre on a 5 to 7 day schedule.

For control of Stink Bugs and Salt-Marsh Caterpillar apply 4 pounds per acre.

Aphid populations will be suppressed by repeated applications of 50% SEVIN CONCENTRATE DUST.

For grasshoppers, apply 1.5 to 3 pounds per acre as often as necessary. A 2 to 3 pound dosage should be used when grasshoppers are mature or material is applied to crop requiring greater coverage.

50% SEVIN CONCENTRATE DUST

For the Control of Insects on Cotton

READ ENTIRE LABEL BEFORE USING THIS PRODUCT

INGREDIENTS

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-Methylcarbamate) 50%

INERT INGREDIENTS: 50%

Total 100%

CAUTION

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

HARMFUL IF INHALED OR SWALLOWED. Avoid Prolonged or Repeated Breathing of Dust. Do not Take Internally. Avoid Prolonged or Repeated Contact with Skin. Wash Hands and Face Before Eating. Take Shower or Bath After Work. Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily.

AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS, AND WATER RECEPTACLES

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Sold by



HARDEN—THORNTON AND COMPANY
Memphis, Tennessee

1. Calibrate ground equipping equipment to determine application of 50% SEVIN CONCENTRATE DUST. Strictly avoid excess application.
2. To effectively apply 50% SEVIN CONCENTRATE DUST, use venturi type equipment at normal height (4 to 6 feet) and regular swath width. When using tractor equipment use tractor PTO speed to apply the 50% SEVIN CONCENTRATE DUST or similarly designed equipment.
3. For optimum results under normal conditions are favorable. Strictly avoid excess application.
4. 50% SEVIN CONCENTRATE DUST is not recommended for use where heavy infestations are encountered, use 100% SEVIN CONCENTRATE DUST.
5. 50% SEVIN CONCENTRATE DUST should be applied between last application and first application of feed or bedding.
6. For protection of honey bees (do not apply where bees are visiting the crop, and warn beekeepers to keep bees out of bee flight range) until after application.

Harnden-Thornton and Company description and is read in accordance with directions on any other warranty of product implied, extends to the abnormal conditions, and Harnden-Thornton and Company.

226-225
ACCEPTED
JUN 5 1961

50 Pounds



Reg. No.
9126-33

50% SEVIN CONCENTRATE DUST

For the Control of Insects on Cotton

READ ENTIRE LABEL BEFORE USING THIS PRODUCT

INGREDIENTS

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-Methylcarbamate) 50%

INERT INGREDIENTS: 50%

Total 100%

CAUTION

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

HARMFUL IF INHALED OR SWALLOWED. Avoid Prolonged or Repeated Breathing of Dust. Do not Take Internally. Avoid Prolonged or Repeated Contact with Skin. Wash Hands and Face Before Eating. Take Shower or Bath After Work. Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily.

AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS, AND WATER RECEPTACLES

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Sold by



HARNDEN—THORNTON AND COMPANY
Memphis, Tennessee

NOTE

1. Calibrate ground equipment or aerial dust apparatus accurately. After properly adjusting equipment to deliver the required low volume, maintain constant speed throughout application of 50% SEVIN CONCENTRATE DUST to insure even coverage. Strictly avoid excessive application.
2. To effectively apply 50% SEVIN CONCENTRATE DUST by aircraft use standard venturi type equipment with spreader vanes or Swathmaster type spreaders. Fly at normal height (4 to 6 feet above the top of the plants is suggested) and maintain regular swath width (usually 30 to 35 feet is indicated). For application with ground equipment use tractor mounted power dusters with a metering device that feeds the 50% SEVIN CONCENTRATE DUST through one nozzle per row (with deflector) or similarly designed electronic dusters.
3. For optimum results apply 50% SEVIN CONCENTRATE DUST only when weather conditions are favorable. Wind and rising air currents may cause undesirable drift. Strictly avoid excessive dust drift away from crop being treated.
4. 50% SEVIN CONCENTRATE DUST does not control spider mites. Where infestations are encountered, use a recommended miticide.
5. 50% SEVIN CONCENTRATE DUST may be applied after bolls open. Allow 7 days between last application and grazing treated fields or harvesting crop residue for use as feed or bedding for dairy or meat animals.
6. For protection of honeybees avoid use, if possible, during periods when honeybees are visiting the crop or neighboring crops. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance (beyond bee flight range) until one week after application.

NOTICE

Harnden-Thornton and Company warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to Harnden-Thornton and Company, and buyer assumes the risk of any such use