

RAVERSIDE DEVELOPER

AN EMULSIFIABLE CONCENTRATE CONTAINING 0.75 POUND GUTHION PLUS 3 POUNDS METHYL PARATHION PER GALLON. USEFUL FOR THE CONTROL OF CERTAIN INSECT PESTS OF COTTON.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:

- 1. Wear a protective suit of rubber or plastic.
- 2. Wear safety goggles.
- 3. Wear a respirator approved by the Federal Bureau for Guthion methyl parathion.
- 4. Wear heavy duty natural rubber boots.

WORK SAFETY RULES:

1. Do not eat, drink, or smoke while working with this product. Wash your hands and face before eating, drinking, or smoking.

2. Do not use this product in the presence of children, pets, or livestock. Do not use this product in residential areas or near water bodies.

3. Do not use this product in the presence of bees, butterflies, or other beneficial insects.

4. Do not use this product in the presence of birds, fish, or aquatic life.

POISON SIGNS (Symptoms)

1. Irritation of the skin, eyes, nose, throat, and lungs.

2. Headache, dizziness, nausea, vomiting, and diarrhea.

3. Difficulty breathing, chest pain, and weakness.

4. Loss of consciousness and convulsions.

FIRST AID TREATMENT

Call a doctor (physician) or a hospital immediately. Explain that this patient has been exposed to Guthion methyl parathion combination and describe his condition.

IF BREATHING HAS STOPPED: Start artificial respiration immediately and maintain until doctor arrives.

IF SWALLOWED: Do not induce vomiting unless directed to do so by a physician. Rinse mouth with water. Do not eat or drink until advised by a physician.

IN CASE OF CONTACT: In the event of contact with the eyes, flush with water for at least 15 minutes. Wash with soap and water.

NOTE TO PHYSICIAN:

Antidote: For acute poisoning, the antidote is atropine. For chronic poisoning, the antidote is physostigmine. For mild poisoning, the antidote is atropine. For severe poisoning, the antidote is atropine and physostigmine. For fatal poisoning, the antidote is atropine and physostigmine.

POST TREATED AREA:

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

ACTIVE INGREDIENTS:	
O, O-dimethyl S-(4-oxo-1,2,4-benzoxazin-3(4H)-yl) phosphorothioate*	0.75 lb/gal
O, O-dimethyl O-p-nitrophenyl phosphorothioate**	3.00 lb/gal
Aromatic Petroleum Solvent	1.25 lb/gal
INERT INGREDIENTS:	
*Guthion	0.75 lb/gal
**Methyl Parathion	3.00 lb/gal
Product Contains: 75 lbs. Guthion plus 30 lbs. Methyl Parathion per gallon.	
U.S. Patent No. 2,758,115 Canadian Patent No. 552,060	


STOP - READ LABEL BEFORE USING!

POISON
SEE SIDE PANELS FOR ANTIDOTE AND PRECAUTIONS




DANGER
KEEP OUT OF THE REACH OF CHILDREN


NOT FOR HOME USE



CAN KILL IF SWALLOWED
This product can kill if swallowed. Even in small amounts, spray mist may be fatal if swallowed.



CAN KILL BY SKIN CONTACT
This product can kill by skin contact. Avoid contact with hands, face, and clothing. Wash skin and eyes immediately if contact occurs.



CAN KILL IF INHALED
This product can kill if inhaled. Avoid breathing in vapors or dust. Do not use in enclosed spaces.

POISONOUS TO FISH AND WILDLIFE
This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when wind or conditions favor drift from the treated area. Do not apply where runoff is likely to occur.

HIGHLY TOXIC TO BEES
This product is highly toxic to bees. Do not apply to flowering plants or near beehives. Avoid contact with bees.

GENERAL INFORMATION:

1. This product is a concentrate. Dilute with water according to the label directions.

2. Do not use this product in the presence of children, pets, or livestock.

3. Do not use this product in residential areas or near water bodies.

4. Do not use this product in the presence of bees, butterflies, or other beneficial insects.

5. Do not use this product in the presence of birds, fish, or aquatic life.

DO NOT USE IN FOUR, SMALL OR OTHER NEAR FLOWERS.

READ THE LABEL CAREFULLY BEFORE USING.

INSTRUCTIONS FOR USE:

1. Read the label carefully before using.

2. Dilute with water according to the label directions.

3. Do not use this product in the presence of children, pets, or livestock.

4. Do not use this product in residential areas or near water bodies.

5. Do not use this product in the presence of bees, butterflies, or other beneficial insects.

6. Do not use this product in the presence of birds, fish, or aquatic life.

ACCEPTED

(Handwritten signature)

This label prints three colors: GREEN (IF INK # CF/3x9/03), RED (IF INK # CF/3x9/03), and BLACK. See tissue overlay for color distribution. REFERENCE AT 5700 (1)

RIVERSIDE LOOPEREX

**CENTRATE CONTAINING 0.75 POUND GUTHION PLUS 3 POUNDS METHYL PARATHION PER GALLON.
 CONTROL OF CERTAIN INSECT PESTS OF COTTON.**

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Guthion-methyl parathion combination and describe his condition.

IF BREATHING HAS STOPPED, start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote — For patients believed to be suffering from Guthion methyl parathion poisoning administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Guthion-methyl parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses may occur after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posttreatment.

ACTIVE INGREDIENTS:	
O, O-dimethyl S-[4-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl] phosphorodithioate**	8.9%
O, O-dimethyl O-p-nitrophenyl phosphorothioate**	35.4%
Aromatic Petroleum Solvent	51.3%
INERT INGREDIENTS:	
	4.4%
Total	
100.0%	

*Guthion
 **Methyl Parathion
 Product Contains .75 lbs. Guthion plus 3.0 lbs. Methyl Parathion per gallon.
 U. S. Patent No. 2,758,115. Canadian Patent No. 552,660.

GENERAL INFORMATION

RIVERSIDE LOOPEREX is useful for the control of certain insects on cotton. RIVERSIDE LOOPEREX may be applied to cotton by spraying or by dipping. To make the spray, mix the proper amount of RIVERSIDE LOOPEREX with the water while stirring vigorously. Continue to agitate during application.

When applying with the spray, use the proper amount of RIVERSIDE LOOPEREX in water. Apply the mixture to the cotton plants in a spray, using the proper amount of water. Do not use more than 1 gallon of water per gallon of RIVERSIDE LOOPEREX concentrate.

This product is toxic to certain insects. RIVERSIDE LOOPEREX is highly toxic to certain insects. It is not recommended for use on certain insects. The directions and precautions should be read carefully and applied to the label.

DO NOT USE, POUR, SPILL, OR STORE NEAR FLAMES.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. In a number of instances, the use of this product may be restricted to certain areas. Read the label carefully and follow the directions.

DIRECTIONS FOR USE

COTTON — Apply to the cotton plants. Use the proper amount of RIVERSIDE LOOPEREX in water.

Apply 1 to 1.5 gallons of RIVERSIDE LOOPEREX concentrate per acre. The amount of water to be used should be determined by the soil conditions. The product should be applied to the cotton plants during the flowering period. The product should be applied to the cotton plants during the flowering period. The product should be applied to the cotton plants during the flowering period.


STOP — READ LABEL BEFORE USING!

POISON
 SEE SIDE
 PANELS FOR
 ANTIDOTE AND
 PRECAUTIONS



DANGER
 KEEP OUT OF
 THE REACH OF
 CHILDREN

NOT FOR HOME USE



THYL PARATHION PER GALLON.

GENERAL INFORMATION

DO NOT USE FOR SPRAYING OR DUSTING. KEEP OUT OF REACH OF CHILDREN. READ ENTIRE LABEL CAREFULLY.

NGI

ANGER

OUT OF REACH OF CHILDREN

BREATHE

DEES

for distribution RIVERSIDE CHEMICAL CO. AT 5175

SOYBEANS: For control of Aphid, Cabbage Flyer, Green Cloverworm, and Spotted Leafhopper. Apply 1.5 to 2.0 POUNDS OF LORPERX per acre per application. For control of Flea Beetles, apply 1.0 to 1.5 per acre.

Do not apply to the soil. Do not spray or dust within 45 days of harvest.

Do not use in or near water.

DISPOSAL OF CONTAINER AND WASTES
This product is highly toxic to fish and aquatic life. When empty, do not dump or pour into water. Wash container with water and dump into a well away from water. Do not use for any other purpose. Do not use for any other purpose. Do not use for any other purpose.

NOTICE
RIVERSIDE CHEMICAL COMPANY warrants that the product conforms to the chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. But neither the warranty nor liability of the manufacturer or seller for a particular purpose, express or implied, extends to the use of this product contrary to the directions or under abnormal conditions or under conditions not reasonably foreseeable to RIVERSIDE CHEMICAL COMPANY, and buyer assumes the risk of any such use.

EPA Reg. No. 9779-191 NET CONTENTS

