

BEST DOCUMENT AVAILABLE

# RIVERSIDE 2% METHOMYL DUST

USEFUL FOR THE CONTROL OF CERTAIN INSECT PESTS OF CABBAGE.

<b>ACTIVE INGREDIENT:</b> Methomyl	
S-methyl-N-(methylcarbamoyloxy)thioacetimidate	2%
<b>INERT INGREDIENTS:</b>	
	98%
<b>TOTAL</b>	<b>100%</b>

## WARNING! KEEP OUT OF REACH OF CHILDREN

**HARMFUL IF SWALLOWED OR INHALED** Do not breathe dust. Do not get in eyes, on skin, or on clothing. In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

When loading, applying, or otherwise handling, wear protective clothing, goggles, and a mask or respirator suitable for protection against methomyl vapors or dust such as, Wilson Products "Agri-Tox" R-633 Fc. 11-P Cartridge or Mine Safety Appliances type H "Comfo". Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. Do not contaminate or store near feed or foodstuffs.

### ANTIDOTE AND FIRST AID

**ATROPINE IS AN ANTIDOTE**—Consult physician for emergency supply of 1/100 grain atropine tablets. Call a physician at once in all cases of suspected poisoning.

**IF SWALLOWED**—give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear.

**IF INHALED**—remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. NEVER give anything by mouth to an unconscious person.

If warning symptoms appear (See WARNING SYMPTOMS below), before physician arrives, immediately swallow two atropine tablets (each 1/100 gr.); thereafter, every 10 to 15 minutes, take one atropine tablet (1/100 gr.) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

### NOTE TO PHYSICIAN

**WARNING SYMPTOMS**—Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

**TREATMENT**—Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use morphine or 2-PAM.

### IMPORTANT

Not for use or storage in or around the home. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not contaminate water when cleaning equipment or disposing of waste containers.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to bees and should not be applied when bees are actively visiting the area. Apply this product only as specified on this label.

### DIRECTIONS FOR USE

RIVERSIDE 2% METHOMYL DUST is recommended for control of certain insect pests of cabbage. Apply with standard dust application equipment. Use only in commercial plantings; do not use in home plantings.

**Application:** Apply at the recommended rates when insects controlled by RIVERSIDE 2% METHOMYL DUST first appear. Continue applications at 5 to 7 day intervals or as needed. Apply the low rates on small plants, small worms and light infestations of insects. Use intermediate rates on larger worms and heavier infestations of insects. Use 1 to 3 applications of the highest recommended rate for controlling severe infestations. Thereafter, use the lowest rate possible to maintain control.

**CABBAGE:** For control of Cabbage Looper and Diamondback Moth apply 12 to 45 pounds of RIVERSIDE 2% METHOMYL DUST per acre per application. Do not apply later than 1 day before harvest.

### DISPOSAL OF CONTAINER

Do not reuse empty container. Dispose of by perforating and either burning in strict accordance with air pollution control laws or by burying in a safe place in noncrop lands away from water supplies.

### NOTICE

Seller warrants that the product conforms to its chemical descriptions and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instruction, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA REG. NO. 9775-203

NET WEIGHT 50 POUNDS



MANUFACTURED BY

**RIVERSIDE CHEMICAL CO.**

CI A SOUTHERN COMPANY OF COOK COUNTY, ILLINOIS

Riverside serves agriculture. Agriculture serves everyone.

BEST DOCUMENT AVAILABLE

9779-203

ACCEPTED

SEP 18 1973

THE FEDERAL INSECTICIDE ACT

U.S. DEPARTMENT OF AGRICULTURE

9779-203

REPRODUCE SAME SIZE.

PRINT IN TWO COLORS: GREEN (EPA REG. NO. 9775-203) AND PROCESS BLACK.

7/14/73

# IMMEDIATE ACTION

USEFUL FOR THE CONTROL OF CERTAIN INSECTS

ACTIVE INGREDIENT	100%
INERT INGREDIENTS	0%
TOTAL	100%

**WARNING! KEEP OUT OF REACH OF CHILDREN**

... ..

### A WARNING AND FIRST AID

... ..

### NOTE TO PESTICIDE

... ..

REPRODUCE SAME SIZE.  
... ..