

RIVERSIDE BHC

AN EMULSIFIABLE CONCENTRATE CONTAINING 1 POUND OF GAMMA ISOMER OF BHC PER GALLON.
USEFUL FOR THE CONTROL OF CERTAIN INSECT PESTS OF TIMBER.

ACTIVE INGREDIENTS:	
Gamma isomer of benzene hexachloride	11.8%
Other isomers of benzene hexachloride and related compounds	17.0%
Aromatic Petroleum Solvent	68.1%
INERT INGREDIENTS:	3.1%
TOTAL	100.0%
Contains 1 pound gamma isomer of BHC per gallon	

WARNING: KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin or eyes. In case of contact with skin wash immediately with soap and water; for eyes flush with water for 15 minutes and get medical attention. Do not use on household pets or humans. Do not contaminate feed and foodstuffs.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT STORE NEAR ANY PRODUCTS WHICH WILL ABSORB ODORS.

ANTIDOTE

INTERNAL: Give sodium chloride 15 g (one tablespoonful of table salt) in glass of warm water and repeat until vomit is clear. Call a doctor immediately.

EXTERNAL: Wash with soap and water.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT: Use of this product in a manner not in accordance with the information on this label may injure or kill humans, domestic animals, wildlife, and aquatic life. Inappropriate use may create excessive and unlawful chemical residues, or produce other undesirable results.

DIRECTIONS FOR USE

For control of Ambrosia Beetle, Southern Pine Beetle, Turpentine Beetle, and Ips Engraver Beetle in timber. Make a 0.5% gamma isomer BHC spray by mixing 1 gallon of Riverside BHC concentrate with 200 gal. water, 1/2 gal. oil or kerosene. Thoroughly spray trunk and larger branches of trees. Use approximately 1 gallon of spray to 100 square feet of surface. On living trees spray trunks up to a height of 10-12 feet above ground.

STORAGE: To prevent crystallization, store above 32° F. If crystals appear, place container in warm room until they re-dissolve. This will not impair efficiency provided crystals are redissolved and contents are thoroughly mixed before use.

DISPOSAL OF CONTAINER AND WASTES

Destroy all containers when empty by punching holes in the top and mixing with wastes. Do not burn. Do not reuse containers for other purposes. Repair equipment and containers and dispose of wastes by burying and not spreading away from water supplies.

NOTICE

RIVERSIDE CHEMICAL COMPANY warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to RIVERSIDE CHEMICAL COMPANY, and buyer assumes the risk of any such use.

EPA REG. NO. 9779-214

NET CONTENTS _____

EPA Est. 9779-AL-1,2; AR-1,2; GA-1; LA-1; MS-1,2,3; TN-1; TX-1

9119 214



MANUFACTURED BY

RIVERSIDE CHEMICAL CO.

Ci A Division of The Dow Chemical Company

Riverside serves agriculture. Agriculture serves everyone.