

RIVERSIDE POULTRY NUF DUST



ACTIVE INGREDIENT:	
2-chloro-1-(2, 4, 5-trichlorophenyl)	
vinyl dimethyl phosphate	3.0%
INERT INGREDIENTS:	
	97.0%
TOTAL	100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Do not get in eyes, on skin, or on clothing. If the material gets into the eyes, wash with plenty of water for 15 minutes; if irritation persists, see a physician. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Keep away from heat and open flame. Do not apply in dwellings.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT: Use of this product in a manner not in accordance with the information on this label may injure or kill humans, domestic animals, wildlife, aquatic life, desirable plants, create excessive and unlawful chemical residues, or produce other undesirable results.

DIRECTIONS FOR USE

TYPE HOUSING: Wire cages - Apply 1 lb. for every 300 birds. Use plunger, rotary type duster or shaker-can duster.

For individual treatment, treat dust to vent and tail area. Group treatment may be preferred. Dust should reach skin. Do not repeat more often than every 14 days. Wire runs and corners should also be treated.

NOTE: For northern fowl mites on roasters, thorough individual application of the dust will assure long-lasting control and reduce reinfestation of breeding flocks.

FLOOR MANAGEMENT: Litter - Use 1 lb. per 100 sq. ft. Use plunger or rotary type duster. Treat evenly and thoroughly. Also treat roosts, cracks and crevices where pests may hide. Dust Box - Use 2 lbs. per 100 ft. Use a box about 2 ft. by 2 ft. by 1 ft. deep. Wood Plant - Use 1 lb. per 100 ft. Make a thick slurry, mix and fill of fast with 1 part of water stirred continuously. Treat roosts, thorough partitions, the cracks and crevices.

CONTAINER DISPOSAL


Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

NOTICE

RIVERSIDE CHEMICAL COMPANY warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to RIVERSIDE CHEMICAL COMPANY, and buyer assumes the risk of any such use. RIVERSIDE CHEMICAL COMPANY shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.


EPA REG. NO. 9779-227
EPA EST. NO. 240-NC-

NET WEIGHT 50 POUNDS



MANUFACTURED BY
RIVERSIDE CHEMICAL CO.
CI

Riverside serves agriculture. Agriculture serves everyone.



ACTIVE INGREDIENT

INERT INGREDIENTS

CAUTION: KEEP OUT OF REACH OF CHILDREN.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT

TRADE MARK

MANAGEMENT

RIVERSIDE CHEMICAL CO.
ci