

**25 LBS. NET**

**"D - H"**

ACCEPTED

**10% DITHANE DUST**

**ACTIVE INGREDIENTS:**

**By Weight**

Zineb (Zinc ethylene bisdithiocarbamate)

**6.5%**

# 10% DITHANE DUST

## ACTIVE INGREDIENTS:

Zineb (Zinc ethylene bisdithiocarbamate) .....

By Weight

6.5%

## INERT INGREDIENTS: .....

93.5%

TOTAL

100.0%

## CAUTION!

KEEP OUT OF THE REACH OF CHILDREN

## DIRECTIONS FOR USE

TOBACCO — BLUE MOLD IN PLANT BEDS — Make first application when leaves are the size of a dime or when Blue Mold first appears. Continue application twice weekly until transplanting time. Use 1½ lbs. of mixture per 100 square yards 1st through 4th application; 5th and 6th application 2½ to 3 lbs.; all other applications 3½ to 4 lbs. Repeat any application washed off by rain within 24 hours.

CAUTION: Avoid the inhalation of dust. Use a mask or respirator.

Dispose of waste by burying in non-crop lands away from water supplies. Containers should be disposed by burning. Keep out of smoke.

USDA Reg. No. 240-20

## Notice of Warranty

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use of handling and accepts the product on these conditions.

through 4th application; 5th and 6th application 2½ to 3 lbs.; all other applications 3½ to 4 lbs. Repeat any application washed off by rain within 24 hours.

CAUTION: Avoid the inhalation of dust. Use a mask or respirator.

Dispose of waste by burying in non-crop lands away from water supplies. Containers should be disposed by burning. Keep out of smoke.

EPA Reg. No. 240-20

### Notice of Warranty

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use of handling and accepts the product on these conditions.

MANUFACTURED BY  
**DALY-HERRING COMPANY**

KINSTON, NORTH CAROLINA 28501

AHOSKIE, NORTH CAROLINA 27910

DILLON, SOUTH CAROLINA 29536

GREENSBORO, NORTH CAROLINA 27405