


DANGER—POISON—PRECAUTIONS 



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. A very small amount may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

This product can irritate or burn the skin if splashed on it. Avoid contact with the skin. Do not breathe through the skin.



POISONOUS IF BREATHED

This product can irritate or burn the lungs if breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

DALY-HERRING COMPANY GAL NET
Kinston, North Carolina 28501

READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

**LITTLE JOHN
TOBACCO SPRAY**

Active Ingredients:

*Endosulfan (Hexachlorohexahydromethano - 2, 4, 3-benzodioxathiepin oxide) 12.66%

**Parathion 6.33%

Xylene base aromatic petroleum solvent 76.88%

Inert Ingredients 4.13%

Total 100.00%

*Thiodan, U. S. Patent No. 2,799,685

**O, O-Diethyl O-3-nitrophenyl thiophosphate

NOT FOR HOME USE

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes (2) Wear safety goggles (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection (4) Wear heavy duty, natural rubber gloves

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 240-186

Parathion
ters the b
eyes. Clot
moved im
prompt m

Some of t
Headache,
blurred vi
labored br
of eyes, c
muscle sp

Call a doc
ately. Expl
parathion

If breathin
immediate
If swallow
him vomit
down throa

to drink. Re
thing by mc
he down a

In case of
with plenty
removing c
for immedi

READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

LITTLE JOHN TOBACCO SPRAY

Active Ingredients:

*Endosulfan (Hexachlorohexahydromethano - 2, 4, 3-benzodioxathiepin oxide)	12.66%
**Parathion	6.33%
Xylene base aromatic petroleum solvent	76.88%
Inert Ingredients	4.13%
Total	100.00%

*Thiodan, U. S. Patent No. 2,799,685
**O, O-Diethyl O-p-nitrophenyl thiophosphate

NOT FOR HOME USE

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section), and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 240-186

POISONING—Symptoms

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **If swallowed** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

NOTE TO PHYSICIAN: Act immediately on parathion and endosulfan.

ENDOSULFAN: is a cholinesterase inhibitor. It is highly toxic. There is a 24-hour period of latency. Early treatment is essential. Give atropine 1 mg. every 30 minutes until symptoms subside.

PARATHION: is a cholinesterase inhibitor.

Antidote: Administer atropine sulfate in large doses. **NOTE:** EPR may be given intravenously or intramuscularly as soon as symptoms overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear.

PAM (hexamethylenetriamine) is an antidote and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label booklet instructions.

Application first appear of infestation is essential. Apply from areas. Amount with spray per acre. Mix the re- 0 gallons of. Avoid the body of treated areas. Toxic to fish eated areas. ated. Do n. or residues. tive Agri- containers. lars day. Product for. t of use.

Dr. J. S. C. 24536

BE CAREFUL! THIS IS A VERY TOXIC PRODUCT. IT IS EXTREMELY POISONOUS TO HUMANS AND DOMESTIC ANIMALS. IT IS ALSO EXTREMELY TOXIC TO FISH AND WILDLIFE. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE.



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product is highly toxic if swallowed. It will irritate the mouth and throat. It will cause nausea, vomiting, and diarrhea. It may also cause dizziness and loss of consciousness. If swallowed, give the victim plenty of water to drink. Do not induce vomiting unless directed by a physician. If necessary, give the victim 1 to 2 glasses of water or milk. Do not give any food or drink until the victim has recovered from the effects of the poison.

POISONOUS BY SKIN CONTACT

This product is highly toxic if it comes in contact with the skin. It will irritate the skin and cause a rash. It may also cause blisters and severe itching. If it comes in contact with the skin, wash the affected area with plenty of water. Do not use any oil-based products on the affected area.

POISONOUS IF BREATHED

This product is highly toxic if it is inhaled. It will irritate the nose, throat, and lungs. It may also cause coughing, wheezing, and shortness of breath. If inhaled, get the victim to fresh air immediately. If necessary, give the victim plenty of water to drink. Do not give any food or drink until the victim has recovered from the effects of the poison.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

DALY-HERRING COMPANY GAL NET
 Winston, North Carolina 28501

READ LABEL BEFORE USING!

See Side Panels
 for Antidote &
 Precautions



Keep Out of
 Reach of
 Children

**LITTLE JOHN
 TOBACCO SPRAY**

Active ingredients

- *Endosulfan (Hexachlorohexahydromethano - 2, 4 - 3-benzodioxathiepin oxide)
- **Parathion

Inert Ingredients

- Xylene base aromatic petroleum solvent

- *Thiodan, U. S. Patent No. 2,799,685
- **O, O-Diethyl O-p-nitrophenyl thiophospho-

12.66
 6.33
 76.88
 4.13
 100.00

NOT FOR HUMAN USE

**LITTLE JOHN
 TOBACCO SPRAY**



DIRECTIONS FOR USE

Green Peach Aphids, Cabbage Looper, Tobacco Budworm, Tobacco Flea Beetle, Use 2 quarts per 100 gallons of water. Apply 6 gallons of finished spray per 100 square feet of beds.

Suckling—Use 1 quart per acre. Green Peach Aphids, Cabbage Looper, Tobacco Budworm, Flea Beetles, Tobacco Hornworm—Use 2 to 4 quarts per acre. Stink Bugs—Use 4 quarts per acre.

Use the above field dosages in sufficient water to cover one acre. Application of LITTLE JOHN TOBACCO SPRAY should begin when insects first appear and repeat at 3 to 5 days intervals depending upon the severity of infestation and local conditions. Full coverage of plants during application is essential for good control. Do not apply when weather conditions favor drift from areas treated.

To mix, fill the spray tank 1/4 to 1/3 full of water and with agitator running, add the required amount of this material, then finish filling the spray tank to the desired level with water.

When applying this material, concentrate on the recommended amount of sufficient water to provide a minimum of 2 gallons of finished spray per acre. When applying this material by a conventional ground equipment, mix the required amount with sufficient water to provide a minimum of 10 gallons of finished spray per acre.

Make no application within 5 days of planting or 15 days of cutting. Avoid plant injuries caused by contact with the skin or other parts of the body of those engaged in planting and cutting the crop. Workers cutting or weeding areas within 24 hours of application should wear protective clothing.

Not for use or storage near or around the home. This product is extremely toxic and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

Do not apply when weather conditions favor drift from treated areas. Do not apply where it is likely to occur.

This product is highly toxic to bees exposed to it during their foraging days in crops. Protective measures should be taken to avoid contact with bees. Avoid contact with bees when applying this product.

Do not use if it is diluted. Do not store more than 200 lbs. Do not use if the material is contaminated with RSC or other highly toxic materials. Dispose of wastes by burying in a 150 lb. drum or other approved container. Other's off.

Do not reuse the container. Spray and wash with water. E.P.A. Reg. No. 240-156

See the front of the label for the terms of the guarantee and the conditions of sale. This product is registered with the U.S. Environmental Protection Agency. For more information, contact the manufacturer.

Manufactured By

DALY-HERRING COMPANY

Winston, North Carolina 28501