

ACCEPTED
MAY 19 1954
U.S. DEPT. OF AGRICULTURE
WASHINGTON, D.C.

50 LBS. NET

"D - H"

**20% TOXAPHENE
2% PARATHION DUST**

ACTIVE INGREDIENTS

Toxaphene 20%
Parathion 2%

INERT INGREDIENTS

DIRECTIONS FOR USE

2% PARATHION DUST

ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene—containing 67-69% chlorine) 20%
Parathion (O, O-diethyl O-p-nitrophenyl Thiophosphate) 2%

INERT INGREDIENTS:.....

78%

TOTAL 100%

DIRECTIONS FOR USE

CABBAGE/LETTUCE/BROCCOLI/BRUSSELS SPROUTS: Imported Cabbage Worm, Fall Armyworm, Thrips, Diamondback Moth, Aphids. Apply 10 to 20 lbs. per acre. On Cabbage and Head Lettuce do not apply after heads begin to form. On Broccoli and Brussels Sprouts do not apply after heads or edible portions begin to form or within 30 days of harvest. On leaf Lettuce do not apply after seedling stage. Do not feed stripped leaves to livestock or poultry.

TOMATOES: Tomato Fruit Worm, Pinworm, Hornworm, Blister Beetle, Cutworm, Flea Beetle. Apply 10 to 20 lbs. per acre. Do not apply within 15 days of harvest.

BEANS: Mexican Bean Beetle, Thrips. Apply 10 to 20 lbs. per acre. Bean Leaf Beetles, Leafhoppers, Leafrollers, Armyworms, Aphids, and Climbing Cutworms. Apply 15 to 20 lbs. per acre. Do not apply to Green or String Beans within 21 days of harvest, others 15 days of harvest. Do not feed treated vines to livestock.

COTTON: Boll Weevil, Boll Worm, Cotton Fleahopper, Tarnished Plant Bug, Rapid Plant Bug, Cotton Leafworm, Thrips, Fall Armyworm, Grasshoppers, Red Spiders, Aphids. For control of Red Spider and Aphids only, make one application of 25 lbs. per acre when pest first appear. Downward leaf curling and the appearance of honey dew indicated the presence of aphids. Do not apply within 21 days of harvest. For control of other pest listed apply 10 to 20 lbs. per acre depending on degree of infestation and stage of plant growth. Workers entering fields within 24 hours of treatment should wear protective clothing.

CAUTION: Do not feed any cuttings or pasture livestock or Poultry in treated fields. Do not use on cucurbits. Do not use on crops except as specified on this label. Keep unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Avoid contamination of feed and foodstuffs.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of waste by burying in non-crop lands away from water supplies. Burn containers. Keep out of smoke. Not for use or storage in or around the home.



DANGER
KEEP OUT OF REACH OF CHILDREN
POISON



DANGER—POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. REPEATED EXPOSURE MAY WITHOUT SYMPTOMS BE INCREASINGLY HAZARDOUS. DO NOT GET IN EYES, ON SKIN, ON CLOTHING—Wear clean heavy rubber gloves and clean water-proof or freshly laundered protective clothing (coveralls, cap, etc.) and goggles. Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash with soap and water.

DO NOT BREATHE DUST, VAPOR OR SPRAY MIST—Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Airplane pilots should wear full face canister type mask. If handled indoors provide mechanical exhaust ventilation. **DO NOT CONTAMINATE FEED AND FOODSTUFFS.**—Bury spillage, clean up area with strong lye solution. Burn or bury containers, never re-use. Stay out of smoke and fumes.

ATROPINE IS AN ANTIDOTE — CONSULT PHYSICIAN FOR EMERGENCY SUPPLY — FIRST AID TREATMENT—CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING. If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give atropine tablets (each 1/100 gr.) at once. Remove patient immediately from the area where parathion is present. Remove contaminated clothing and wash the skin with plenty of soap and water to remove all traces of parathion. If swallowed, induce vomiting by giving warm salty or soapy water. (Repeat until vomit fluid is clear). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

PHYSICIAN'S NOTE: Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine, preferably by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time of cholinesterase regeneration has been allowed as determined by blood tests. 2-PAM is also antidotal and may be administered in conjunction with atropine.

EPA REG. NO. 240-194

NOTICE OF WARRANTY

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

MANUFACTURED BY

DALY-HERRING COMPANY

KINSTON, NORTH CAROLINA 28501

AHOSKIE, NORTH CAROLINA 27910

DILLON, SOUTH CAROLINA 29536

GREENSBORO, NORTH CAROLINA 27405