



NET WEIGHT: 25 pounds

SUPER-M Livestock Dust



CAUTION

SUPER-M Livestock Dust is a mixture of Malathion and Marlata R for use on Swine, Sheep, Dairy and Beef Cattle.

SWINE: To control lice apply thoroughly to animals, pens and litter. Repeat in 10 days and thereafter as needed.

SHEEP: To control lice treat animals thoroughly, work dust into wool if not applied at shearing time. Repeat as necessary. Do not apply to lactating animals.

DAIRY CATTLE: To control horn flies apply 2 heaping tablespoons full (2 oz.) to back and neck of animal. Rub powder into hair. Do not apply within 5 hours of milking or during milking. Repeat every 3 weeks if necessary.

NOTICE: Avoid contamination of feed and feeding troughs and water fountains with dusts.

KEEP OUT OF REACH OF CHILDREN

See side panel for additional caution!

ACTIVE INGREDIENTS:

Malathion (O, O-dimethyl Dithiophosphate of Diethyl Mercaptosuccinate)	4.0%
Methoxychlor technical equivalent to 4.4% 2, 2-bis (p-methoxyphenyl) -1, 1, 1- trichloroethane and 0.6% other isomers and reaction products)	5.0%

INERT INGREDIENTS:	91.0%
Total	100.0%

E.P.A. REG. NO. 240-198

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Manufactured by

DALY-HERRING COMPANY

Ahoskie, N. C. 27910 Greensboro, N. C. 27408 Dillon, S. C. 29536
KINSTON, N. C. 28501

CATTLE: (Beef and Non-lactating)

To control horn flies, lice and ticks make thorough application to animal working dust into the hair. Repeat every 2 weeks if necessary. Do not treat non-lactating dairy cattle within 2 weeks of freshening.

FOR FACE FLY control on Beef Cattle:

To aid in controlling Face Flies, dust the face of cattle thoroughly. Frequent repeated application may be necessary.


CAUTION: Avoid breathing of dust. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

Malathion is a cholinesterase inhibitor.

Not for use or storage in or around the home.

Do not treat animals under 1 month of age.


Dispose of container by burning. Stay out of smoke.




240-198



[9779-243]



SUPER-M Livestock Dust



NET WEIGHT: 25 pounds

CAUTION

KEEP OUT OF REACH OF CHILDREN
See side panel for additional caution!

SUPER-M Livestock Dust is a mixture of Malathion and Marlate R for use on Swine, Sheep, Dairy and Beef Cattle.

SWINE: To control lice apply thoroughly to animals, pens and litter. Repeat in 10 days and thereafter as needed.

SHEEP: To control lice treat animals thoroughly, work dust into wool if not applied at shearing time. Repeat as necessary. Do not apply to lactating animals.

DAIRY CATTLE: To control horn flies apply 2 heaping tablespoons full (2 oz.) to back and neck of animal. Rub powder into hair. Do not apply within 5 hours of milking or during milking. Repeat every 3 weeks if necessary.

NOTICE: Avoid contamination of feed and feeding troughs and water fountains with dusts.

ACTIVE INGREDIENTS:

Malathion (O, O-dimethyl Dithiophosphate of Diethyl Mercaptosuccinate)	4.0%
Methoxychlor, technical	5.0%
equivalent to 4.4% 2, 2-bis (p-methoxyphenyl) -1, 1, 1-trichloroethane and 0.6% other isomers and reaction products)	
INERT INGREDIENTS:	91.0%
Total	100.0%

E.P.A. REG. NO. 240-198

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

CATTLE: (Beef and Non-lactating) To control horn flies, lice and ticks, make thorough application to animal working dust into the hair. Repeat every 2 weeks if necessary. Do not treat non-lactating dairy cattle within 2 weeks of freshening.

FOR FACE FLY control on Beef Cattle: To aid in controlling Face Flies, dust the face of cattle thoroughly. Frequent repeated application may be necessary.

CAUTION: Avoid breathing of dust. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Keep out of reach of children.


Malathion is a cholinesterase inhibitor. Not for use or storage in or around the home. Do not treat animals under 1 month of age. Dispose of container by burning. Stay out of smoke.

Manufactured by

DALY-HERRING COMPANY

Ahoscie, N. C. 27910 Greensboro, N. C. 27408 Dillon, S. C. 29536
KINSTON, N. C. 28501

BEST DOCUMENT AVAILABLE



240-198

BEST DOCUMENT AVAILABLE