

D-H Garden Green Dust

ACCEPTED
MAR 5 1973
UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
UNDER NO. 240-244 SUBJECT
TO ATTACHED COMMENTS.

[9779-244]

(Bacillus thuringiensis)

ACTIVE INGREDIENTS:

BACILLUS THURINGIENSIS, Berliner, Potency of 320 International Units per mg.
(at least 0.5 billion viable spores per gm.)* 0.064%

INERT INGREDIENTS 99.936%

* Equivalent to potency of 0.15 billion International Units per pound of this product.

CAUTION

E. P. A. Registration No. 240-

GARDEN GREEN DUST is a biological insecticide intended for use against chewing larvae (caterpillars) of certain lepidopterous species.

GARDEN GREEN DUST is recommended for use by ground or by air. Apply when pests are first noticed and repeat as necessary. Thorough plant coverage is necessary for control.

APPLICATION RATE: For the control of Cabbage Looper and Imported Cabbage Worm on Broccoli, Cabbage, Cauliflower, Collards, Kale, Mustard Greens, Turnip Greens, apply 25 to 40 lbs. per acre.

Dispose of waste by burning in Non-Crop lands away from water supplies. Containers should be disposed of by burying with waste or by burning.

NOTICE OF WARRANTY - Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use of handling and accepts the product on these conditions.

B A

A B

D-H

DUST

[9779-244]

(*Bacillus thuringiensis*)

ACTIVE INGREDIENTS:

BACILLUS THURINGIENSIS, Berliner, Potency of 320 International Units per mg.
(at least 0.5 billion viable spores per gm.)*

INERT INGREDIENTS.

* Equivalent to potency of 0.15 billion International Units per pound of this product.

E. P. A. Registration No. 240-

GARDEN GREEN DUST is a biological insecticide intended for use against chewing larve (caterpillar) species.

GARDEN GREEN DUST is recommended for use by ground or by air. Apply when pests are first necessary. Thorough plant coverage is necessary for control.

APPLICATION RATE: For the control of Cabbage Looper and Imported Cabbage Worm on Broccoli, Collards, Kale, Mustard Greens, Turnip Greens, apply 25 to 40 lbs. per acre.

Dispose of waste by burning in Non-Crop lands away from water supplies. Containers should be disposed of with waste or by burning.

NOTICE OF WARRANTY - Seller's guarantee shall be limited to the terms of the label, and subject assumes any risk to persons or property arising out of use of handling and accepts the product on

11

B A

A B

D-H

ACCEPTED
 MAR 5 1973
 U.S. DEPARTMENT OF AGRICULTURE
 FEDERAL AGENCIES
 FOR THE PROTECTION OF PLANTS
 AND ANIMALS
 UNITED STATES GOVERNMENT
 DC ATTACHED

(Bacillus thuringiensis)

CONTENTS:
 BACILLUS THURINGIENSIS, Berliner, Potency of 320 International Units per mg.
 (1 billion viable spores per gm.)* 0.064%
 INERTS 99.936%
 Potency of 0.15 billion International Units per pound of this product.

Registration No. 240-

DUST is a biological insecticide intended for use against chewing larvae (caterpillars) of certain lepidopteran insects.

DUST is recommended for use by ground or by air. Apply when pests are first noticed and repeat as necessary. High plant coverage is necessary for control.

NOTE: For the control of Cabbage Looper and Imported Cabbage Worm on Broccoli, Cabbage, Cauliflower, Kale, Mustard Greens, Turnip Greens, apply 25 to 40 lbs. per acre.

Do not burn in Non-Crop lands away from water supplies. Containers should be disposed of by burying or by burning.

WARRANTY - Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer warrants to persons or property arising out of use of handling and accepts the product on these conditions.