

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. If swallowed, do not induce vomiting. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Do not store near feed or food products. WARNING! CAUSES EYE IRRITATION: Avoid contact with eyes. In case of contact, flush eyes with water for at least 15 minutes and get medical attention.

ENVIRONMENTAL HAZARDS

Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is liable to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

DIRECTONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product may not be used against any pests not named on this label.

STORAGE AND DISPOSAL

1. **PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment. Open cumping is prohibited.

2. **PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State, or Local disposal authorities.

3. CONTAINER DISPOSAL

(a) Reseal container and offer for reconditioning or

(b) Triple rinse (or equivalent) and offer for reconditioning or disposal in approved landfill or bury in safe place.

4. GENERAL: Consult Federal. State, or Local authorities for approved alternative procedures.

THIS PRODUCT MAY BE SOLD AND USED FOR COMMERCIAL PURPOSES ONLY. NOT FOR HOUSEHOLD USE.

STOP - READ LABEL E FORE USING!!

ACTIVE INGREDIENT: Paraffinic Hydrocarbon Oil	98.8
INERT INGREDIENT:	1.2 100%
*Unsulfonated Residue 92% Min.	

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Have victim lie down and keep quiet. Never give anything by mouth to an unconscicus person, Get medical attention im--mediately.

IF INHALED: Remove victim to fresh air and apply respiration if indicated. IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

IF ON SKIN: Wash promptly with soap and water. Rinse theroughly,

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS ₹____



DIRECTIONS FOR US			
CROP	PESTS CONTROLLED	GALS. OF R/S PRIME OIL 70 PER 100 GALS SPRAY	TIME OF APPLICATION
APPLES, PEACHES, PLUMS, PRUNES, CHERRIES	Orchard Mites: For best results should be followed by an acaracide in pink. Good coverage may eliminate necessity of Summer application	1 to 2	½ inch green. Timing very critical.
	San Jose Scale	2	After leaves drop in Fall and before buds swell in Spring.
	European Fruit Lecanium	2	Dormant
	Fruittree Leafroller	3	Dormant
	Orchard Mites	1 to 2	Same as for Apples, Peaches, Plums, Prunes, and Cherries
PEARS	Pear Psylla	2	Dormant before appreciable oviposition. Second application one week later if adult psylla are still present
PECANS	Obscure Scale	3 (If trees are in weakened condition use only 2.)	Late February until buds first break.
CITRUS	Whiteflies, Spider Mites, Greasy Spot, Loosens Sooty Mold, Scales, (Does not control snow scale.)	1	Do not apply with sulfur or within 30 days of each other. Oil applied after October may increase susceptibility of trees to cold damage and may reduce the crop the following year. Oil applied in the Fall may inhibit solids forma- tion and retard fruit coloring. Do not apply to drouth-stricken trees. Do not use oil when humidity is 30° or less. Irrigate, then apply oil.

EPA REG. NO. 9779-251

FPA EST. NO. 9779

NET CONTENTS GALLONS

MANUFACTURED BY



RIVERSIDE SERVES AGRICULTURE • AGRICULTURE SERVES EVERYONE

JUN 1 8 1981 This Ac aden Insecticite. Angenticide Act in the resurde GENERAL INFORMATION Tests - 9779-25 RIVERSIDE PRIME OIL 70 is a blend of special surfactant with phytobland (non-phytotoxic) oil in

DIRECTIONS FOR USE-PREPARATION WITH APPLICATION OF SPRAY EMULSIONS:

70 second viscosity range.

Fill spray tank half full of water, add the proper amount of herbicide while agitating and then a RIVERSIDE PRIME OIL 70. Continue to agitate while finishing filling and agitate before and duri each application to insure a uniform spray emulsion.

DIRECTION FOR USE-WITH FUNGICIDES:

Use 1 pint to 1 quart of RIVESIDE PRIME OIL 70 per acre of crop treated. RIVERSIDE PRIME OIL 70 is particularly suggested for use with BENLATE and MANZATE 200 when they are used for the control of cercospora leaf spot and rust of peanuts.

Generally those using ground applicators will apply 20 to 100 gallons of spray per broadcast acre. with proportionately less for band treatments. If airplane applications are to be made, apply at least 5 gallons of spray per acre.

Carefully read and follow the directions contained on the label of the fungicide with which RIVER-SIDE PRIME OIL 70 is to be used. For local recommendations, consult competent agricultural authorities.

DIRECTION FOR USE- INSECT CONTROL

RIVERSIDE PRIME OIL 70 is useful for the control of certain insect pests of apples, peaches, plums, prunes, cherries, pears, pecans, and citruc fruits. Coneral directions for its use are given in the table in the right panel. However, as cultural practices for these crops vary so much in different areas that specific information for use of RIVERSIDE PRIME OIL 70 for a particular crop listed should be obtained from your State Agricultural Extension Service. RIVERSIDE PRIME OIL 70 may be used in conjunction with certain insecticides or fungicides for use on apples, peaches, plums, prunes, cherries, pears, pecans, and citrus but only if the labels of the insecticides or fungicides give directions for use with spray oils. Such directions must be followed implicitly.

