



ATRAZINE 4L

For Season Long Weed Control in Corn
and Sorghum. For Weed Control in Certain
Other Crops, and in Non-Crop Areas

ACTIVE INGREDIENTS		43.0%
Atrazine (2-chloro-4-ethylamino 6-isopropylamino-s triazine)		40.8%
Related Compounds		2.2%
INERT INGREDIENTS		57.0%
TOTAL		100.0%
Riverside Atrazine 4L contains 4 lbs active ingredients per gallon		

DO NOT DETACH LABEL FROM CONTAINER

KEEP OUT OF REACH OF CHILDREN
CAUTION
See inside label for Precautionary Statements
and Statement of Practical Treatment

EPA Reg. No. 9779-255

EPA Est. No. 9779-AR-13

[illegible][illegible][illegible]

This project may be tank mixed with these herbicides. A 1000 gallon sprayer and glass will do a good job. Apply 1000 gallons per acre. Apply 1000 gallons per acre.

[illegible]

TABLE 2. Insect Mortality with Princep or Corn

BHARATGAST HOTEL FOR A ...

Son ...

Name ...

Loan ...

Name ...

Sally ...

Organ ...

Loan ...

sandy ...

or sin ...

organ ...

church ...

for ...

for ...

when ...

and ...

Prinsep 80W, Prinsep 41 (41C) or Prinsep Caliber 90 p.p.
Roundup

[illegible]

Further to further imitations and precautions
 (1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100) (101) (102) (103) (104) (105) (106) (107) (108) (109) (110) (111) (112) (113) (114) (115) (116) (117) (118) (119) (120) (121) (122) (123) (124) (125) (126) (127) (128) (129) (130) (131) (132) (133) (134) (135) (136) (137) (138) (139) (140) (141) (142) (143) (144) (145) (146) (147) (148) (149) (150) (151) (152) (153) (154) (155) (156) (157) (158) (159) (160) (161) (162) (163) (164) (165) (166) (167) (168) (169) (170) (171) (172) (173) (174) (175) (176) (177) (178) (179) (180) (181) (182) (183) (184) (185) (186) (187) (188) (189) (190) (191) (192) (193) (194) (195) (196) (197) (198) (199) (200) (201) (202) (203) (204) (205) (206) (207) (208) (209) (210) (211) (212) (213) (214) (215) (216) (217) (218) (219) (220) (221) (222) (223) (224) (225) (226) (227) (228) (229) (230) (231) (232) (233) (234) (235) (236) (237) (238) (239) (240) (241) (242) (243) (244) (245) (246) (247) (248) (249) (250) (251) (252) (253) (254) (255) (256) (257) (258) (259) (260) (261) (262) (263) (264) (265) (266) (267) (268) (269) (270) (271) (272) (273) (274) (275) (276) (277) (278) (279) (280) (281) (282) (283) (284) (285) (286) (287) (288) (289) (290) (291) (292) (293) (294) (295) (296) (297) (298) (299) (300) (301) (302) (303) (304) (305) (306) (307) (308) (309) (310) (311) (312) (313) (314) (315) (316) (317) (318) (319) (320) (321) (322) (323) (324) (325) (326) (327) (328) (329) (330) (331) (332) (333) (334) (335) (336) (337) (338) (339) (340) (341) (342) (343) (344) (345) (346) (347) (348) (349) (350) (351) (352) (353) (354) (355) (356) (357) (358) (359) (360) (361) (362) (363) (364) (365) (366) (367) (368) (369) (370) (371) (372) (373) (374) (375) (376) (377) (378) (379) (380) (381) (382) (383) (384) (385) (386) (387) (388) (389) (390) (391) (392) (393) (394) (395) (396) (397) (398) (399) (400) (401) (402) (403) (404) (405) (406) (407) (408) (409) (410) (411) (412) (413) (414) (415) (416) (417) (418) (419) (420) (421) (422) (423) (424) (425) (426) (427) (428) (429) (430) (431) (432) (433) (434) (435) (436) (437) (438) (439) (440) (441) (442) (443) (444) (445) (446) (447) (448) (449) (450) (451) (452) (453) (454) (455) (456) (457) (458) (459) (460) (461) (462) (463) (464) (465) (466) (467) (468) (469) (470) (471) (472) (473) (474) (475) (476) (477) (478) (479) (480) (481) (482) (483) (484) (485) (486) (487) (488) (489) (490) (491) (492) (493) (494) (495) (496) (497) (498) (499) (500) (501) (502) (503) (504) (505) (506) (507) (508) (509) (510) (511) (512) (513) (514) (515) (516) (517) (518) (519) (520) (521) (522) (523) (524) (525) (526) (527) (528) (529) (530) (531) (532) (533) (534) (535) (536) (537) (538) (539) (540) (541) (542) (543) (544) (545) (546) (547) (548) (549) (550) (551) (552) (553) (554) (555) (556) (557) (558) (559) (560) (561) (562) (563) (564) (565) (566) (567) (568) (569) (570) (571) (572) (573) (574) (575) (576) (577) (578) (579) (580) (581) (582) (583) (584) (585) (586) (587) (588) (589) (590) (591) (592) (593) (594) (595) (596) (597) (598) (599) (600) (601) (602) (603) (604) (605) (606) (607) (608) (609) (610) (611) (612) (613) (614) (615) (616) (617) (618) (619) (620) (621) (622) (623) (624) (625) (626) (627) (628) (629) (630) (631) (632) (633) (634) (635) (636) (637) (638) (639) (640) (641) (642) (643) (644) (645) (646) (647) (648) (649) (650) (651) (652) (653) (654) (655) (656) (657) (658) (659) (660) (661) (662) (663) (664) (665) (666) (667) (668) (669) (670) (671) (672) (673) (674) (675) (676) (677) (678) (679) (680) (681) (682) (683) (684) (685) (686) (687) (688) (689) (690) (691) (692) (693) (694) (695) (696) (697) (698) (699) (700) (701) (702) (703) (704) (705) (706) (707) (708) (709) (710) (711) (712) (713) (714) (715) (716) (717) (718) (719) (720) (721) (722) (723) (724) (725) (726) (727) (728) (729) (730) (731) (732) (733) (734) (735) (736) (737) (738) (739) (740) (741) (742) (743) (744) (745) (746) (747) (748) (749) (750) (751) (752) (753) (754) (755) (756) (757) (758) (759) (760) (761) (762) (763) (764) (765) (766) (767) (768) (769) (770) (771) (772) (773) (774) (775) (776) (777) (778) (779) (780) (781) (782) (783) (784) (785) (786) (787) (788) (789) (790) (791) (792) (793) (794) (795) (796) (797) (798) (799) (800) (801) (802) (803) (804) (805) (806) (807) (808) (809) (810) (811) (812) (813) (814) (815) (816) (817) (818) (819) (820) (821) (822) (823) (824) (825) (826) (827) (828) (829) (830) (831) (832) (833) (834) (835) (836) (837) (838) (

Precautions for all applications to coin

any more than BPUA of this idea, never, and
the nearest place in the world to a
the right to see the map to the
the right to see the map to the
the right to see the map to the

Note for all Applications to Corn (K-100) grain: The above rates are for 2" rows following application.

ROTATIONAL CROPS

the following year of inquiry may be used for the purpose of determining the percentage of the total population that is employed in the same occupation. The following year of inquiry may be used for the purpose of determining the percentage of the total population that is employed in the same occupation. The following year of inquiry may be used for the purpose of determining the percentage of the total population that is employed in the same occupation.

Soils in the parts of the Bonaparte, NC, western MN, and NE US, where the sycobears are rare, appear to be more eroded. Weeds more than 4 ft. tall, a persistent band application of herbicide, or a herbicide injury may occur if injury may occur to sycobears planted the year following a band application or a herbicide application to the surface layer. (7) Do not plant sugar beets, tobacco, vegetables, including dry beans, spring seeded small grains, or ~~spring-seeded~~ legumes and grasses the year following a band application or a herbicide injury.

SORGHUM AND SORGHUM-SUDAN HYBRIDS (Grain and Forage Types)

Preplant and Broadleaf and grass control: Sprayed at 1.5 l/ha, 10 days before sowing. The 3-4 day before sowing treatment was used in the 3-4 day before sowing trials and worked after sowing in the seedling trials. For best results, apply within two weeks prior to sowing.

Preemergence (Broadleaf and grass control) Apply 1.5 lb/acre during the planting period. For more information, see Table 3.

TABLE 3. Preplant and Preemergence Broadleaf and Grass Weed Control in Soybeans^a[illegible]

The following information is being provided for your information:

In case of a first failure, the contractor shall not make a second attempt to install the device. If a second failure occurs, the contractor shall be responsible for the cost of the second attempt. The contractor shall be responsible for the cost of the second attempt if the device is not installed within the specified time frame.

Preemergence broadleaf weed control in furrow irrigated bedded sorghum (AZ and CA only) for preemergence control of many broadleaf weeds, broadcast 1.5-2.4 g a.i./m² before bed preparation during or after planting, but before sorghum seed weeds emerge and before the first furrow irrigation. Follow with several regular irrigations, making sure to thoroughly wet all areas.

Precautions for Preemergence Application to Furrow Irrigated Bedded Sorghum in AZ and CA

To avoid possible scarring, surgery should be delayed until the child is old enough to understand and cooperate with the procedure. If surgery is performed in early childhood, the child will be able to understand the procedure and cooperate. Surgery may cause emotional problems in the case of older children, but do not replace surgery for the child. The child's emotional condition may be planned, managed, and treated.

Postemergence (Broadleaf and grass control) 100% effective
 100% effective before weeding period 100% effective
 100% effective

TABLE 1. Postemergence Broadleaf and Grass Weed Control

1. Left side
 2. Right side
 3. Left side
 4. Right side
 5. Left side
 6. Right side
 7. Left side
 8. Right side
 9. Left side
 10. Right side
 11. Left side
 12. Right side
 13. Left side
 14. Right side
 15. Left side
 16. Right side
 17. Left side
 18. Right side
 19. Left side
 20. Right side
 21. Left side
 22. Right side
 23. Left side
 24. Right side
 25. Left side
 26. Right side
 27. Left side
 28. Right side
 29. Left side
 30. Right side
 31. Left side
 32. Right side
 33. Left side
 34. Right side
 35. Left side
 36. Right side
 37. Left side
 38. Right side
 39. Left side
 40. Right side
 41. Left side
 42. Right side
 43. Left side
 44. Right side
 45. Left side
 46. Right side
 47. Left side
 48. Right side
 49. Left side
 50. Right side
 51. Left side
 52. Right side
 53. Left side
 54. Right side
 55. Left side
 56. Right side
 57. Left side
 58. Right side
 59. Left side
 60. Right side
 61. Left side
 62. Right side
 63. Left side
 64. Right side
 65. Left side
 66. Right side
 67. Left side
 68. Right side
 69. Left side
 70. Right side
 71. Left side
 72. Right side
 73. Left side
 74. Right side
 75. Left side
 76. Right side
 77. Left side
 78. Right side
 79. Left side
 80. Right side
 81. Left side
 82. Right side
 83. Left side
 84. Right side
 85. Left side
 86. Right side
 87. Left side
 88. Right side
 89. Left side
 90. Right side
 91. Left side
 92. Right side
 93. Left side
 94. Right side
 95. Left side
 96. Right side
 97. Left side
 98. Right side
 99. Left side
 100. Right side
 101. Left side
 102. Right side
 103. Left side
 104. Right side
 105. Left side
 106. Right side
 107. Left side
 108. Right side
 109. Left side
 110. Right side
 111. Left side
 112. Right side
 113. Left side
 114. Right side
 115. Left side
 116. Right side
 117. Left side
 118. Right side
 119. Left side
 120. Right side
 121. Left side
 122. Right side
 123. Left side
 124. Right side
 125. Left side
 126. Right side
 127. Left side
 128. Right side
 129. Left side
 130. Right side
 131. Left side
 132. Right side
 133. Left side
 134. Right side
 135. Left side
 136. Right side
 137. Left side
 138. Right side
 139. Left side
 140. Right side
 141. Left side
 142. Right side
 143. Left side
 144. Right side
 145. Left side
 146. Right side
 147. Left side
 148. Right side
 149. Left side
 150. Right side
 151. Left side
 152. Right side
 153. Left side
 154. Right side
 155. Left side
 156. Right side
 157. Left side
 158. Right side
 159. Left side
 160. Right side
 161. Left side
 162. Right side
 163. Left side
 164. Right side
 165. Left side
 166. Right side
 167. Left side
 168. Right side
 169. Left side
 170. Right side
 171. Left side
 172. Right side
 173. Left side
 174. Right side
 175. Left side
 176. Right side
 177. Left side
 178. Right side
 179. Left side
 180. Right side
 181. Left side
 182. Right side
 183. Left side
 184. Right side
 185. Left side
 186. Right side
 187. Left side
 188. Right side
 189. Left side
 190. Right side
 191. Left side
 192. Right side
 193. Left side
 194. Right side
 195. Left side
 196. Right side
 197. Left side
 198. Right side
 199. Left side
 200. Right side
 201. Left side
 202. Right side
 203. Left side
 204. Right side
 205. Left side
 206. Right side
 207. Left side
 208. Right side
 209. Left side
 210. Right side
 211. Left side
 212. Right side
 213. Left side
 214. Right side
 215. Left side
 216. Right side
 217. Left side
 218. Right side
 219. Left side
 220. Right side
 221. Left side
 222. Right side
 223. Left side
 224. Right side
 225. Left side
 226. Right side
 227. Left side
 228. Right side
 229. Left side
 230. Right side
 231. Left side
 232. Right side
 233. Left side
 234. Right side
 235. Left side
 236. Right side
 237. Left side
 238. Right side
 239. Left side
 240. Right side
 241. Left side
 242. Right side
 243. Left side
 244. Right side
 245. Left side
 246. Right side
 247. Left side

Postemergence Broadleaf Weed Control with Emulsifiable Concentrate in Water

of CO₂ concentration in water. The results of the experiments are shown in Figure 1. The CO₂ concentration in water was determined by measuring the pH of the water before and after the reaction with NaOH. The results show that the CO₂ concentration in water increases with increasing pH. This is due to the fact that the reaction of CO₂ with NaOH is an equilibrium reaction, and the equilibrium shifts to the right as the pH increases. The results also show that the CO₂ concentration in water is higher in the presence of NaOH than in the absence of NaOH. This is due to the fact that the reaction of CO₂ with NaOH is an equilibrium reaction, and the equilibrium shifts to the right as the pH increases.

Agals Agrie (Corner Gram Sorghum - Foster) yellow w/
im. - like O or O Concentrate in Water (Page 6)

Precautions for Applications with Emulsifiable Oil or Oil Concentrate in Water See Precautions for Applications with Emulsifiable Oil or Oil Concentrate in Water on page 100.

Postemergence Broadleaf Weed Control with Sulfentrazone-CO
western KS, NM, OK, TX, and desert regions of AZ and CA
only) broadcast 2.4 pt/A plus 0.75 to 1.5 pt/A of water-soluble
nitrogen (max 6 inches in height) or 0.5 to 1.0 pt/A of urea
(max 5 inches in height). Apply only on sandy, loam, and loess soils.

[illegible]

Note: The above information is for informational purposes only and does not constitute an offer of insurance. For more information, please contact your insurance agent.

Rotational Crops - 1000

TANK MIXTURES FOR GRAIN STORAGE

gran® BW is a bank of 1000 genes that have been identified as being important for the growth and survival of the bacterium. The genes are organized into a library of 1000 genes, each of which is expressed in a different strain of the bacterium. The library is used to identify genes that are important for the growth and survival of the bacterium in different environments.

Dual DE has been used to solve the problem of those who do not like the dual side of the coin. When the dual side of the coin is not wanted, the dual side is not used. The dual side is used only when the dual side is wanted. The dual side is used only when the dual side is wanted.

RIVERSIDE ATRAZINE 4L Alone—Chemical Fallow

Wheat-Sorghum Follow. To control annual broadleaf and grass weeds following wheat harvest, and in the following sorghum crop when there is undergrowth from a fallow or grass field, Ato wheat herbicide mixed with 1,1-D and Atrazine is used. Weeds are controlled in sorghum and wheat with a similar 1,1-D or Atrazine plus 1,1-D combination. In wheat, the weeds are controlled with Atrazine plus 1,1-D, or Atrazine plus 1,1-D plus 2,4-D. Atrazine plus 1,1-D plus 2,4-D is used in sorghum following sorghum with minimum control of weeds. In a sorghum winter or a planter having a seed wheel, weeds are present at planting time with the wheat and sorghum, but are eliminated before planting.

Apply 1 pint per acre of Riverdale ATRAZINE to the
emerge. Follow with a second application 15 to 20 days
later. For best results when weeds are emerged add 1 pint per
acre to the surfactant at a concentration of 2 qt. per 100 gal. to the spray
and apply before weeds exceed 1.5 inches in height.

For control of annual broadleaf and grass weeds prior to transplanting, after transplanting or in established conifers (including Douglas fir, grand fir, noble fir, white fir, Austrian pine, bishop pine, Jeffrey pine, knobcone pine, loblolly pine, lodgepole pine (shore pine), monterey pine, ponderosa pine, Scotch pine, slash pine, blue spruce, and Sitka spruce), mix 1.0 to 4.0 pt. in a minimum of 5 gal. of water per acre and apply 10 gal. by ground before weeds are 15 inches tall. Apply to established trees between fall and early spring while trees are

For small areas 8 fluid ounces per 1,000 sq ft is equivalent to 0.25 gallons.

RIVERSIDE TERRACORPORATION warrants that the above conforms to its thermoplastic label and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty made by the Company shall be for a claim for personal injury or property damage resulting from the product contrary to the express or implied warranty of merchantability or fitness for a particular purpose. RIVERSIDE TERRACORPORATION and its subsidiaries disclaim the risk of any such use in excess of the label. RIVERSIDE TERRACORPORATION shall not be responsible for property damage, injury or loss from a breach of warranty.

Beaton® trademark of Dow Chemical Company for isopropyl
Caliber® trademark of CIBA-GEIGY
Concept® trademark of CIBA-GEIGY
Dual® trademark of CIBA-GEIGY for metolachlor—U.S. Patent No.
 3,937,730
Igran® trademark of CIBA-GEIGY for terbutryn—U.S. Patent No.
 3,634,062
Lasso® trademark of Monsanto Company for alachlor
Princep® trademark of CIBA-GEIGY for sermapone
Ramrod® trademark of Monsanto Company for propachlor
Roundup® trademark of Monsanto Company for glyphosate
 herbicide
Sutan® trademark of Monsanto Chemical Company for terbufos

