

PH 23

9779-308

1 of 3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

APR 15 1994

Glenda Haage
Riverside/Terra Corporation
600 Fourth Street
Sioux City, IA 51101

Dear Ms. Haage:

SUBJECT: Trific 60DF
EPA Registration No. 9779-303
Supplemental Labeling
Your Application Dated May 4, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provision:

- 1) The labeling does not bear the required Worker Protection statements as outlined in PR Notices 93-7 and 93-11. We note that you have submitted labels in accordance with the instructions in those Notices. The new protective language in those submissions must be incorporated into this label for any shipments released after the deadlines that have been established. You may opt to do so immediately if you are electing the self-verification option, or after acceptance by the special Agency Worker Protection Standard review group. Finished printed labels should be submitted after acceptance by the WPS group and in accordance with their instructions.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

CONCURRENCES

SYMBOL	7505C						
SURNAME	Morgan						
DATE	4/14/94						

2073

SUPPLEMENTAL LABELING

**TRIFIC 60DF/SCEPTER TANK-MIX OR OVERLAY
(EPA Reg. No. 9779-308)**

FOR USE IN SOYBEANS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Observe all applicable directions, precautions, and limitations of EPA-registered label for this product.

TANK-MIX: Observe mixing instructions in Scepter or Scepter 70DF labels. Apply as a preplant incorporated treatment. Incorporated into the soil within 24 hours after applications and plant soybeans within 45 days after treatment. Use equipment that provides uniform 2 inch incorporation.

BROADCAST RATE/ACRE

Soil Texture	Trific 60DF	SCEPTER	SCEPTER 70DG*
Coarse	7/8 lb. ✓	2/3 pt. ✓	2.8 oz. ✓
Medium	1 1/4 lb. ✓	2/3 pt. ✓	2.8 oz. ✓
Fine	1 2/3 lb. ✓	2/3 pt. ✓	2.8 oz. ✓

*One soluble bag contains 14 ounces of Scepter 70DF and will treat 5 acres of the 2.8 ounces per acre rate.

PREPLANT OVERLAY: Apply and incorporate Trific 60DF as recommended and then follow a preplant surface treatment with Scepter or Scepter 70DF up to 45 days prior to planting of soybeans.

POSTEMERGENCE OVERLAY: Apply Trific 60DF as a preplant incorporated herbicide followed by postemergence overlay treatment with Scepter or Scepter 70DG. For best results, overlay should be applied when the weeds are actively growing but no more than 2 inches in height.

Follow recommended soil preparation and application procedure for Trific 60DF and Scepter or Scepter 70DG. Irrigation or rainfall sufficient to moisten soil to a depth of 2 inches is necessary to activate Scepter or Scepter 70DG.

ACCEPTED
with COMMENTS
In EPA Letter Dated
APR 5 1994

BEST AVAILABLE COPY

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
9779-308

WEEDS CONTROLLED

Cocklebur (Common)** -	Xanthium strumarium
Jimsonweed -	Datura stramonium
Morningglory	
(Pitted)-	Ipomoea lacunosa
(Smallflower)-	Jacquemontia tamnifolia
Mustard (Wild)-	Brassica kaber
Nightshade (Eastern Black)* -	Solanum nigrum
Pigweeds -	
(Palmer)** -	Amaranthus palmeri
(Smooth)** -	Amaranthus hybridus
(Tall waterhemp)**-	Amaranthus tuberculatos
Poinsettia (Wild)** -	Euphorbia hetrophylla
Ragweed -	
(Common) -	Ambrosia artemisiifolia
(Giant)*	Ambrosia trifida
Smartweed (Ladysthumb) -	Polygonum persicaria
Smartweed (Pennsylvania) -	Polygonum pensylvanicum
Sunflower (Common)	Helianthus annuus
Velvetleaf* -	Abutilon theophrasti
Venice Mallow -	Hibiscus trionum

* Controlled by preplant incorporated treatments only.

** May also be controlled by preplant incorporation with Trific 60DF followed by postemergence treatment of Scepter.

PRECAUTIONS: Observe all direction, precautions, limitations and mixing instructions on all product's labeling. Scepter or Scepter 70DG plantback restricitons require--Do not plant rice or small grains within 4 months of applications. Do not plant corn, edible beans, grain sorghum, peanuts or tobacco within 11 months of application. Do not plant crops other than those listed above within 18 months of application. Consult the Scepter or Scepter 70DG labels for more specific plantback restrictions.

Scepter is a registered trademark of American Cyanamid Company

Manufactured by
Riverside/Terra Corp.
600 Fourth St.
Sioux City, IA 51101

BEST AVAILABLE COPY