		U.S. ENVIRONMENTAL PROTECTION AGENC Office of Pesticide Programs	Y EPA Reg. Number:	Date of Issuance:		
		Registration Division (117505C) 401 "M" St., S.W.	9779-319	NOV 3 0 1993		
12		Washington, D.C. 20460	Term of Issuance: COI	ditional		
, ere (NOTICI	E OF PESTICIDE:				
		<u>x</u> Registration Reregistration	Name of Peaticide Product:	- <u></u>		
(under Pl	IFRA, as amended)					
			Fluometuro	n + MSMA		
Name and	d Address of Registrant (include	ZIP Cole):				
600 P.O.	Fourth Street Box 6000	-				
	nx City, IA 5	1101 before from that accepted in connection with this reg	interestion must be automatical to and an interest buy of	- Partitution District a size to size of		
		dence on this product always refer to the above EPA		ic Registration Division prior to use of.		
On the b	asis of information furnished by	the registrant, the above named pesticide is hereby re-	gistered/reregistered under the Federal Insecticid	e, Fungicide and Rodenticide Act.		
on his m	otion, any st my time suspend o	as an endorsement or recommendation of this produc or cancel the registration of a pesticide in accordance ued as giving the registrant a right to exclusive use of	with the Act. The acceptance of any name in co	nnection with the registration of a		
3(c)	This product (7)(A) provid	is conditionally regi ed that you:	stered in accordance	with FIFRA sec.		
1.	 Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 					
2.	Make the fol	lowing label changes:				
	a. Revise ., 319".	the EPA Registration N	umber to read, "EPA	Reg. No. 9779-		
C	sentenc Remove	RECAUTICNARY STATEMENT es "Wash thoroughly wi contaminated clothing es should remain on th	th soap and water af and wash before reus	ter handling.		
	toxic t where s	the ENVIRONMENTAL HAZA o wildlife. Do not ap urface water is presen gh water mark."	ply directly to wate	er, or to areas		
3. Submit two copies of the revised final printed label before you release your product for shipment.						
	ject to cancel	ditions are not compli lation in accordance w he product constitutes	ith FIFRA sec. 6(e).	Your release		
	A stamped co	opy of the label is end	losed for your recor	ds.		
Signaturi	e of Approving Official.		Date 11-29.			

In EA Latter Daved:

Under the Federal Insecticide

NOV 3.0 LOOP

R

Fluometuron + MSMA

Evaluate and Radianicide Act is monored, for the particule reglation under EPA Reg. No. 9449-319

EPA Est. No. 9779-AR-1

2 3/3/GALS

NET CONTENTS

Herbicide without surfactant for control of weeds in cotton

ACTIVE INGREDIENTS		
Fluometuron: 1,1-dimethyl-3-(a,a,a-		
trifluoro-m-tolyl) urea		13.2%
Monosodium acid methanearsonate*		27.6%
INERT INGREDIENTS		59.2%
INERT INGREDIENTS	TOTAL	100.0%

Total arsenic, as elemental, all in water soluble form, 12.7%. Contains 2 lbs. Cotoran 80W and 3.3 lbs. MSMA (6 lbs. DSMA equivalent) per gal.

STOP READ LABEL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Call a physician.

IF INHALED: Move victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

See additional PRECAUTIONARY STATEMENTS below.

EPA Reg. I	No. 9779-
------------	-----------

BEST AVAILABLE COP

Manufactured For RIVERSIDE/TERRA CORPORATION Terra Centre, 600 Fourth Street, Sioux City, Iowa 51101 Riverside Serves Agriculture. Agriculture Serves Everyone.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through skin or inhaled. Causes eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust (vapor or spray mist). Wash thoroughly with soap and water after handling. Remove contaminated elothing and wash before reuse.

Applicators and other handlers (other than mixersend loaders) must weak long served shint and long pants, waterproof gloves shoes plus excks and protective evenue.

Mixars and Loaders must wear long-sleeved shirt and long pants, waterproof gloves: shoes plus socks, protective evenear, and chamical resistant apron when mixing of loading. For exposures outdoors, wear a respirator with either an organic vapora removing carrindge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14). For exposures in enclosed areas, wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.


When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for equival pesticides [40 CFR 170,240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

sent should wash hands before eating, drinking, chevring out, using to baccoid the other offers, claimove clothing immediately for the construction of the back of the other on on clean clothing are proved as an or other the back of the other should be build of the bright of the back of the back of the set of the bright of the set of the bright of the set of the bright of the set of the bright of the set of the bright o

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.



DIRECTIONS FOR USE

241

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

2000 Contraction of the product and a very product of the contract of the product of the product

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling, and with the Worker Protection Standard, 40 CER part 170; This Standard contains requirements to the protection of agricultural workers on farms, forests, nurseries, and preenhouses and hapdiers of agricultural pesticides. It contains requirements to relining, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label, about personal protective equipment. (PPE), notification to workers, and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is; coveralls, waterproof gloves, shoes plus socks and protective everyear.

---- PROTECTIVE CLOTHING

Wear-protective clothing when handling or applying this product including leng pants, long sleave shirt, and in permeable gloves and boots. Mixer leaders should include an apron and full face shield when handling or mixing concentrate. Applicators should wear a mask or respirator approved by the Mirjng Enforcement and Safety Administration and the National Institute for Occupational Safety and Health.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPUSAL.

BEST AVAILABLE COPY

STORAGE

Store in a dry location away from children, animals, foods, feeds, seeds, and other agricultural chemicals. Handle in accordance with information given under PRECAUTIONARY STATEMENTS. In the event of spillage or leakage, soak up material with absorbent clay, sand, sawdust, or other absorbent material. Scrape up and dispose of in accordance with information given under DISPOSAL. Repackage and relabel useable product in a sound container. In case of fire or other emergency, report at once by toll-free telephone to 800-424-9300.

DI. .'OSAL

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Plastic Containers-Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed, by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

1

Shake well before using. Use entire contents at one time.

Fluometuron + MSMA is effective for postemergence control of broadleaf and grass weeds in cotton, such as:

GRASS WEEDS

Barnyardgrass Brachiaria spp. Crabgrass Crowfootgrass	Dallisgrass Fall panicum Foxtail Goosegrass	Johnsongrass Nutgrass Ryegrass Sandbur	BEST AVAIL	ABIT COPY 1
BROADLEAF WEE	DS			
Buttonweed Cocklebur Florida pusley Goathead Jimsonweed Lambsquarters BAND TREATMEN	Morningglory Pigweed Prickly sida (ironweed or teaweed) Puncturevine	Purslane Ragweed Sesbania Sicklepod Smartweed Tumblew@ed		1 , 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1 ,

For band applications, the following formula may be used to calculate the amount of Fluometuron + MSMA required:

<u>band width</u> (inches) \times 0.5 gal. = gals. needed row width (inches) per acre per acre

EQUIPMENT

Use conventional spray equipment with 80° fan-type nozzles. Screen size should be 50-mesh. After use, clean equipment thoroughly.

6,6

MIXING INSTRUCTIONS

Fluometuron + MSMA is a highly concentrated formulation and should be thoroughly shaken before mixing. Pour recommended amount of Fluometuron + MSMA into nearly filled spray tank or premix in a bucket half filled with water and pour mixture into nearly filled spray tank. By-pass agitation should terminate at the bottom of the tank to maining or aming. Avoid leaving spray mixture in tank without constant agitation. Do not add surfactant to the mix or damage may result.

Apply Fluometuron + MSMA at the broadcast rate of ½ gal. per acre in 24 to 40 gals. of water per acre. Direct spray to the base of the cotton plants, avoiding the cotton foliage. Apply only when cotton is 3 inches high to first bloom. Best results are obtained when applied to young, actively growing weeds at air temperatures above 70°F.

PRECAUTIONS: Do not make more than two applications of Fluometuron + MSMA to the same crop or field in any one year.

Slight burning and a reddish discoloration of the cotton leaf may occur occasionally following treatment with products containing MSMA, but the cotton plants will develop normally.

West of Texas only: Do not use this product on sand, loamy sand, or fine sandy loam soils.

Keep children and livestock off treated areas until this material has been washed into the soil. Do not graze treated field or feed plants or gin trash from treated areas to livestock. Do not plant crops other than cotton within six months after last application.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty ner any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under acnormal conditions, or under conditions not reasonably foreseeable to Seller and Buyer assumes the risk of any such use.

