

9779-357

912612008

1/14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

SEP 26 2008

Alice Walker, Ph.D.  
Agent for Winfield Solutions  
3094 Country Club Road  
Senatobia, MS 38668

Subject: Label Notifications for Pesticide Registration Notices 2007-4 and 98-10  
(Revised Disclaimer Language)

Dear Dr. Walker:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 98-10 dated August 28, 2008 for:

**EPA Registration 1381-182**  
**EPA Registration 9779-363**  
**EPA Registration 9779-357**

**Magic Carpet Fertilizer w/Barricade 0.21%**  
**Magic Carpet Fertilizer w/Barricade 0.28%**  
**Magic Carpet Fertilizer w/Barricade 0.38%**

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 2007-4 and 98-10 and finds that the label changes requested falls within the scope of PR Notice 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in cursive script, appearing to read "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

3/4



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 9779-357	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Magic Carpet Fertilizer with Barricade 0.38%	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Winfield Solutions, LLC, c/o Alice Walker 3094 Country Club Road Senatobia, MS 38668 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <b>NOTIFICATION</b> Product Name <b>SEP 26 2008</b>	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
 Notification of new container disposal language per PRN 07-4. We have also revised the disclaimer which has been previously approved. This notification is consistent with the provisions of PR Notices 98-10 and 07-4 and EPA regulations at 40 CFR 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 98-10 and 07-4 and 40 CFR 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input checked="" type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On label	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued Stenciled			<input checked="" type="checkbox"/> Other Flexography		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Alice Walker, Ph.D.	Title Registration Specialist	Telephone No. (Include Area Code) 662-562-5995
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Alice Walker</i>	3. Title Registration Specialist	
4. Typed Name Alice Walker, Ph.D.	5. Date 8-28-08	

3/14

August 28, 2008

Document Processing Desk (Notif)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, DC 20460


**Re: Notification of Revised Container Disposal Language and Disclaimer per PRN 1998-10 and 2007-4**  
**Magic Carpet Fertilizer with Barricade 0.21%, EPA Reg. No. 1381-182**  
**Magic Carpet Fertilizer with Barricade 0.28%, EPA Reg. No. 9779-363**  
**Magic Carpet Fertilizer with Barricade 0.38%, EPA Reg. No. 9779-357**

This correspondence will constitute notification from Winfield Solutions, LLC of new container disposal language as required by PRN 2007-4. We have also revised the disclaimer under PRN 98-10. This disclaimer has been previously approved by the Agency.

These notifications are consistent with the guidance in PR Notices 1998-10 and 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for these products. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Thank you for adding these notifications to the registration records for these products.

Sincerely,




Alice Walker, Ph.D.  
Registration Specialist  
3094 Country Club Rd.  
Senatobia, MS 38668  
662-562-5995

Enclosures

cc: Annelle Finstad

winfieldsolutionsllc.com  
mail: P.O. Box 64589 | MS 5705 | St. Paul, MN 55164-0589  
ship: 1080 County Road F West | Shoreview, MN 55126-2910  
p: 800-851-8810  
Winfield Solutions, LLC | A Land O' Lakes Company



4/14

# ProSource One

## MAGIC CARPET™ FERTILIZER WITH BARRICADE® 0.38%

### ACTIVE INGREDIENT:

Prodiamine<sup>1</sup> .....0.38%

OTHER INGREDIENTS: .....99.62%

TOTAL .....100.00%

<sup>1</sup> CAS No. 29091-21-2

This product is a preemergence herbicide that provides residual control of many grass and broadleaf weeds in:

- Established turf grasses (excluding golf course putting greens) and lawns
- Landscape ornamentals
- Established perennials & wildflower plantings

### NOTIFICATION

SEP 26 2008

<b>KEEP OUT OF REACH OF CHILDREN</b> <b>CAUTION</b>
--

### FIRST AID

<b>If Swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If in Eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on Skin or Clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If Inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-424-7452 for emergency medical treatment information.</p>	

EPA Reg. No. 9779-357

EPA Est. No. \_\_\_\_\_

Distributed by:  
 Winfield Solutions, LLC  
 P.O. Box 64589  
 St. Paul, MN 55164-0589

Net Weight: \_\_\_\_\_

0/0828/8

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS**

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

**If material is spilled:** Contain and sweep up material of spill for disposal as per label instructions. Wash cleanup equipment to prevent contamination elsewhere. Excess quantities above normal application rates could result in damage to plants subject to spill. Water-in remainder, disc under, cover with layer of soil, or leave exposed to sunlight, as deemed appropriate to the situation.

**STORAGE AND DISPOSAL**

**Do not contaminate water, food, or feed by storage or disposal.**

**STORAGE**

Store in original container away from other fertilizer, feed, or foodstuffs and separated from other pesticides.

**PESTICIDE DISPOSAL**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

**CONTAINER DISPOSAL**

**Paper and plastic bags: Nonrefillable Container.** Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

This product is a preemergence herbicide that provides residual control of many grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns, landscape ornamentals, and established perennials & wildflower plantings.

This product controls susceptible weeds by inhibiting weed seed germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days following application.

**Failure to follow the directions for use and precautions on this label may result in poor weed control, crop injury, or illegal residues.**

### APPLICATION DIRECTIONS

This product must be applied prior to crabgrass seed germination and prior to germination of seed of the other weeds listed on this label. Apply uniformly through suitable, calibrated application equipment.


### ESTABLISHED TURF

This product is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grasses and lawns. The maximum amount of this product that may be applied per year is given for each turf grass species in Table 1. Maximum Annual Rates on this label.

Most effective weed control in turf grasses will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabgrass seed germination dates.

### CRABGRASS GERMINATION DATES

Approximate Date



### USE PRECAUTIONS

The following precautions apply to the use of this product in turf grasses and lawns:

1. Do not graze or feed livestock forage cut from areas treated with this product.
2. Do not use on food producing plants.
3. Do not apply this product through any type of irrigation system.
4. Do not apply aurally.
5. Do not apply to golf course putting greens.
6. Application of this product may thin emerged annual bluegrass and newly overseeded grasses.
7. Do not apply to over seeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.
8. Do not cut (harvest) treated sod before 120 days after application. Do not apply to newly set sod until the following year.

- 9. Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.
- 10. Disturbing the herbicide barrier with cultural practices, such as disking may result in reduced weed control.
- 11. Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass, or annual bentgrass (*Poa annua*) are desirable species.
- 12. Keep this product off sidewalks, patios, driveways, etc. This product contains materials which will stain concrete and painted surfaces. If it comes in contact with a concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter product beyond lawn edge and onto concrete.

### RATES OF APPLICATION

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds.

Do not exceed the Maximum Annual Rate per calendar year (See Table 1.).

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

### MAXIMUM ANNUAL RATES

This product is recommended for use on the turf grass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table.

Table 1 Maximum Application Rates <sup>1</sup>		
Turf Species	Lbs. Product/A	Lbs. ai/A
Bermudagrass <sup>2</sup>	400 <sup>3</sup>	1.5
Bahiagrass		
Centipedegrass		
Seashore Paspalum		
St. Augustinegrass		
Tall Fescue (including turf-type)		
Zoysia		
Buffalograss	267	1.0
Kentucky Bluegrass	200	0.75
Perennial Ryegrass		
Creeping Red Fescue		
Creeping Bentgrass	175	0.65

<sup>1</sup> These are the maximum rates per calendar year by species limitations.

<sup>2</sup> May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 139 lbs./A or 3.1 lbs./1000 sq. ft. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Foxtail, Goosegrass and Rescuegrass due to reduced product rates used in sprigging situations.

<sup>3</sup> Do not apply more than 400 lbs. of product per calendar year.

- Use higher rates of this product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the maximum application rates specified in Table 1. Maximum Application Rates.

**WEEDS CONTROLLED**

When used in accordance with this label this product will provide control of the following weeds:

- |  |                                 |
|--|---------------------------------|
| Barnyardgrass                          | Carpetweed                      |
| Bluegrass, Annual ( <i>Poa annua</i> ) | Chickweed, Common               |
| Crabgrass (large, smooth)              | Chickweed, Mouseear (from seed) |
| Crowfootgrass                          | Henbit                          |
| Cupgrass, Woolly                       | Knotweed                        |
| Foxtails, Annual                       | Kochia                          |
| Goosegrass <sup>1</sup>                | Lambsquarter, Common            |
| Itchgrass                              | Pigweed                         |
| Johnsongrass (from seed)               | Purslane, Common                |
| Junglerice                             | Pusley, Florida                 |
| Lovegrass                              | Shepherdspurse <sup>2</sup>     |
| Panicum (Texas, Fall, Browntop)        | Speedwell, Persian              |
| Rescuegrass <sup>3</sup>               | Spurge, Prostrate               |
| Signalgrass, Broadleaf                 | Witchgrass                      |
| Sprangletop                            | Woodsorrel, Yellow (from seed)  |

<sup>1</sup>In many areas a single application of 175 to 400 lbs./A of this product will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained by making an initial application of 175 to 267 lbs./A followed after 60 to 90 days by a second application at doses that would not exceed those given in **Table 1. Maximum Application Rates**. Do not exceed the maximum rate for turf grass species listed in **Table 1. Maximum Application Rates**.

<sup>2</sup>Applications for this weed should be made in late summer, fall, or winter prior to germination.

<sup>3</sup>Suppression only.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of the weed seeds.

**WHEN TO APPLY AFTER OVERSEEDING TURF**

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

**WHEN TO OVERSEED AFTER APPLICATION**

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

**TABLE 2. Months After Application Before Overseeding.**

Rate Lbs. Product/A	North	Transition	South
132	4	4	4
175	5	4	4
195	6	5	5
213	---	6	6
267	---	7	7
305	---	---	9



345	---	---	10
400	---	---	12

**LANDSCAPE ORNAMENTALS**  
(including Established Perennials and Wildflower Plantings)

This product may be applied for residual preemergence weed control in ornamentals.

**USE RATES**

Apply this product at 175 to 400 lbs./A in fall and/or spring. Use higher rates of application for longer control periods. Sequential or single applications are allowed so long as the total amount of product applied does not exceed the maximum annual application rate of 400 lbs./A.

**APPLICATION TIMING AND INFORMATION**

Apply uniformly to the surface of the soil in ornamental planting beds with a granular applicator. Calibrate granular applicator per manufacturer's instructions to assure appropriate dosage. To assure that the product is applied at the proper rates, apply at a rate of 4 lbs. per 1,000 sq. ft. or for flowerbeds, use 6.4 oz. per 100 sq. ft.

This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation, or with shallow (1 to 2 inches) mechanical incorporation, prior to weed seed germination and within 14 days following application.

Best weed control is obtained when this product is applied to soil free of clods, weeds, and debris such as leaves. Prior to application of this product, control existing vegetation by hand weeding, cultivation or the use of an appropriate postemergence herbicide.

**ESTABLISHED LANDSCAPE ORNAMENTALS**

This product may be applied to established ornamentals as a broadcast, over the top, or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil.

**NEWLY TRANSPLANTED LANDSCAPE ORNAMENTALS**

This product may be applied to newly transplanted ornamentals as a broadcast, over the top, or directed application. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union.

**TOLERANT ORNAMENTAL SPECIES**

This product will not harm most trees, shrubs, vines, and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface, avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species.

**When plants are under stress (such as heat, drought, or frost damage), some cultivars of listed plants may be sensitive to this product.**

**Scientific name**

- Abies* spp.
- Abelia grandiflora*
- Acer palmatum*
- A. platanoides*
- Achillea* spp.
- Actinidia chinensis*

**Common name**

- Fir species\*\* (Balsam, Fraser, Noble, etc.)
- Abelia: Sherwood
- Japanese Maple
- Norway Maple
- Yarrow: King Edward
- Kiwi\*

*Agapanthus africanus*  
*Agapanthus orientalis*  
*Akebia quintata*  
*Allium cernuum*  
*Anemone hybrida*  
*Aquilegia* spp.  
*Arctostaphylos densiflora*  
*Arctotheca calendula*  
*Artemisia* spp.  
*Aster* spp.  
*Aster X Frikartii*  
*Athrium Filiz-femina*  
*Aucuba japonica*  
*Begonia* spp.  
*Berberis gladwynensis*  
*B. julianae*  
*B. mentorensis*  
*B. thunbergii*  
*B. verruculosa*  
*Bergenia cordifolia*  
*Boltonia asteroides*  
*Bougainvillea* spp.  
*Buddleia davidii*  
*Buxus microphylla*  
*Callistemon viminalis*  
*Calluna vulgaris*  
*Campanula carpatica*  
*Campis X Tagliabuana*  
  
*Carpobrotus edulis*  
*Cassia artemisoides*  
*Ceanothus rigidus*  
*Ceratostigma plumbagonoides*  
*Chamaecyparis pisifera*  
*Chrysanthemum nipponicum*  
*Cleyera japonica*  
*Citrus* spp.  
*Coreopsis* spp.  
  
*Cornus florida*  
*C. stolonifera*  
*Cortaderia selloana*  
*Cotoneaster apiculatus*  
*C. buxifolius*  
*C. dammeri*  
*C. microphyllus*  
*Cretaeus* spp.  
*Crocasmia* spp.  
*Cupressus sempervirens*  
*Delosperma alba*  
*Delosperma* spp.  
*Delphinium* spp.  
*Dianthus deltoides*  
*D. gratianopolitanus*  
*Dodonea viscosa*  
*Echinacea pupurea*  
*Elaeagnus pungens*

Lily-of-the-Nile (African Lily)  
  
 Five-Leaf or Chocolate Vine  
 Lady's Leek, Nodding Onion  
 Japanese Anemone  
 Aquilegia: Red and Gold  
 Vine Hill Manzanita  
 Cape Weed  
 Wormwood: Silver Mound, Castle  
 Aster: Bonny Blue, Purple Dome  
  
 Lady Fern: Fern Lady  
 Japanese Aucuba  
 Fibrous Begonia: Hardy Grandis  
 Barberry  
 Wintergreen Barberry  
 Mentor Barberry  
 Japanese Barberry  
 Warty Barberry  
  
 Snowbank  
 Bougainvillea  
 Butterfly-Bush (Dwarf Blue): Royal Red  
 Japanese Boxwood  
 Weeping Bottlebrush  
 Scotch Heather  
 Tussock Bellflower, (White Clips)  
 Trumpet Creeper, Trumpet Flower,  
 Madame Galen  
 Hottentot Fig (Ice Plant)  
 Feathery Cassia  
 Wild Lilac  
  
 False Cypress  
  
 Cleyera  
 Citrus species\*  
 Coreopsis (Calliopsis): Early Sunrise,  
 Moonbeam  
 Flowering Dogwood  
 American Dogwood  
 Pampas Grass  
 Cranberry Cotoneaster  
 Cotoneaster  
 Bearberry Cotoneaster  
 Rockspray Cotoneaster  
 Hawthorne  
 Lucifer  
 Italian Cypress  
 White Trailing Ice Plant  
 Cooperi Pink  
 Larkspur: Blue Elf  
 Dianthus: Maiden Pinks "Zing"  
 Cheddar Pink  
 Hop Bush  
 Coneflower, Purple; Magnus  
 Silverberry

*Euonymus fortunei*  
*E. japonica*  
*E. kiautschovica*  
*Fatsia japonica*  
*Forsythia intermedia*  
*F. suspensa*  
*F. viridissima*  
*Gaillardia* spp.  
*Gardenia jasminoides*  
*Gaura* spp.  
*Gentiana dahurica*  
*Geranium cinereum*  
*Gladiolus* spp.  
*Gypsophila repens*  
*Hedera helix*  
*Hellanthemum* spp.  
*Hemerocallis* spp.

*Hibiscus*  
*Hibiscus* spp.  
*Hibiscus rosa-sinensis*  
*Hosta plantaginea*  
*H. Sieboldiana*  
*Houttuynia cordata* var. *variegata*  
*Hydrangea macrophylla*  
*Ilex cornuta*  
*I. crenata*  
*I. opaca*  
*I. pernyi*  
*I. vomitoria*  
*Inula ensifolia*  
*Iris ensata*  
*Iris siberica*  
*Iris* spp.  
*Jasminum nudiflorum*  
*Juniperus chinensis*  
*J. conferta*  
*J. horizontalis*  
*Juglans* spp.  
*Justicia brandegeana*  
*Lagerstromia indica*  
*Lagerstromia indica* X *Fauriei*  
*Lantana montevidensis*  
*Lavender* spp.  
*Leontopodium alpinum*  
*Ligustrum sinense*  
*Ligustrum amurense*  
*L. japonicum*  
*L. lucidum*  
*Lilium* spp.  
*Liriope muscari*  
  
*Liriope Muscari* var. *variegata*  
*Liriope spicata*  
*Lobelia Cardinalis*  
*Lonicera japonica*  
*L. tatarica*

Wintercreeper  
Japanese Spindle Tree (Evergreen Euonymus)  
Spreading Euonymus  
Japanese Aralia  
Border Forsythia  
Weeping Forsythia  
Greenstem Forsythia  
Gaillardia, Blanket Flower: "Goblin"  
Gardenia, Cape-Jasmine, Radicans  
  
Gentian  
Cranesbill  
Gladiolus species\*\*  
Baby's Breath  
English Ivy  
Sunrose  
Daylily: Aztec Gold, Stella de Oro, Tender Love  
Rose of Sharon\*\*  
Mallow: Disco Belle White  
Chinese Hibiscus  
Hosta, Plantain Lily (Fragrant)  
Hosta, "Searsucker"  
  
Bigleaf Hydrangea  
Chinese Holly  
Japanese Holly: Helli  
American Holly  
Holly  
Yaupon Holly: Schillings  
  
Sword-Leaved Iris: Jodlesong  
Siberian Iris: Cabernet  
Iris species\*\*  
Winter Jasmine  
Chinese Juniper: Nick's Compact, Parsonii  
Shore Juniper: Blue Pacific  
Creeping Juniper  
Walnut\*  
Shrimp Plant  
Crape Myrtle  
Crape Myrtle: Tuscarora  
Weeping Lantana  
Lavender: Munstead  
Edelweiss  
Chinese Privet: Variegata  
Amur Privet  
Japanese Privet  
Glossy Privet (Waxleaf)  
Lily: Jazz  
Big Blue Lily: Turf: Silver Mound: Evergreen Giant  
Liriope, Variegated  
Liriope, Creeping  
Cardinal Flower, Indian Pink  
Japanese Honeysuckle  
Tatarian Honeysuckle

*Loropetalum chinense*  
*Lythrum* spp.  
*Magnolia* spp.  
*Maleophora luteola*  
*Malus* spp.  
*Miscanthus sinensis*  
*Nandina domestica*  
*Narcissus* spp.  
*Nerium oleander*  
*Olea europaea*  
*Ophiopogon japonicus*  
*Osmanthus heterophyllus*  
*Osteospermum fruticosum*  
*Oxydendrum arboreum*  
*Paeonia suffruticosa*  
*Pennisetum setaceum*  
*Perovskia atriplicifolia*  
*Persea americana*  
*Photinia fraseri*  
*Physotegia Virginiana*  
*Picea* spp.

*Pteris japonica*  
*Pinus brutia*  
*P. canariensis*  
*P. elliotii*  
*P. halepensis*  
*P. nigra*  
*P. palustris*  
*P. radiata*  
*P. thunbergiana*  
*P. strobus*  
*P. sylvestris*  
*P. taeda*  
*P. virginiana*  
*Pistachio* spp.  
*Pittosporum rhombifolium*  
*P. tobira*  
*Podocarpus macrophyllus*  
*Prunus laurocerasus*  
*Prunus* spp.

*Pseudotsuga menziesii*  
*Pyracantha coccinea*  
*P. fortuneana*  
*P. koidzumii*  
*Pyrus* spp.  
*Quercus shumardii*  
*Quercus* spp.  
*Raphiolepis indica*  
*Raphiolepis umbellata*  
*Rhododendron*  
 (including Azalea)

*Rosmarinus officinalis*  
*Rudbeckia* spp.

Burgundy  
 Loosestrife Modern Pink  
 Magnolia species\*\*  
 Ice Plant  
 Crabapple\*  
 Yaku Jima, Silberfeder  
 Heavenly Bamboo  
 Narcissus species\*\*  
 Oleander  
 Olive\*  
 Mondo Grass  
 Osmanthus (False Holly): Gulf Tide  
 Trailing African Daisy  
 Sourwood  
 Tree Peony  
 Fountain Grass (Dwarf)

Avocado\*  
 Frasier's Photinia (Redtip)  
 Dragonhead, False: Vivid  
 Spruce species\*\*(Colorado Blue, Norway, etc.)  
 Lily-of-the-Valley Bush  
 Calabrian Pine  
 Canary Island Pine  
 Slash Pine  
 Aleppo Pine  
 Austrian Pine  
 Longleaf Pine  
 Monterey Pine  
 Japanese Black Pine  
 Eastern White Pine  
 Scotch Pine  
 Loblolly Pine  
 Virginia Pine  
 Pistachio\*  
 Queensland Pittosporum  
 Japanese Pittosporum  
 Japanese Yew  
 English Laurel  
 Almond, Apricot, Nectarine, Peach, Plum and Prune\*  
 Douglas Fir\*\*  
 Firethorn (Scarlet)  
 Firethorn  
 Firethorn  
 Bradford Pear sp.  
 Oak, Shumard's Red  
 Oak species  
 Indian Hawthorne  
 Yedda Hawthorn  
 Coral Bells, Delaware Valley White, Flame Creeper, Formosa, George L. Tabor, Girard Crimson, Hino-crimson, PJM, Roseum Elegans, Wakeiebisu, White Gumpo  
 Rosemary\*  
 Black-Eyed Susan: Goldstrum

*Santolina virens*  
*Saxifraga* spp.  
*Scabiosa* spp.  
*Sedum album*  
*Sedum caudicicola*  
*Sedum dasyphyllum*  
*Sedum spurium*  
*Spiraea Bumalda*  
*Syzygium paniculatum*  
*Taxus cuspidata*  
*T. media*  
*Teucrium* spp.  
*Thalictrum dipterocarpum*  
*Thuja occidentalis*  
*Trachelospermum asiaticum*  
*Tsuga canadensis*  
*Tulipa* spp.  
*Veronica* spp.  
*Viburnum japonicum*  
*V. odoratissimum*  
*V. plicatum*  
*V. rigidum*  
*V. suspensum*  
*V. tinus*  
*V. trilobium*  
*V. wrightii*  
*Vinca major*  
*Vinca minor*  
*Vitis* spp.  
*Weigela florida*  
*Yucca aloifolia*  
*Y. filamentosa*

Santolina  
 Saxifrage: Purple Dome  
 Pincushion Flower  
 Stonecrop  
 Stonecrop: Lidakense  
 Stonecrop  
 Stonecrop: Dragon's Blood  
 Spirea: Anthony Waterer  
 Australian Brushcherry  
 Japanese Yew  
 Yew  
 Germander  
 Meadow Rue  
 American Arborvitae  
 Star Jasmine  
 Canada Hemlock  
 Tulip species  
 Veronica, Speedwell: Sunny Border  
 Japanese Viburnum  
 Sweet Viburnum  
 Japanese Snowball  
 Canary Island Viburnum  
 Arrowood Viburnum  
 Laurustinus  
 Cranberry Bush  
 Leatherleaf Viburnum  
 Greater Periwinkle, Vinca  
 Common Periwinkle, Vinca  
 Grape\*  
 Old Fashioned Weigela  
 Spanish Bayonet, Yucca  
 Adam's Needle, Yucca

\*Do not use on food-producing trees, vines, or plants.  
 \*\*Not for use on container-grown plants.

**WARRANTY DISCLAIMER**

Winfield Solutions, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

The directions for use of this product must be followed carefully. EXCEPT AS PROVIDED ABOVE AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF

MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Barricade® is a registered trademark of Syngenta.  
Magic Carpet™ is a trademark of Winfield Solutions, LLC.

GUARANTEED FERTILIZER ANALYSIS: (To be attached to final printed labeling)

X-X-X *	
Total Nitrogen (N)	X.XX%
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	X.XX%
Soluble Potash (K <sub>2</sub> O)	X.XX%
Chlorine not more than X.X%	
Derived from xxxxxxxxxxxxxxxx.	

\* [Editor's Note: All information will vary depending on grade used)

