



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

APR 17 2009

Alice Walker, Ph.D. Agent for Winfield Solutions 3094 Country Club Road Senatobia, MS 38668

Subject: Label Notifications for Pesticide Registration Notices 2007-4 and 98-10

- 1. Added the CHEMTREC number under storage and disposal block
- 2. Revised disclaimer statement
- 3. Company name and address change
- 4. Other minor changes

Dear Dr. Walker:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 98-10 dated March 16, 2008 for:

EPA Registration 9779-358

Magic Carpet Fertilizer w/Barricade .25

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and 98-10 and finds that the label changes requested falls within the scope of PR Notices 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

20f14

Please read instructions on reverse before completing form.	Form A	Approved. OMB No.	2070-0060	D. Approval expires 2-28-9
United State Environmental Protect Washington, DC	s tion Agency	Registra Amenda Other	ation	OPP Identifier Number
Applica	tion for Pesticide - Se	ection I		
1. Company/Product Number 9779-358	2. EPA Product M Joanne Miller	lanager	3. Pro	oposed Classification
4. Company/Product (Name) Magic Carpet Fertilizer with Barricade .25	РМ# 23			None Restricted
5. Name and Address of Applicant (Include ZIP Code) Winfield Solutions, LLC, c/o Alice Walker 3094 Country Club Road Senatobia, MS 38668 Check if this is a new address	(b)(i), my producto: EPA Reg. No.	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3 (b)(i), my product is similar or identical in composition and labeling		
Check it this is a new address	Product Name	B	HI II II I	2009
	Section - II			
Amendment - Explain below. Resubmission in response to Agency letter dated	Agency I "Me Too Other - E tion I and Section II.) We have also added the Chemtred urban turf fertilizer rule. This notifi 40, 156.144, 156.146, and 156.15 nd that it is a violation of 18 U.S.C.	ication is consistent wi 6 and no other change Sec. 1001 to willfully	aimer (previ th the provis es have bee make any fa	sions of PR Notices 98-10 in made to the labeling or alse statement to EPA. I
156.146, and 156.156 this product may be in violation of FIFRA				
1. Material This Product Will Be Packaged In:				
Child-Resistant Packaging Yes ✓ No * Certification must be submitted Unit Packaging Yes ✓ No If "Yes" Unit Packaging wgt. No. per	Water Soluble Packaging Yes ✓ No If "Yes" No. pe r Package wgt contai	Jr	Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents Information 4. Size(s)	Retail Container	5. Location of La	hel Directio	ine
✓ Label Container	50 lbs.	On labe		
6. Manner in Which Label is Affixed to Product Lith Pap Ste	nograph per glued inciled	her stick-on bookl	let	
	Section - IV			ccc
1. Contact Point (Complete items directly below for identifica	ation of individual to be contacte	nd, if necessary, to pr	rocess this	applicătion.)
Name Alice Walker, Ph.D.	Title Registration Specialist		<632<532-6	s No. ຢາກຕິເມຕິອ Area Code) 5995 ເ
	ication and all attachments thereto are t	rue, accurate and co y fine or imprisonmer	craces mplete.	6. Data Application Received c. (Stämped)
2. Signature Liei Walker 4. Typod Name	3. Title Registration Specialist 5. Date			

Alice Walker, Ph.D.

3-16-09



30£/H

March 16, 2009

Document Processing Desk (Notif) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 1200 Pennsylvania Ave., NW Washington, DC 20460

Re: Notification of Revised Container Disposal Language per PRN 07-4 and Addition of CHEMTREC No., Revised Disclaimer, etc. per PRN 98-10

Magic Carpet Fertilizer with Barricade® .25, EPA Reg. No. 9779-358

This correspondence will constitute notification from Winfield Solutions, LLC of new container disposal language as required by PRN 07-4. We have also added the CHEMTREC number immediately after the Storage and Disposal block, revised the disclaimer which has been previously approved by the EPA, and added a Best Management Practices website in cooperation with Florida's new urban turf fertilizer rule. We take this opportunity to move the descriptor, "For preemergence control of grass and broadleaf weeds..." to immediately beneath the product name. You will also note a company name and address change for this product but this can be accomplished under the Non-Notification section of 98-10, Sec. IV.D.2.

This notification is consistent with the provisions of PR Notices 98-10 and 07-4 and the requirements of EPA's regulations at 40 CFR §§ 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 98-10 and 07-4 and 40 CFR 152.46, 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Thank you for adding this notification to the registration record for this product.

Sincerely,

Alice Walker, Ph.D. Registration Specialist

Enclosures

Highlighted 40f 14

ProSource One

Magic CarpetTM Fertilizer with BARRICADE[®] .25

For preemergence control of grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns and landscape ornamentals (including established perennials & wildflower plantings)

ACTIVE INGREDIENT:

Prodiamine, [N³, N³-Di-n-propyl-2,4-dinitro-6-(trifluoromethyl)-m-phenylenedian	nine]0.25%
OTHER INGREDIENTS:	99.75%
TOTAL	100.00%

Barricade[®] is a registered trademark of Syngenta.

Magic CarpetTM is a trademark of Winfield Solutions, LLC.

Guaranteed Fertilizer Analysis
(will vary depending on grade used)
Total Nitrogen (N)00%
0.0% Ammoniacal nitrogen
0.0% Urea nitrogen
Available Phosphate (P ₂ O ₅)00%
Soluble Potash (K ₂ O)00%
Derived from urea, monoammonium phosphate, and potassium
chloride.

For preemergence control of grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns and landscape ornamentals (including established perennials & wildflower plantings)

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after findling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

NOTIFICATION

EPA Reg. No. 9779-358

APR 17 2009

NET WEIGHT

Distributed By:

Winfield Solutions, LLC

P.O. Box 64589, St. Paul, MN 55164-0589

0/0316/9

FIRST AID

	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
If in Eyes • Remove contact lenses, if present, after the first 5 minutes, then continue		
	Call a poison control center or doctor for treatment advice.	
	Take off contaminated clothing.	
If on Skin or	• Rinse skin immediately with plenty of water for 15-20 minutes.	
Clothing	Call a poison control center or doctor for treatment advice.	
	Move person to fresh air.	
If Inhaled	• If person is not breathing, call 911 or an ambulance, then give artificial respiration,	
	preferably by mouth-to-mouth, if possible.	
	Call a poison control center or doctor for treatment advice.	
Have the product of	container or label with you when calling a poison control center or doctor, or going for	
treatment. You ma	ay also contact 1-877-424-7452 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

If material is spilled: Contain and sweep up material of spill for disposal or use per label instructions. Wash cleanup equipment to prevent contamination elsewhere. Excess quantities above normal application rates could result in damage to plants subject to spill. Water-in remainder; disc under, cover with layer of soil, or leave exposed to sunlight, as deemed appropriate to the situation.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container away from other fertilizer, feed, or foodstuffs and separated from other pesticides.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal:

Paper and Plastic Bags: Nonrefillable Container. Do not reuse or refill this container. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or at an incineration facility, or; if allowed by state and local authorities, by burning locally. If burned, stay out of smoke.

In case of fire or other emergency, report at once by toll-free telephone to CHEMTREC 1-800-424-9300.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelings

This product is a selective preemergence herbicide that provides residual control of many grass and broadleaf weeds in:

- Established turf grasses (excluding golf course putting greens) and lawns
- Landscape ornamentals
- Established perennials & wildflower plantings

60914

This product controls susceptible weeds by inhibiting weed seed germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days following application.

Not for use on plants being grown (1) for sale or other commercial use, (2) for commercial seed production, or (3) for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Do not graze or feed livestock forage cut from areas treated with this product.

Do not apply this product through any type of irrigation system.

Do not apply aerially.

Do not apply to golf course putting greens.

Failure to follow the directions for use and precautions on this label may result in poor weed control, crop injury, or illegal residues.

FOR FLORIDA: We recommend that you follow the Green Industries BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf

FOR FLORIDA: We recommend that you follow the Golf Courses BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfmbp07.pdf

APPLICATION DIRECTIONS

Apply uniformly through suitable, calibrated application equipment.


ESTABLISHED TURF

This product is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grasses and lawns. The maximum amount of this product that may be applied per year is given for each turf grass species in the "Maximum Annual Rates" section of this label.

Most effective weed control in turf grasses will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabgrass seed germination dates.

70414

APPROXIMATE CRABGRASS GERMINATION DATES



USE PRECAUTIONS

The following precautions apply to the use of this product in turf grasses and lawns:

- (1) Application of this product may thin emerged annual bluegrass and newly overseeded grasses.
- (2) Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.
- (3) Do not cut (harvest) treated sod before 120 days after application. Do not apply to newly set sod until the following year.
- (4) Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.
- (5) Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.
- (6) Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass, or annual bluegrass (*Poa annua*) are desirable species.
- (7) Keep this product off sidewalks, patios, driveways, etc. This product contains materials which will stain concrete and painted surfaces. If it comes in contact with a concrete surface, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders which scatter product beyond lawn edge and onto concrete.

RATES OF APPLICATION

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds.

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

MAXIMUM ANNUAL RATES

This product is recommended for use on the turf grass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table:

Maximum Application Rate Per Calendar Year Of Magic Carpet Fertilizer with BARRICADE By Turf Grass Species ¹					
Turf Species	Lbs. Product/A	Lbs. ai/A			
Bermudagrass ²	600^{3}	1.5			
Bahiagrass					
Centipedegrass					
Seashore Paspalum					
St. Augustinegrass					
Tall Fescue					
(including turf-type)					
Zoysia					
Buffalograss	400	1.0			
Kentucky Bluegrass					
Perennial Ryegrass					
Creeping Red Fescue	300	0.75			
Creeping Bentgrass	260	0.65			

¹ These are the maximum rates per calendar year by species limitations.

• Use higher rates of this product to achieve higher levels of fertility and longer periods of weed control for each turf type, but do not exceed the "Maximum Annual Rates" table.

WEEDS CONTROLLED

When used in accordance with this label this product will provide control of the following weeds:

Barnyardgrass Carpetweed Bluegrass, Annual (Poa annua) Chickweed, Common Crabgrass (large, smooth) Chickweed, Mouseear (from seed) Crowfootgrass Henbit Cupgrass, Woolly Knotweed Foxtails, Annual Kochia Goosegrass¹ Lambsquarter, Common Itchgrass Pigweed Johnsongrass (from seed) Purslane, Common Pusley, Florida Junglerice

² May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 208 lbs./A. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Foxtail, Goosegrass, and Rescuegrass due to reduced product rates used in sprigging situations.

³ Do not apply more than 600 lbs. of product per calendar year.

90f14

Lovegrass
Panicum (Texas, Fall, Browntop)
Rescuegrass³
Signalgrass, Broadleaf
Sprangletop

Shepherd's Purse²
Speedwell, Persian
Spurge, Prostrate
Witchgrass
Woodsorrel, Yellow (from seed)

¹ In many areas a single application of 260 to 600 lbs./A of this product will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained by making an initial application of 260 to 400 lbs./A followed after 60 to 90 days by a second application at doses that would not exceed those given in the "Maximum Annual Rate" table. Do not exceed the maximum rate for turf grass species listed in the "Maximum Annual Rate" table above.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of the weed seeds.

WHEN TO APPLY AFTER OVERSEEDING TURF

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

WHEN TO OVERSEED AFTER APPLICATION

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

	t Fertilizer with Months Before Overseeding OE Rate (lb./A)			ling
Product	ai	North	Transition	South
200	.50	4	4	4
265	.66	5	. 4	4
296	.74	6	5	5
320	.80		6	6
400	1.00		7	. 7
456	1.14			9
520	1.30			10
600	1.50			12

LANDSCAPE ORNAMENTALS

(including Established Perennials and Wildflower Plantings)

This product may be applied for residual preemergence weed control in ornamentals.

USE RATES

Apply this product at 265 to 600 lbs./A in fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 600 lbs./A.

APPLICATION TIMING AND INFORMATION

This product is a preemergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inches of rainfall or irrigation, or with

²Applications for this weed should be made in late summer, fall, or winter prior to germination.

³ Suppression only.

shallow (1 to 2 inches) mechanical incorporation, prior to weed seed germination and within 14 days following application.

Best weed control is obtained when this product is applied to soil free of clods, weeds, and debris such as leaves. Prior to application of this product, control existing vegetation by hand weeding, cultivation, or the use of an appropriate postemergence herbicide.

ESTABLISHED LANDSCAPE ORNAMENTALS

This product may be applied to established ornamentals as a broadcast, over the top, or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil.

NEWLY TRANSPLANTED LANDSCAPE ORNAMENTALS

This product may be applied to newly transplanted ornamentals as a broadcast, over the top, or directed application. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union.

TOLERANT ORNAMENTAL SPECIES

This product will not harm most trees, shrubs, vines, and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species.

When plants are under stress (such as heat, drought, or frost damage) some cultivars of listed plants may be sensitive to this product.

Scientific name

Abies spp.

Abelia grandiflora

Acer palmatum

A. platanoides

Achillea spp.

Actinidia chinensis

Agapanthus africanus

Agapanthus orientalis

Akebia quintata

Allium cernuum

Anemone hvbrida

Aquilegia spp.

Arctostaphylos densiflora

Arctotheca calendula

Artemesia spp.

Aster spp.

Aster X Frikartii

Athrium Filiz-femina

Aucuba japonica

Begonia spp.

Berberis gladwynensis

B. julianae

B. mentorensis

B. thunbergii

B. verruculosa

Bergenia cordifolia

Boltonia asteroides

Bougainvillea spp.

Common name

Fir species** (Balsam, Fraser, Noble, etc.)

Abelia: Sherwood

Japanese Maple

Norway Maple

Yarrow: King Edward

Kiwi*

Lily-of-the-Nile (African Lily)

Five-Leaf or Chocolate Vine

Lady's Leek, Nodding Onion

Japanese Anemone

Aquilegia: Red and Gold

Vine Hill Manzanita

Cape Weed

Wormwood: Silver Mound, Castle

Aster: Bonny Blue, Purple Dome

Lady Fern: Fern Lady

Japanese Aucuba

Fibrous Begonia: Hardy Grandis

Barberry

Wintergreen Barberry

Mentor Barberry

Japanese Barberry

Warty Barberry

Snowbank

Bougainvillea

Buddleia davidii Buxus microphylla Callistemon viminalis Calluna vulgaris Campanula carpatica Campis X Tagliabuana

Carpobrotus edulis Cassia artemisoides Ceanothus rigidus

Ceratostigma plumbagonoides

Chamaecyparis pisifera Chrysanthemum nipponicum

Cleyera japonica Citrus spp. Coreopsis spp.

Cornus florida C. stolonifera Cortaderia selloana Cotoneaster apiculatus

C. buxifolius C. dammeri C. microphyllus Cretaegus spp. Crocosmia spp.

Cupressus sempervirens

Delosperma alba Delosperma spp. Delphinium spp. Dianthus deltoides D. gratianopolitanus Dodonea viscosa Echinacea pupurea Elaeagnus pungens Euonymus fortunei E. japonica

E. kiautschovica Fatsia japonica Forsythia intermedia

F. suspensa F. viridissima Gaillardia spp. Gardenia jasminoides

Gaura spp. Gentiana dahurica Geranium cinereum Gladiolus spp. Gypsophila repens Hedera helix Hellanthemum spp. Hemerocallis spp.

Hibiscus Hibiscus spp.

Hibiscus rosa-sinensis Hosta plantaginea

Butterfly-Bush (Dwarf Blue): Royal Red

Japanese Boxwood Weeping Bottlebrush Scotch Heather

Tussock Bellflower, (White Clips) Trumpet Creeper, Trumpet Flower,

Madame Galen Hottentot Fig (Ice Plant) Feathery Cassia

False Cypress

Wild Lilac

Clevera

Citrus species*

Coreopsis (Calliopsis): Early Sunrise,

Moonbeam

Flowering Dogwood American Dogwood Pampas Grass

Cranberry Cotoneaster

Cotoneaster

Bearberry Cotoneaster Rockspray Cotoneaster

Hawthorne Lucifer Italian Cypress

White Trailing Ice Plant

Cooperi Pink Larkspur: Blue Elf

Dianthus: Maiden Pinks "Zing"

Cheddar Pink Hop Bush

Coneflower, Purple; Magnus

Silverberry Wintercreeper

Japanese Spindle Tree (Evergreen Euonymus)

Spreading Euonymus Japanese Aralia Border Forsythia Weeping Forsythia Greenstem Forsythia

Gaillardia, Blanket Flower: "Goblin" Gardenia, Cape-Jasmine, Radicans

Gentian Cranesbill

Gladiolus species** Baby's Breath English Ivy Sunrose

Daylily: Aztec Gold, Stella de Oro, Tender

Rose of Sharon**

Mallow: Disco Belle White

Chinese Hibiscus

Hosta, Plantain Lily (Fragrant)

H. Sieboldiana

Houttuynia cordata var. variegata

Hydrangea macrophylla

Ilex cornuta
I. crenata
I. opaca
I. pernyi
I. vomitoria
Inula ensifolia
Iris ensata
Iris siberica
Iris spp.

Jasminium nudiflorum Juniperus chinensis

J. conferta J. horizontalis Juglans spp.

Justicia brandegeana Lagerstromia indica

Lagerstromia indica X Fauriei

Lantana montevidensis

Lavender spp.

Leontopodium alpinum Ligustrum sinense Ligustrum amurense L. japonicum L. lucidum

Lilium spp.
Liriope muscari

Liriope Muscari var. variegata

Liriope spicata Lobelia Cardinalis Lonicera japonica

L. tatarica

Loropetalum chinense

Lythrum spp. Magnolia spp. Maleophora luteola

Malus spp.

Miscanthus sinensis Nandina domestica Narcissus spp. Nerium oleander Olea europaea Ophiopogon japonic

Olea europaea
Ophiopogon japonicus
Osmanthus heterphyllus
Osteospermum fruticosum
Oxydendrum arboreum
Paeonia suffruticosa
Pennisetum setaceumi
Perovskia atriplicifolia
Persea americana
Photinia fraseri

Physotegia Viginiana

Picea spp.

Hosta, "Searsucker"

Bigleaf Hydrangea Chinese Holly

Japanese Holly: Helleri

American Holly

Holly

Yaupon Holly: Schillings

Sword-Leaved Iris: Jodlesong Siberian Iris: Cabernet

Iris species**
Winter Jasmine

Chinese Juniper: Nick's Compact, Parsonnii

Shore Juniper: Blue Pacific

Creeping Juniper

Walnut*
Shrimp Plant
Crape Myrtle

Crape Myrtle: Tuscarora Weeping Lantana Lavender: Munstead

Edelweiss

Chinese Privet: Variegata

Amur Privet
Japanese Privet

Glossy Privet (Waxleaf)

Lily; Jazz

Big Blue Lily; Turf: Silver Mound: Evergreen

Giant

Liriope, Variegated Liriope, Creeping

Cardinal Flower, Indian Pink Japanese Honeysuckle Tatarian Honeysuckle

Burgundy

Loosestrife; Modern Pink Magnolia species**

Ice Plant
Crabapple*

Yaku Jima, Silberfeder Heavenly Bamboo Narcissus species**

Oleander Olive* Mondo Grass

Osmanthus (False Holly): Gulf Tide

Trailing African Daisy

Sourwood Tree Peony

Fountain Grass (Dwarf)

Avocado*

Frasier's Photinia (Redtip) Dragonhead, False: Vivid

Spruce species**(Colorado Blue, Norway,

etc.)

Pieris japonica
Pinus brutia
P. canariensis
P. elliottii
P. halepensis
P. nigra
P. palustrus
P. radiata
P. thunbergiana
P. strobus
P. sylvestris
P. taeda
P. virginiana
Pistachio spp.

Pittosporum rhombifolium

P. tobira

Podocarpus macrophyllus Prunus laurocerasus

Prunus spp.

Pseudotsuga menziesii Pyracantha coccinea P. fortuneana P. koidzumii Pyrus spp.

Quercus Shumardii Quercus spp. Raphiolepis indica Raphiolepsis umbellata

Rhododendron (including Azalea)

Rosmarinus officinalis Rudbeckia spp.

Santolina virens
Saxifraga spp.
Scabiosa spp.
Sedum album
Sedum cauticola
Sedum dasyphyllum
Sedum spurium
Spiraea Bumalda
Syzygium paniculatum

Taxus cuspidata T. media Teucrium spp.

V. rigidum

Thalictrum dipterocarpum

Thuja occidentalis

Trachelospermum asiatum

Tsuga canadensis
Tulipa spp.
Veroniac spp.
Viburnum japonicum
V. odoratissimum
V. plicatum

Lily-of-the-Valley Bush

Calabrian Pine Canary Island Pine

Slash Pine
Aleppo Pine
Austrian Pine
Longleaf Pine
Monterey Pine
Japanese Black Pine
Eastern White Pine
Scotch Pine
Loblolly Pine

Pistachio*
Queensland Pittosporum
Japanese Pittosporum

Japanese Yew English Laurel

Virginia Pine

Almond, Apricot, Nectarine, Peach, Plum and Prune*

Douglas Fir**
Firethorn (Scarlet)

Firethorn Firethorn

Bradford Pear sp. Oak, Shumard's Red

Oak species Indian Hawthorne Yedda Hawthorn

Coral Bells, Delaware Valley White, Flame Creeper, Formosa, George L. Tabor, Girard Crimson, Hino-crimson, PJM, Roseum Elegans, Wakeiebisu, White Gumpo

Rosemary*

Black-Eyed Susan; Goldstrum

Santolina

Saxifrage: Purple Dome Pincushion Flower

Stonecrop

Stonecrop: Lidakense

Stonecrop

Stonecrop: Dragon's Blood Spirea: Anthony Waterer Australian Brushcherry

Japanese Yew

Yew Germander Meadow Rue

American Arborvitae Star Jasmine

Canada Hemlock
Tulip species

Veronica, Speedwell: Sunny Border

Japanese Viburnum Sweet Viburnum Japanese Snowball Canary Island Viburnum V. suspensum
V. tinus
V. trilobium
V. wrightii
Vinca major
Vinca minor
Vitis spp.
Weigela florida
Yucca aloifolia
Y. filamentosa

Arrowood Viburnum
Laurustinus
Cranberry Bush
Leatherleaf Viburnum
Greater Periwinkle, Vinca
Common Periwinkle, Vinca
Grape*
Old Fashioned Weigela
Spanish Bayonet, Yucca
Adam's Needle, Yucca

- *Do not use on food-producing trees, vines, or plants.
- **Not for use on container-grown plants.

WARRANTY DISCLAIMER

Winfield Solutions, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

The directions for use of this product must be followed carefully. EXCEPT AS PROVIDED ABOVE AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

NOTIFICATION