روی و این از میکانی رو همچنانه بر وسال ماه (ماه ۱۹۹۷) وروی کانی استان میکاند. افار و				
	PM 25	9779-359	10/1/98	<u>رم</u>
NITED STATE	Office	RONMENTAL FROTECTION AGENCY e of Pesticide Programs ration Division (H7505C)	EPA Ser. Numches:	Date of Issuance
	1	401 "M" St., S.W. shington, D.C. 20460		OCT 1 19
	na.	shington, D.C. 20400	9779-359 Term ti Issuance	<u> </u>
WAL PROTECTO	NOTICE OF I	PESTICIDE:	Concitiona	
		Registration		2.L
	ł	Reregistration	Name of Pesticut	e Product:
under FIFRA, as	amended)		Magic Car	pet
			Fertilize	
			Atrazine (1.928
	s of Registrant (inclu 1 Rogosheske	ue bir codej:		
	ERNATIONAL, I	NC.		
600 Fourth		~~~~		
	7, IA 51102-		ated in connection with the	
be submitted to	and accepted by the R		to use if the lare, in com	
		by the registrant, the abs leral Insecticide, Fungicid	ove names pestiblis is mere a and Forestiblis work	
In order to prot	ect health and the en	vironment, the Administrate	recommentation of this durbe or, on the motion hay at a th. The acceptative of any	time suspend o
with the registr	ation of a product un		construet va givuns nne peş	
		onditionally reg provided that yo	istered in accor	dance with
FIFKA SEC	-5(C)(7)(A)	provided that yo	u;	
	•		equired for regi	
			when the Agency mit such data; a	
acceptable	e responses r		gistration of yo	
under FIF	RA section 4.			
2. 1	Make the f oll	owing label chan	ges:	
a.	Revise the E No. 9779-359		Number to read,	'EPA Reg.
-				• • • •
3. Sthe record		py of the revis e	d final printeđ	ladel for
			ied with, the re	
			ordance with FIF a product consti	
	e of these co			
7	mod some of	the label is	alagai far	raamda
A SL	ampeu copy or	che label 18 en	closed for your	records.
Λ				
Signature of App	proving Official:		late:	
(hr ()	all			
	cins, PM-25		A	0
Redistrat	e Branch tion Divisi on	(75050)	10-1 -9	Ø
A Paurin 8570-6	TOU DIVISION			

MAGIC CARPET[™] FERTILIZER WITH ATRAZINE 0.92%

FOR USE ON ST. AUGUSTINE AND CENTIPEDE LAWNS

Not for use on turf being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Active Ingredient:

Atrazine (2-chloro-4-ethylamino-6-isopropylamino-S-triazine)	0.92%
Other Ingredients:	99.08%
Total	100.00%

GUARANTEED ANALYSIS 0-0-0

Total Nitroger (N)	
Ammoniacal Nitrogen	
Urea Nitrogen	
Available Phosphoric Acid (P2O5)	
Soluble Potast (K2O)	
Chlorine, Not more than	
Derived from Urea, Monoammonium Phosphate, Sulfate of Potash.	

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID:

÷.

IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention. IF SWALLOWED: Call a physician or Poison Control Center immediately. IF ON SKIN: Wash affected area with soap and water.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. In case of contact: for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where the soil is very permeable i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater. This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

EPA Reg. No. 9779- 6-6 0

Manufacture:: For: TERRA INTERNATIONAL, INC. P.O. Box 6000, Sioux City, Iowa 51102-6000



ACCEPTED with COMMENTS In EPA Letter Dated

oct 1998

Under the Federal Insecticide. Fundicide, and Hodenticide Act as amonded, for the posticide registered under EPA Reg. No. 9774-359

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read the following carefully before application. Use this product only for recommended purposes and at recommended dosage.

For use on St. Augustine and Centipede lawns. Do not use on Bluegrass, Fescue, Bent, Bahia, Rye, Bermuda or Dichondra lawns.

Post emergent broadeaf control of such weeds as: Chickweed, Creeping Charlie, Dandelion, Evening Primrose, Florida Betony, Florida Pusley, Lippia, Oxalis, Pigweed, Pennywort, Plantain, Rabbit Tobacco and Toadflex.

Preemergent control :f: Crabgrass, Paspalums, Sedge and Spotted Spurge.

WHEN TO APPLY

For broadleaf post-emergence control apply anytime the weeds are present and actively growing. (Spring application is recommended for best control.) For preemergence control apply before the Crabgrass, Paspalums, Sedge and Spotted Surge germinate. The precise time of application for a specific area will vary. Consult state agricultural experiment station weed specialist or local turf authorities for any additional information regarding specific weed germination dates in your area.

HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader.

Apply 4.5 to 6.0 pounds of Magic Carpet Fertilizer with Atrazine 0.92% uniformly over 1,000 sq. ft. of lawn area (equivalent to 1.5 to 2.0 pounds Atrazine per acre.) Watering of treated area immediately after application is recommended to wash pellets off the grass blades.

Chemigation: Do not apply this product through any type of irrigation system.

Approximate Magic Carpet Fertilizer with Atrazine 0.92% Rotary Spreader Settings							
		-	Effective	a (
# Product/	#N/		Spreading	3rd	Approx.*		
1000 sq. ft,	1000 sq. ft.	#A1/A	Width	Hole	Setting		
4.5	0.92	1.5	8	Open	D 1/2		
6	1.00	2	8′	Open	E 1/2		

*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

USE PRECAUTIONS

Avoid application under the drip line of trees, shrubs and ornamentals to prevent injury to plants. This product should not be applied to newly seeded Centipede until the new grass has been mowed at least once. Delay spring planting one month and seeding 6 months after application.

Brush off walks and cainted surfaces following application to avoid discoloration.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

7

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facting.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

