. PM 25 9779-360 10/1/92	2	P3 183			
U.S. ENVIROMENTAL PROTECTION AGENCY Office :f Pesticide Programs Registration Division (H7505C)	EPA Reg. Number:	Date of Issuance:			
412 "M" St., S.W. Wasrngton, D.C. 20460	9779-360	OCT ((998			
NOTICE OF PESTICIDE:	Term of Issuance	:			
 R=gistration R=registration	Conditional				
(under FIFRA, as amended)	Name of Pesticide Product:				
	Magic Carpet Fertilizer with				
	Atrazine (
Name and Address of Registrant cinclude IIP Code):	• · · · · · · · · · · · · · · · · · · ·				
Mr. Steven Rogosheske TERRA INTERNATIONAL, INC. 600 Fourth Street Sioux City, IA 51102-6300					
Note: Changes in labeling differing in substance from that accepted in co be submitted to and accepted by the Registration Division prior to use of correspondence on this product always refer to the above EPA registration	the label in com				
On the basis of information furnished by the registrant, the above named registered/reregistered under the Federal Insecticide, Fungicide and Rode		ру			
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticipe in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.					
This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:					
1. Submit and/or cite all data required for registration of your product under FIFFA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.					
2. Make the following label changes:					
a. Revise the EPA R egistrat ion Number to read, "EPA Reg. No. 9779-360".					
3. Submit one copy of the revised final printed label for the record.					
If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.					
A stamped copy of the label is enclosed	l for your	records.			
	<u> </u>				
Signature of Approving Official:	Date:				
Jim Tompkins, PM-25		/			
Herbicide Branch Registration Division, (7505C)	10-2-8	Ý			

34 14. 445

.

un dille a

2}3

MAGIC CARPET^{**} FERTILIZER WITH ATRAZINE 0.76%

FOR USE ON ST. AUGUSTINE AND CENTIPEDE LAWNS

Not for use on turf being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Active Ingredient:

Atrazine (2-chloro-4-ethylamino-6-isopropylamino-S-triazire)	 0.76%
Related Compounds	 0.04%
Other Ingredients:	 99.20%
	100.00%

GUARANTEED ANALYSIS 0-0-0

Total Nitrogen (N:	
Ammoniacal Nitrogen	0.00%
Urea Nitrogen	
Available Phospheric Acie P205)	
Soluble Potash (K-O)	0.00%
Chlorine, Not more than	
Derived from Urea, Moncammonuum Phosphate, Sulfate of Petash,	

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID:

IF IN EYES: Immediately flush eves with plenty of water. Get medical attention. IF SWALLOWED: Call a physician or Poison Control Center immediately. IF ON SKIN: Wash affected area with soap and water.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


Harmful if swallowed, inhaied or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thorough's after handling. In case of contact: for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where the soil is very permeable i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater. This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

EPA Reg. No. 9779- 64 1

Manufactured For: TERRA INTERNATIONAL INC. P.O. Box 6000, Sioux City, Iowa 51102-6000



ACCEPTED with COMMENTS In EPA Lotter Dated OCT | 1998

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. <u>1777-31</u>-5



FR



373

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read the following carefully before application. Use this product only for recommended purposes and at recommended dosage.

For use on St. Augustine and Centipede lawns. Do not use on Bluegrass, Fescue, Bent, Baha, Rye, Bermuda or Dichondra lawns.

Post emergent broadleaf control of such weeds as: Thickweed, Creeping Charlie, Dandelion, Evening Primrose, Florida Betony, Florida Pusley, Lippia, Oxalis, Pigweet: Pennywort, Plantain, Rabbit Tobacco and Toadflex.

Preemergent control of: Crabgrass, Paspalums, Seoge and Spotted Spurge.

WHEN TO APPLY

For broadleaf post-emergence control apply anytime the weeds are present and actively growing. Spring application is recommended for best control.) For present gence control apply before the Crabgrass, Paspalums, Sedge and Spotted Surge germinate. The precise time of application for a specific area will vary. Consult state agricultural experiment station weed specialist or local turf authorities for any additional information regarding specific weed germination dates in your area.

HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader.

Apply 4.5 to 6.0 pounds of Magic Carpet Fertilizer with Attrazine 0.76% uniformly over 1,000 sq. ft. of lawn area (equivalent to 1.5 to 2.0 pounds Atrazine per acre. Watering of treated area immediately after application is recommended to wash pellets off the grass blades.

Chemigation: Do not apply this product through any type of irrigation system.

Approximate Magic Carpet Fertilizer with Atrazine 0.76% Rotary Spreader Settings						
Pounds Product/ 1000 sq. ft.	Pounds N/ 1000 sq. ft,	Pounds A. 1	Effective Spreading Width	3rd Hole	Approx.* Setting	
4.5 6	0.76 1.00	1.5 2	8' 8'	Open Open	D 1/2 E 1/2	

*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

USE PRECAUTIONS

Avoid application under the drip line of trees, shrubs and ornamentals to prevent injury to plants. This product should not be applied to newly seeded Centipede until the new grass has been mowed at least once. Delay spring planting one month and seeding 6 months after application.

Brush off walks and painted surfaces following application to avoid discoloration.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application: equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, •• • extends to the use of this product contrary to labe! instructions, or under abnormal conditions, or under condi

