For the Control of Resistant and Non-Resistant Cockroaches USE DIRECTIONS - FOR USE BY PEST CONTROL OPERATORS ONLY

Apply D-PONA 1-1E insecticde as a spot treatment to control cockroaches, and some week of the to spiders, and brown dog ticks in and around residential, commercial industrial and in this including homes, apartment buildings, stores, manufacturing plants, warehouses and hose to may also be used as a crack and crevice treatment to control certain of the above pasts of and at and nonfood areas of food handling establishments the pany area of plank it which food site is a prepared and/or served, e.g., restaurants, canneries, bottling plants, grocery stories, baken es en D-PONA 1-1E with water or with a suitable oil base to make a .25% chlorpy totos spray as strowers Spray Dilution Chart. Apply according to directions given for pests listed. Repeat the treatment as reeded

Gal. of Spray Mixture Desired			Gal. of Spray Mixture Desired	Fluid oz of D-PONA 1 1E to Use							
Water Base Spray	.25% Chlorpyrifos + .25% Vapona Spray	.50% Chlorpyrifos + .50% Vapona Spray	Oil Base Spray	25% Chlorpyrifos • 25% Vapona Spray	50% Chlorpyrifos + 50% Vapona Spray						
1 5	2-2/3 13-1/3	5-1/3 26-2/3	1 5	2	4 20						

Cockroaches, (including strains resistant to certain other insecticides), Ants, Crickets, Firebrats, Silverfish, Spiders: Use a concentration of .25% to .50% to control light to heavy infestations. For spot treatment apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators, and cabinets; around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

Brown Dog Ticks: Thoroughly apply a concentrate spray of .5% as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices along and behind baseboards, window and door frames, and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.


DANGER (Pests Indoors): Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils and surfaces with soap and water if they become contaminated by application of this product. Do not use D-PONA 1-1E for spot treatment in poultry houses, other animal buildings, or in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared and processed. Do not use in service areas while food is exposed.

CRACK & CREVICE TREATMENT - FOOD HANDLING ESTABLISHMENTS

Places other than private residences in which exposed food is held, processed, prepared or served. APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.



D-PONA 1-1E INSEC

To be Applied Only By or Under the Supervision of Pes and Other Trained Personnel Responsible for Insect (

ACTIVE INGREDIENTS:

Chlorpyrifos [O, O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorotl Related Compounds** Aromatic Petroleum Derivative Solvent INERT INGREDIENTS:

(**Equivalent to 12.01% VAPONA** insecticide)

CONTAINS 1 lb. CHLORPYRIFOS INSECTICIDE and 1 lb. VAPON GALLON. U.S. Patent Number 3,244,586 for Chlorpyrifos.

**VAPONA is the registered trademark of Shell Chemical Company

WARNING

KEEP OUT OF REACH OF CHILDR

SEE SIDE PANEL FOR ADDITIONAL WARNINGS -- FOR IN E.P.A. Reg. No. 9782-18

Manufactured by

WOODBURY CHEMICAL COM PRINCETON, FLORIDA 33030

GALLONS NET

1-1E INSECTICIDE

Under the Supervision of Pest Control Operators onnel Responsible for Insect Control Programs

6-tric	hl	0	ro)-2	?-	p١	/r	id	ly	I)	1	o t	10	S	рl	70	r	01	th	H	SC	t	B]			•					11.91	1%
hate*	*				•	•					•		•		•													•			11.19	1%
			٠		•		•				•			•									•							•	.82	2%
																															53.45	
		•			•	•	•	•	-	•		•		•	•		•			•	•	•	•		•	•	-	•	•	•	22.63	3 %
A** insecticide)								TOTAL												•	100.0)%										
SINS	EC	וכ	ΓĮ	C	1 () [E 4	ar	١d		1	It	Э.	1	J I	41	P(O	N	A	*	*	Į	N	S	E	C	T	IC		DE PE	R
4,580	5 f	o	r	C	hl	0	rp) y	ri	f	D S																					

ark of Shell Chemical Company

WARNING

OF REACH OF CHILDREN

ITIONAL WARNINGS - FOR INDOOR USE ONLY

E.P.A. Est. No. 9782-F1-1

Manufactured by

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY

includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered food area).

Using a .5% spray apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors. openings leading to voids and hollow spaces in walls, equipment legs and bases where cockroaches, ants and silverfish hide. Do not use this product in conduits, motor housings, and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

SERVING AREAS — Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

Using a .5% spray apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

NON-FOOD AREAS—Includes garbage rooms, lavatories, floor drains (to sewers) entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Using a .5% spray apply as a coarse spray or with a paint brush to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds, and other wildlife. Keep out of akes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

GENERAL USE PRECAUTIONS

Promptly crush or perforate empty container and bury with wastes in locations away from domestic water supplies.

WARNING KEEP OUT OF REACH OF CHILDREN HARMFUL OR FATAL IF SWALLOWED, ABSORBED THROUGH SKIN, OR INHALED - COMBUSTIBLE

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield when handling. Wash thoroughly after handling. Wash contaminated clothing before reuse. In case of eye contact, immediately flush eyes with plenty of water and get prompt medical attention. Immediately wash contaminated skin with soap and plenty of water. Keep away from food, feedstuffs, and domestic water supplies. Do not breathe vapors or spray mist. Keep container closed. DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME. Handle concentrate in a ventilated area.

Note to Physician: Chlorpyrifos and Vapona are cholinesterase inhibitors. Treat symptomatically. Atropine is an antidote. 2-PAM is also antidote and may be adminstered in conjunction with atropine.

CHEMICAL COMPANY ETON, FLORIDA 33030







