



USE DIRECTIONS

PESTS INDOORS For general use, use DURSBAN 4E as a spot treatment. It is effective against cockroaches, ants, crickets, firebrats, silverfish, spiders, and other household pests. For crack and crevice treatment, use DURSBAN 4E as a spot treatment. It is effective against cockroaches, ants, crickets, firebrats, silverfish, spiders, and other household pests.

SPRAY DILUTION CHART

Gal. of Spray Mixture Desired	Fluid Oz. of DURSBAN 4E to Use		Gal. of Spray Mixture Desired	Fluid Oz. of DURSBAN 4E to Use	
	0.25 spray	0.50 spray		0.25 spray	0.50 spray
Water base Spray			Oil base Spray		

Cockroaches (including strains resistant to certain other insecticides), Ants, Crickets, Firebrats, Silverfish, Spiders, etc. For spot treatment...

FOOD HANDLING ESTABLISHMENTS

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

NON FOOD AREAS

Brown Dog Ticks

Pests, etc.

Do not use DURSBAN 4E for spot treatment



WOODBURY CHEMICAL COMPANY

DURSBAN* 4E INSECTICIDE

To Be Applied Only By or Under the Supervision of Pest Control Operators and Other Trained Personnel Responsible for Insect Control Programs

ACTIVE INGREDIENTS:

Chlorpyrifos [O, O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	43%
Aromatic petroleum derivative solvent	23%
INERT INGREDIENTS	34%
Contains 4 pounds of chlorpyrifos per gallon	TOTAL 100%

*DURSBAN® - Trademark of The Dow Chemical Company
U. S. Patent No. 3,244,586

WARNING

KEEP OUT OF REACH OF CHILDREN

Read complete precautions on Right Side Panel


E.P.A. Est. No. 9782-FL-1

Manufactured by

E.P.A. Reg. No. 9782-28

WOODBURY CHEMICAL COMPANY
PRINCETON, FLORIDA 33030

GALLONS NET



WOODBURY
CHEMICAL COMPANY



DURSBAN* 4E INSECTICIDE

To Be Applied Only By or Under the Supervision of Pest Control Operators and Other Trained Personnel Responsible for Insect Control Programs

ACTIVE INGREDIENTS:

Chlorpyrifos [O, O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	43%
Aromatic petroleum derivative solvent	23%
INERT INGREDIENTS	34%
Contains 4 pounds of chlorpyrifos per gallon	TOTAL 100%

*DURSBAN® - Trademark of The Dow Chemical Company
U. S. Patent No. 3,244,586

WARNING

KEEP OUT OF REACH OF CHILDREN

Read complete precautions on Right Side Panel

E.P.A. Est. No. 9782-FL-1 Manufactured by E.P.A. Reg. No. 9782-28

WOODBURY CHEMICAL COMPANY
PRINCETON, FLORIDA 33030

GALLONS NET

ACCEPTED
MAR 7 1975
Uses: The Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 9782-28

USE DIRECTIONS

PESTS OUT OF DOORS - Generally use DURSIBAN 4E for control of certain pests of lawns. Consult the following directions for dosage and application details on control of pests listed.
Pests of Lawns and other Ornamentals and Recreational Turf Grass Areas - Use DURSIBAN 4E insecticide to control ants, brown dog ticks, chinch bugs, crickets, cutworms, earwigs, grasshoppers and sod webworms, lawn moths. Mix DURSIBAN 4E with water according to directions given in the following table and apply as a general preventive spray using suitable application equipment. For best results, the lawns should be mowed at time of treatment, and care should be taken to obtain complete and uniform coverage. Repeat applications if necessary at 2-3 week intervals if needed.

DOSAGE and DILUTIONS for USE on TURF

Area to be Treated	Amount of DURSBAN 4E	Dilute with Water to give	Area to be Treated	Amount of DURSBAN 4E	Dilute with Water to give
500 sq ft	3.8 fl. oz.	15 gallons	10,700 sq ft	1 quart	325 gallons
1,000 sq ft	3.4 fl. oz.	30 gallons	One Acre	1 quart	1,300 gallons
5,000 sq ft	3.4 fl. oz.	150 gallons			

To control certain white grubs (larvae of European spruce sawfly and Japanese beetle). The type of grub may be identified by the appearance of the grub. Use the following directions for control of grubs. Apply as a preventive spray to obtain uniform coverage of the area. Repeat applications if needed at 2-3 week intervals if needed. For best results, treat when grubs are young and actively feeding near the soil surface, usually during late July and August. For more information, contact your local Agricultural Extension Service specialist for proper time to treat in your area.

Note: To help prevent infestation of buildings by ants, ticks, earwigs, and sawflies, apply a band of 6 to 10 feet wide around the perimeter of the building, also the building foundation, at a height of 2 to 2 1/2 feet above ground level, and in entrance. Use the same dosage and dilution recommended for control of lawn pests. Consult the above table. Apply as a preventive spray to the ground. Do not apply to wet ground.

Warning: Mosquitoes coming to rest on grasses, shrubs, and trees, etc., may be killed by the spray. Do not apply to areas where mosquitoes are exposed to treated areas to weather. Do not apply to areas where mosquitoes are exposed to treated areas to weather. Do not apply to areas where mosquitoes are exposed to treated areas to weather.

ENVIRONMENTAL CAUTIONS

Do not apply to water, fish, and shellfish, and to birds, bees, and other beneficial insects. Do not apply to areas where bees are exposed to treated areas to weather. Do not apply to areas where bees are exposed to treated areas to weather.

GENERAL USE PRECAUTIONS

Do not apply to areas where children, pets, or livestock are present. Do not apply to areas where children, pets, or livestock are present. Do not apply to areas where children, pets, or livestock are present.

CONTAINER DISPOSAL

Do not reuse empty containers and do not dump contents into water, soil, or other areas. Do not reuse empty containers and do not dump contents into water, soil, or other areas.

WARNING

KEEP OUT OF REACH OF CHILDREN
MAY BE FATAL IF SWALLOWED - MAY BE ABSORBED THROUGH SKIN
MAY BE INJURIOUS TO EYES AND SKIN - COMBUSTIBLE

Do not use in areas where children, pets, or livestock are present. Do not use in areas where children, pets, or livestock are present. Do not use in areas where children, pets, or livestock are present.