

PM 14 9782-47



MALATHION PG

FOR CONTROL OF MOSQUITOES, SMALL FLYING INSECTS OUT-OF-DOORS
FOR USE ON ORNAMENTAL PLANTS TO CONTROL APHIDS, MEALYBUGS,
SPIDER MITES, THRIPS, AND OTHER INSECTS AS LISTED.

ACTIVE INGREDIENT:
Malathion (D,O-dimethyl dithiophosphate
of diethyl mercaptosuccinate)..... 54.2%
INERT INGREDIENTS..... 45.8%
Total 100.0%

Contains 5 lbs. Malathion Per Gallon *Contains Aromatic Petroleum Derivative Solvent

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Continue to drink. Call a physician immediately.
IF ON SKIN: Wash with soap and water. If irritation persists, call a physician.
IF IN EYES: Flush eyes with plenty of water. Call a physician.
HOW TO PREVENT: Malathion is a cholinesterase inhibitor. Treat symptomatically. At signs of... consult

SEE BACKPACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 6788-07 EPA EST. NO. 6788-PL-1

NET CONTENTS 1 GALLON

WOODBURY CHEMICAL COMPANY
P.O. BOX 4319
PRINCETON, FLORIDA 33032

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Hazardous if swallowed. Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly after handling and before eating or smoking. Wash contaminated clothing before re-use. Do not contaminate food or feed. Keep container closed. **NOTE TO PHYSICIAN:** Malathion may cause cholinesterase inhibition. Atropine is antidotal. In case of accidental exposure refer to STATEMENTS OF PRACTICAL TREATMENT or other Precautionary Statements on this product label. Apply this product only as specified on this label.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and pastures). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift from treatment area.

PHYSICAL OR CHEMICAL HAZARDS

of use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use this product indoors. Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** (Metal) - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures.

Storage & Disposal (Cont.)

approved by State & local authorities. (Plastic) - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, if allowed by state and local authorities, by burning. If burned stay out of smoke. (Glass) - Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved State and local procedures.

THIS PRODUCT IS NOT FOR USE IN DOORS

FOR MOSQUITOES & SMALL FLYING INSECTS

Outdoors: Prepare a 2% or 3% area spray by adding 4.5 to 11.2 ounces of this product to 1 gallon of water or deodorized kerosene, or prepare a fogging oil solution by adding 1 part of this product to 28 parts of Mineral Seal Oil or Diesel Fuel No. 2.

FOR FLIES

Outdoors: Prepare a spraying solution by adding 5 tablespoonsful of this product to 1 gallon of water or deodorized kerosene. Apply at the rate of 1 gallon of mixed solution to 1,000 Sq. Ft. on painted surfaces and 2 gallons per 1,000 Sq. Ft. on unpainted surfaces where flies alight or congregate.

ORNAMENTALS

Do not spray on Hibiscus, Fatsias, Maidenhair Ferns or Viburnum Lantana as injury may result. Apply in sufficient water to obtain full coverage of the entire plant being treated. Repeat application as necessary for continued control.

OYSTER-SHELL SCALE AND LACE BUGS: Use 1 pint per 100 gallons of water.

APHIDS, MEALYBUGS, SPIDER MITES, WHITE-FLY AND THRIPS: Use 1 1/2 pints per 100 gallons of water.

FLORIDA RED SCALE, JUNPER SCALE: Use 2 pints per 100 gallons of water.

For mixing small quantities: use 1 teaspoonful of this product per gallon of water for each pint used per 100 gallons of water. 6.1 1 pint/100 gal = 1 tsp/gal.

IMPORTANT PRECAUTION

Do not apply oil-based sprays directly to flowers or other ornamental plants.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

ACCEPTED

APR 21 1973

U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF PESTICIDE REGULATION
WASHINGTON, D.C. 20250
728 Reg. No. 9782-47