



WOODBURY CHEMICAL COMPANY

**EMULSIFIABLE CONCENTRATE  
LONG-LASTING CONTROL OF COCKROACHES, FLIES,  
AND OTHER HOUSEHOLD PESTS; MOSQUITOES,  
LAWN CHINCH BUGS AND OTHER OUTDOOR PESTS.**

To Be Applied Only By or Under The Supervision Of Pest Control Operators,  
Public Health Organizations, Mosquitoes Abatement Districts and Other  
Trained Personnel Responsible For Insect Control Programs.

Contains Baygon® Insecticide

**Keep Out of Reach of Children**

AVOID - **WARNING**

See Side Panel For Additional Precautionary Statements

ACTIVE INGREDIENT	
2-(1-Methylpropyl) phenyl methylcarbamate	13.9%
INERT INGREDIENTS	86.1%
	100.0%

Contains 1.5 lbs. 2-(1-Methylpropyl) phenyl methylcarbamate per gallon.  
U.S. Patent No. 3,111,539

**STATEMENTS OF PRACTICAL TREATMENTS**

**If Swallowed** — Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If on Skin** — Wash immediately with plenty of soap and water. Call a physician immediately.

**If in Eyes** — Flush eyes with plenty of water. Call a physician immediately.

**If Inhaled** — Remove victim to fresh air. Apply first aid as indicated. Call a physician immediately.

EPA Reg. No. 108-107-01-1001 EPA Est. No. 27-107-01-1001-1

**NET CONTENTS 1 GALLON**

ACCEPTED  
with COMMENTS  
in F.P.C. File # 108-107-01-1001-1

MAY 16 1984

FEDERAL REGISTER  
MAY 16 1984  
VOLUME 49, NUMBER 100  
PAGES 10000-10000

**"AVIATION" - PREVENTION AND CONTROL OF  
Insect and Mite Pests**

**BEST DOCUMENT AVAILABLE**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**RECOMMENDED USES**

**Indoors:** Ants, Cockroaches, Earwigs, Fleas, Millipedes, Mosquitoes, Paper Wasps, Saw-toothed Grain Beetles, Silverfish, Saw-toothed Grain Beetles (exposed stage), Sod Webworms, and Termites. This product gives excellent control of ants, cockroaches, earwigs, fleas, millipedes, mosquitoes, paper wasps, saw-toothed grain beetles (exposed stage), silverfish, saw-toothed grain beetles, and termites. It provides good flushing action of saw-toothed grain beetles, and control of these and the other insects. It will also control saw-toothed grain beetles and mosquitoes resistant to certain chlorinated hydrocarbon sprays. It mixes readily with water, and may be applied with mist sprayers, backpack sprayers, Agitate spray mixture frequently.

It gives rapid knockdown and effective control of mosquitoes when used with either ground spraying or with conventional aircraft application.

**CAUTION:** Do not use in fiberglass tanks. The spray mixture will attack fiberglass tanks. Do not use on paint coatings in metal tanks if allowed to remain on the tank surface. Wash tanks thoroughly before and after use.

**INDOORS:**

**Pest Control in and Around Buildings, Stores and Warehouses:** For residual control of ants, cockroaches, silverfish, saw-toothed grain beetles, waterbugs, and termites. Control of saw-toothed grain beetles (exposed stage) in a 5% to 10% solution of this product in 1 gallon of water. (1% concentration) is also applicable for residual spray on baseboards, window frames, the undersides of shelves and drawers, cracks, crevices, and to other places where insects may hide. Also spray cracks, crevices and surfaces where insects may crawl when they come out of hiding. For ants, spray the areas where they enter premises. Repeat as necessary. Do not spray to dusts or on flammable materials. **DO NOT USE AS A SPACE SPRAY. PROVIDE ADEQUATE VENTILATION OF AREAS BEING TREATED.** Do not allow children to contact treated surfaces until surfaces are completely dry.

**Pest Control in Meat Packing and Feed Processing Plants, Feed Storage Areas, Restaurants, and Other Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served):**

For residual control of ants, cockroaches, silverfish, saw-toothed grain beetles, waterbugs, and termites in control of saw-toothed grain beetles (exposed stage) in a 5% to 10% solution of this product in 1 gallon of water. (1% concentration).

**Non-Food Areas:** Includes garbage rooms, lavatories, restrooms, hallways, corridors, vestibules, offices, locker rooms, machine rooms, etc. Do not use on equipment, electrical storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind the earth areas, corners, cracks, pipes and similar areas where insects hide or through which they may enter.

**Cracks:** **LIMITED TO CRACK AND CREVICE TREATMENT ONLY.** Apply a small amount of material as a pen-like stream directly into cracks and crevices. Do not expel material from different elements of construction or between equipment cases and the floor, walls, or other equipment legs, where the insects noted above are present. Do not use product in conduits, motor housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces, introducing the material into the air. Avoid contamination of food or food processing surfaces.

**APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.**

Spraying unloading docks and outside areas where insects may be entering, re-infestation. (Food service) is a type of application which is not permitted in an insect control program.

**Pest Control in Animal Research Facilities:** Use this product in animal quarters for pest control. Do not use on laboratory animals.

**NOTE:** Due to the high volatility of the active ingredient, this product should be formulated directly to the aircraft spray tank. Do not use in conventional spray tanks. Aircraft tanks must be cleaned before use. Do not use in aircraft tanks which result in crystallization of the active ingredient. Do not use in aircraft tanks for longer than 2 to 3 hours.

**OUTDOORS**

For use by Pest Control Operators in agricultural areas, including orchards, vineyards, ground, industrial buildings, etc. Do not use on lawns, pastures, or other non-crop areas.

**Residual Spray for Lawns:** Control of sod webworms, lawn chinch bugs, and waterbugs. Mix 8 fluid ounces of this product in 10 gallons of water. (0.08% concentration) and apply to lawns. Repeat as necessary. Do not use on lawns, pastures, or other non-crop areas. Repeat as necessary. Do not use on lawns, pastures, or other non-crop areas. Repeat as necessary.

For use by Pest Control Operators in agricultural areas, including orchards, vineyards, ground, industrial buildings, etc. Do not use on lawns, pastures, or other non-crop areas. Repeat as necessary. Do not use on lawns, pastures, or other non-crop areas. Repeat as necessary.

**Ground Mist Spray for Mosquitoes:** Apply 4 to 6 fluid ounces (0.05 to 0.07% active) per acre. For best results, use a calibrated sprayer to deliver 100 gallons per hour traveling at a speed of 4 mph. Ground coverage width up to 350 feet. Use 5 1/2 to 6 gallons of spray mixture per 100 gallons of water to treat 1/2 acre. CAUTION: Do not allow to drift or use on crop or pasture lands.

**Aircraft Applications for Mosquitoes:** Use this product at dilutions of 4 to 6 fluid ounces per acre in 2 to 4 quarts of water for application with conventional aircraft spray equipment. CAUTION: Do not allow to drift on crop or pasture lands.

**Pest Control on Lawns and Turf:**

**Sod webworms (lawn moths):** To control sod webworms on lawns and turf, mix 11 fluid ounces (approximately 1 1/2 cups) of this product in 10 to 15 gallons of water and apply to 1000 square feet of area. For best results, mow the lawn and rake dead grass from damaged spots. Water the lawn thoroughly and allow grass to dry before spraying this product. If possible, do not water again for several days. Three applications at monthly intervals may be required for best results. In most areas, the first application should be made in May or June. For more information, contact your State Agricultural Experiment Station or Extension Service for more specific information regarding timing of applications.

**Chinch bugs and hunting billbug (Florida only):** Apply 16 fluid ounces (1 pint) of this product per 1000 sq. ft. of lawn or turf area. Do not use less than 15 gallons of water per 1000 sq. ft. For best results, use 30 to 40 gallons of water per 1000 sq. ft. Repeat as necessary. For effective control of chinch bugs, this product should be applied during the spring and summer months, or as recommended by your State Agricultural Experiment Station. For best results, lawns should be watered before applying. For best results, lawns should be watered before applying.

The use of this material in water at 40°F. below will result in crystallization in the spray tank. Do not use in water at this temperature to start with in the spray tank.

**MIXING CHART**

Concentration	Fluid ounces of this product to add to		
	1 Gallon U.S.	5 Gallons U.S.	10 Gallons U.S.
1%	1.6	8.0	16.0
2%	0.8	4.0	8.0
4%	0.4	2.0	4.0

**RESTRICTIONS:** Do not use in water suspensions on material that will not apply to rugs, carpets, curtains, wallpaper, etc. Do not use on materials that may be stained or watermarked. The solvents in this formulation may stain certain plastic, rubber and asphalt materials, such as tiles and linoleum. Do not use on these materials without first testing a small, inconspicuous area. Do not use as a space spray. Provide adequate ventilation of a room being treated. Do not apply to lawns, pastures, or other non-crop areas. Do not use on lawns, pastures, or other non-crop areas. Do not use on lawns, pastures, or other non-crop areas.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

Mixing tank may contain highly concentrated material. Do not get in eyes, on skin or clothing. Avoid direct exposure. Wear natural rubber gloves, protective clothing and goggles. Wash hands thoroughly with soap and water before eating or drinking. Wash clothing with soap and hot water before reuse. Do not use in areas where children or animals are present. Do not use in areas where children or animals are present.

**ENVIRONMENTAL HAZARDS**

This product is highly toxic to fish and aquatic life. Do not use in areas where fish or aquatic life are present. Do not use in areas where fish or aquatic life are present.

**STORAGE & DISPOSAL**

Store in original container. Do not use if container is damaged or leaking. Do not use if container is damaged or leaking.

**Residual Disposal:** Do not use in areas where fish or aquatic life are present. Do not use in areas where fish or aquatic life are present.

**Final Disposal:** Do not use in areas where fish or aquatic life are present. Do not use in areas where fish or aquatic life are present.

<p align="center"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b>  <small>OFFICE OF PESTICIDE REGISTRATION AND DISTRIBUTION</small></p> <p align="center"><b>NOTICE OF PESTICIDE</b>  <small>Under the Federal Insecticide, Fungicide, and Rodenticide Act</small></p>	<p>EPA REGISTRATION NO.</p>	<p>DATE OF ISSUANCE</p>
	<p>NAME OF REGISTRANT</p>	
<p>NAME AND ADDRESS OF REGISTRANT (SEE INSTRUCTIONS)</p>		
<p><input type="checkbox"/> _____</p> <p><input type="checkbox"/> _____</p>		
<p><b>NOTE:</b> Changes in labeling formula, formula, or substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of the product by this Agency. In order to protect health and the environment, the Administrator, in his discretion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. It is a condition of any name in connection with the registration of a product under this Act that the registrant shall notify the registrant a right to exclude the name or to its use if it has been covered by others.</p>		
<p><input type="checkbox"/> _____</p>		
<p>SIGNATURE OF APPLICANT</p>		<p>DATE</p>

-2-

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(c). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide  
Registration Division (PS-767)

Enclosure

RD:IRL:DCK-28521;J.Ellenberger:cml:RAVEN:557-2226:RD-07:5/8/84:Del.5/25/84