

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (77-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

9782-66

JUL 10 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Woodbury Pool Plant Fooding
Insecticide

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Woodbury Chemical Company
P.O. Box 4319
Princeton, NJ 08532

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec.

4(d)(7)(A) provided that you:

Add the phrase, "EPA Registration No. 9782-66" to your label before release the product for shipment.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

7-10-85

WOODBURY FOOD PLANT FOGGING INSECTICIDE

AUTHORIZED FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS

APPLY WITH EQUIPMENT DESIGNED AND ADJUSTED TO DELIVER
A TRUE AEROSOL MIST
Also Apply as a Coarse Wet Spray

For Control of Stored Food Insects, Roaches,
Ants, Fleas, Clothes Moths, Flies, Gnats and
Other Flying or Crawling Insects as Listed

ACTIVE INGREDIENTS:

Pyrethrins,	0.5%
Piperonyl Butoxide, Technical.	5.0%
INERT INGREDIENTS:	94.5%
Total	100.0%

Equivalent to 4.0% (butylcarbityl)(6-propylpiperonyl) ether
and 1.0% related compounds.

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

See Side/Back Panel For Additional Precautionary Statements

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting unless directed to do so by a physician. Aspiration is a potential hazard. This product contains a petroleum Distillate.

IF IN EYES: Flush eyes with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Wash affected area with soap and water.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

EPA REG. NO. 9782-

EPA EST NO: 9782-FL-1

NET CONTENTS 1 GALLON(S)

WOODBURY CHEMICAL COMPANY
PRINCETON FLORIDA, 33032

ACCEPTED
WITH COMMENTS
In EPA Letter Dated:

JUN 10 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this product is
registered under EPA Reg. No.

9782-66

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment before application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries and all other food processing plants wash all equipment (benches, shelving, etc.) with a suitable effective detergent cleaning compound followed by a potable water rinse after the spraying where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State or local authorities.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

DIRECTIONS FOR USE (Cont.)

SPACE APPLICATIONS:

For rapid control of flies, fruit flies, gnats, mosquitoes, stinger flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths.

Close windows and doors and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist of fog. In Official Meat and Poultry Establishments use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area and behind obstructions. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary. In other than Official Meat and Poultry Establishments a combination of spot surface treatment and fogging is recommended.

BEST AVAILABLE COPY

IN BARN, POULTRY HOUSES and STORAGE ROOMS

To control house flies, stable flies and horn flies in Barns, Poultry Houses, Warehouses, Storage Bins and Storage Rooms: dilute 1 part of material with 4 parts of oil. Apply as a fine mist over the livestock in stanchions or holding pens. Use a fogger or mist generator to direct spray above the animals and to the center of the area where animals are housed. Apply 1 ounce per 1000 cubic feet uniformly throughout the entire area sprayed. Do not ventilate the area for at least 10 minutes after spray has been applied. If used in Dairy Barns, aerate the barn thoroughly before milking. Repeat daily in the morning and afternoon, or as required.

SURFACE SPRAYING

To control roaches, ants, silverfish, spiders, orbeaters, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, cowhatched grain beetle, spider beetles, cigarette beetles, Drugstore beetles, mealyworm, grain mites, and codeworm: Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored loads, around the base of machinery, behind shelves and drawers. For silverfish, spray beehives. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces apply at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make a localized application to floor and baseboards. Spray directly into cracks, closets, and infested areas of shelves. Repeat treatment as necessary.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in r3 joints. Treat baseboards, moldings, and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining. Store clothes in moth light containers or repeat treatments monthly.

OUTDOOR APPLICATIONS:

ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 m.p.h. or less. Treat shrubbery or vegetation where mosquitoes may rest, low marshy areas, stagnant pools or ponds and shorelines. Apply at a rate of 10 fluid ounces per acre (8.3 fluid ounce per 1000 square feet).

Using truck-mounted conventional misting equipment traveling at 5 m.p.h. to treat a 300 swath, calibrate equipment to deliver 0.23 fluid ounce per minute.

