

**WOODBURY
CHEMICAL COMPANY**

BEFORE USING
P. METERING

ACCEPTED
OCT 17 1980
U.S. Federal Insecticide
Fungicide and Rodenticide Act
as amended for the pesticide
registered under
EPA Reg. No. 9782-94

SUPER D+2 INSECT

ACTIVE INGREDIENTS	
Chlorhexidine 0.0425%	
0.3% benzalkonium chloride monophosphate	24.00
0.04% benzalkonium dimethylphosphate	0.40
Related Compounds	0.40
Aromatic Petroleum Chemicals	98.56
INERT INGREDIENTS	100.00
TOTAL	100.00

KEEP OUT
OF CHILDREN'S REACH

DANGER

[illegible]

66

F P A Est No 9762 F1

WOODBURY CHEMICAL COMPANY
PRINCETON, FLORIDA 33030

**WOODBURY
CHEMICAL COMPANY**

**FOR THE CONTROL OF CHINCH BUGS, SOD WEBWORMS (LAWN MOTHS) ANTS,
ARMYWORMS, BROWN DOG TICKS, CHIGGERS, CLOVER MITES, CRICKETS,
EARWIGS, FLEAS AND GRASSHOPPERS ON DIFFICULT TO WET TURF**

FOR PROFESSIONAL USE ONLY

**USE THIS PESTICIDE
TOP
THE LABEL**

GALLONS NET

D+2TM INSECTICIDE

OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS
PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS

1 gallon, 14.00
 5.60
 0.40
 58.46
 11.54
 TOTAL 100.00
 516 Vapona[®]
 the penetration
 for Chlorpyrifos
 the Company

**KEEP OUT OF REACH
OF CHILDREN**

ANGER & POISON

1. If swallowed, induce vomiting immediately. Do not induce vomiting if
 cause aspiration pneumonia. If it is necessary to induce vomiting, give 1 to 2
 throat. Repeat until vomit is clear. Do not induce vomiting or give anything to eat
 to fresh air. Apply respiration if indicated. If on skin, wash contaminated skin with
 plenty of water for at least 15 minutes. Get medical attention immediately.
 2. Chlorpyrifos is a cholinesterase inhibitor. Symptoms may include:
 Atropine only by injection is an antidote.
 3. Panel for Additional Information, State, or

Manufactured by E.P.A. Reg. No. 9782-54

URY CHEMICAL COMPANY
PRINCETON, FLORIDA 33030

USE RATE AND DILUTION TABLE	Area to be Treated	Amount of Super D-2 Insecticide Required	Dilute with Water to give
	1,000 sq. ft.	1.00 lb.	10 Gals.
	1,000 sq. ft.	2.00 lb.	150 Gals.
	10,000 sq. ft.	1.00 lb.	3.75 Gals.
	10,000 sq. ft.	2.00 lb.	1,300 Gals.

STORAGE AND DISPOSAL

PROHIBITIONS Do not use this product in or near water bodies or on crops. Do not use on crops.

PESTICIDE DISPOSAL Do not use this product in or near water bodies or on crops. Do not use on crops.

CONTAINER DISPOSAL Do not use this product in or near water bodies or on crops. Do not use on crops.

GENERAL Do not use this product in or near water bodies or on crops. Do not use on crops.

1. If swallowed, induce vomiting immediately. Do not induce vomiting if
 cause aspiration pneumonia. If it is necessary to induce vomiting, give 1 to 2
 throat. Repeat until vomit is clear. Do not induce vomiting or give anything to eat
 to fresh air. Apply respiration if indicated. If on skin, wash contaminated skin with
 plenty of water for at least 15 minutes. Get medical attention immediately.
 2. Chlorpyrifos is a cholinesterase inhibitor. Symptoms may include:
 Atropine only by injection is an antidote.
 3. Panel for Additional Information, State, or