



FOR LAKESHORE, DRIVEWAYS AND SIDEWALKS,
where lasting residual effect is desired.

ACTIVE INGREDIENTS:

- Sodium chlorate (NaClO₃).....40.0%
- Sodium metaborate (Na₂B₂O₄ • H₂O)*..... 57.0%
- Monuron (3-(p-chlorophenyl)-1, 1-dimethylurea** 1.0%

INERT INGREDIENTS..... 2.0%

*Equivalent to 5.14% boron expressed as elemental boron.

**Equivalent to 1.25% Telvar.

"Telvar," a trademark of E. I. duPont de Nemours & Company, Inc.

U.S. Patent Nos. 2,847,293 and 2,655,445. Other Patents Pending

GENERAL RECOMMENDATIONS

AMOUNTS TO USE: For annuals or shallow-rooted plants—Apply 1 to 2 pounds of PRO-2 per 100 square feet.

FOR PERENNIALS AND DEEP-ROOTED PLANTS—Apply 2 to 3 pounds per 100 square feet. For first application where Johnson, Bermuda and Vasey grasses are a serious problem apply 3 to 4 pounds per 100 square feet.

EXAMPLES OF USES: PRO-2 may be used wherever noncropland weed control is desired, and in any areas where vegetation is not wanted (see **CAUTION** below). Examples are as follows
Lakeshore: Along the edges of lakes to kill unwanted grass, weeds, and brush.

Sidewalks, driveways and patios: Kill off unwanted vegetation.

Others: Airfields, runways and landing lights, outdoor theatres, tennis courts, school playgrounds, driveways and parking areas.

APPLICATION

NOTE: It is essential that PRO-2 be spread uniformly and at the rates given above.

Sprinkler can application preferred to avoid drift. Clean thoroughly after use. Agitate when mixing PRO-2 with water. Apply to give thorough coverage.

DRY—Use undiluted and apply uniformly by hand sifter, fertilizer spreader or by hand.

IMPORTANT—The killing action of PRO-2 is primarily through the roots of plants. Therefore, moisture is required after application. Too little moisture will not carry the chemical throughout the root zone and follow up applications may be necessary.

WHEN TO APPLY

For Annual Weeds and Grasses, it is best to apply in the spring when weeds are small.

For Perennial Weeds and Grasses, in areas of light winter rainfall (less than 20 inches) it is generally best to treat during fall or early winter. In areas of more than 20 inches, spring application is most effective.

General Note—Avoid application in hot dry weather as moisture is required to activate the chemical. By preventing weed growth early in the year, fire hazards from dead and dry vegetation are avoided later on.

Cautions in Application—Do not apply on or near turf, valuable trees or other plants or in areas into which their roots may extend. Do not use on slopes where "run-off" will move the chemical into the root area of useful plants. The chemical should be used only where unproductive soil is not objectionable. Avoid contamination of irrigation or domestic water.

CAUTIONS: Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid handling with cuts or abrasions on hands or wear gloves. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash clothing and equipment after application. Do not leave containers where children and animals may take the chemical internally! Avoid contamination of food and foodstuff.

Local Conditions—may affect the use of this chemical. Consult experiment station or extension service weed specialist for specific recommendations as to dosage and time of application and for control of other weeds and grasses.

WHEN TO APPLY

Annual Weeds and Grasses. It is best to apply in the spring when weeds are small.

Perennial Weeds and Grasses. In areas of light winter rainfall (less than 20 inches) it is generally best to treat during fall or early spring. In areas of more than 20 inches, spring application is most effective.

Special Note—Avoid application in hot dry weather as moisture is needed to activate the chemical. By preventing weed growth early in the year, fire hazards from dead and dry vegetation are avoided.

Precautions in Application—Do not apply on or near turf, valuable trees or shrubs, or in areas into which their roots may extend. Do not apply on slopes where "run-off" will move the chemical into the roots of useful plants. The chemical should be used only where unproductive soil is not objectionable. Avoid contamination of irrigation or domestic water.

Precautions: Harmful if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid handling with cuts or abrasions on hands or feet. Wear gloves. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash clothing and equipment after application. Do not leave containers where children and animals may take the chemical accidentally. Avoid contamination of food and foodstuff.

Special Conditions—may affect the use of this chemical. Consult extension station or extension service weed specialist for specific recommendations as to dosage and time of application and for control of other weeds and grasses.

CAUTION

See Caution Statements on Back Panel

KEEP OUT OF REACH OF CHILDREN

**DO NOT STORE WITH FOODSTUFFS
STORE IN A COOL DRY PLACE**

Avoid Direct Contact with Ground or Concrete Floors

Distributed By

BIRCH INDUSTRIES, INC.

6521 Central Avenue N.E.
MINNEAPOLIS, MINN. 55432

USDA Reg. No. 9798-2

**DEATH !! TO
LAKESHORE WEEDS,
BRUSH AND GRASS**

5 LBS. TREATS UP TO 500 SQ. FT.
Net Weight: 5 Pounds

PRO-2

WEED & GRASS KILLER

Contains "TELVAR" a trademark of E.I. DuPont de Nemours & Co., Inc.