


[9803-20]



ACCEPTED
Apr - 21 - 1970
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 9803-20

STRIKE INSECTICIDE

STRIKE INSECTICIDE

NON-TOXIC TO HUMANS AND PETS

CAUTION: KEEP OUT OF REACH OF CHILDREN
Read precautions on back of can.

For Municipal, Industrial and Professional Use Only

U.S.D.A. Registration No. 9803-20

NET WEIGHT 15.75 oz.

Remove protective cap from top of can. Hold can upright, point opening in valve in desired direction for spray. To release spray, press valve downward or push valve forward.

FLIES, MOSQUITOES, GNATS. Spray can upwards into four corners of closed room, about 4 to 6 seconds for each 1000 cu. ft. About 6 to 8 seconds for average room. Close windows and doors for about 15 minutes after treatment.

FLYING MOTHS, WASPS, HORNETS. Spray 20 to 25 seconds per 1000 cu. ft. Spray liberally into cracks of woodwork, walls, floors, hiding and breeding places, directly on insects when possible. Repeat if necessary.

ROACHES, ANTS, FLEAS, SILVERFISH. Spray liberally into cracks of woodwork, walls, floors, hiding and breeding places, directly on insects when possible. Thoroughly spray sleeping quarters of animal pets. Repeat as necessary.

BEDBUGS. Spray bed frame, springs, mattress tufts, seams and all cracks and hiding places about bedroom.

MOOTH WORMS, CARPET BEETLES. Clean, air and brush clothing, rugs, carpets and fabrics. Spray thoroughly from 3 ft. distances especially seams, folds, under collars and lapels. Clean and spray closets and drawers. Repeat approximately every 30 days.

CAUTION: Do not spray plastics or asphalt tile direct. Avoid contact with exposed food cooking utensils. To avoid staining hold spray 3 ft. from all objects. Do not take internally. Keep out of reach of children.

WARNING: Contents under pressure. Do not use or store near heat or open flame. Do not puncture, incinerate nor store directly in sunlight or where temperature exceeds 120° F.

ACTIVE INGREDIENTS	15
Pyrethrins	0.3
Technical Piperonyl Butoxide*	0.6
N-octyl Bicycloheptene Dicarboximide	1.0
Petroleum Distillate	13.1
INERT INGREDIENTS	85
Dichlorodifluoromethane	42.5% per weight
Trichloromonofluoromethane	42.5% per weight

*Consists of 0.48% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.12% other related compounds.

MuniChem Corporation

NEW YORK, N.Y. • NEW YORK, N.Y.
ATLANTA, GEORGIA • MILWAUKEE, WIS.