9820-3 ACCEPTED 9576-3

100"

[4820-3]

ACTIVE INGREDIENTS:

Pyrethrins200 % 333 ° *Piperonyl butoxide, technical N-cetyl bicycloheptene dicarboximide Petroleum distillate 99.367 *Consists of 0.16 thutylcarbityl 16-propylpiper-onyl ether and 0.04% related compounds

MGK 264 Insecticide Synergist.

This spray is especially designed for use in cases, restaurants, feed storage warehouses, flour mills, meat packing plants and the like. This spray is designed for use in either fogging equipment or hand

CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed D not apply directly to food. Do not apply while feed processing is underway. Thoroughly wash with potable water all treated chutes processing surfaces, etc. that food will touch prior to re-use. In case of impracticality of washing, do not allow food to come in contact with treated surfaces. Remove bird cages and fish bowls during spray application. Do not pour, store or spill near heat or open flame. Keep container closed. open flame. Keep container closed

Destroy this container and all unused contents.

EPA Rcg No 9820-3

FLY SPRAY

CAUTION KEEP OUT OF REACH OF CHILDREN SEE OTHER PRECAUTIONS ON SIDE PANEL

Manufactured by



SERVICE PRODUCTS CHEMICALS

KANSAS CITY, MO. 64108

NET CONTENTS

DIRECTIONS FOR USE


Do not remain in treated areas and ventilate the areas after treatment is completed.

Flies, Mosquitoes, Gnats: Close room and discharge mist vigorously in all parts of room, using $1\frac{1}{2}$ to 2 curies for each 1000 cubic feet of space. Leave room closed for at least ich minutes. Sweep up and destroy fallen insects. Repeat as needed.

Fleas (Infesting Premises): Remove and destroy animals' bedding and spray sleeping quarters freely forcing the spray into all cracks in the floor and about the ream Repeat when re-infested Reaches, Waterbugs: Apply in all cracks and cresices in woodwork, underneath sinks, dark places behind pipes and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary

Clothes Moths, Carpet Beetles: Spray all articles to be protected, giving particular attention to folds and scame. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

Grain Weevils, Cadelles, Flour Beetles, Grain Mites (Accessible Stages): Wet surfaces thoroughly and treat all infected surface areas, insect runways and hiding places at the rate of 1 gallon of this material to 1000 square feet of area or to the point of run-off, Repeat when necessary



100€

[9820-3]

ACTIVE INGREDIENTS:

This spray is especially designed for use in cafes, restaurants, food storage warehouses, flour mills, meat packing plants and the like. This spray is designed for use in either toggino equipment or hand sprayers.

CAUTION

KEEP OUT OF REACH OF CHILDREN, Harmful it wall wild Dinot apply directly to food. Do not apply while find processing underway. Thoroughly wash with potable water all treated chutes processing surfaces, etc. that food will touch prior to re-use. It case of impracticality of washing do not allow find to come in contact with treated surfaces. Remixe hird capping pray application. Do not plure to recover or container supplied to the componition of the plure to recover or container closed.

Destroy this container and all unused contents.

EPA Reg. N. 352.55

FLY SP

CAUTION

KEEP OUT OF REACH OF

SEE OTHER PRECAUTIONS C

Manufactured by



PRODUCTS + CHEMICALS

KANSAS CITY, MO.

NET CONTENTS