

RESTRICTED USE PESTICIDE For retail sale to and use only by Certified Applicators or other persons who have passed tests covering the Certified Applicator's Act.

SORBIKIL LIQUID CONTROL

SEE ATTACHMENT PAGE 1

SEE ATTACHMENT PAGE 2

FOR B1.
**KEEP OUT OF REACH OF CHILDREN
DANGER — POISON**



**NOT FOR USE OR STORAGE IN
OR AROUND THE HOME**

**SEE SIDE OF PANELS FOR STATEMENT OF
PRACTICAL TREATMENT AND ADDITIONAL PRE-
CAUTIONARY STATEMENTS.**

BEST DOCUMENT AVAILABLE

PERCH SOLUTION
ACTIVE INGREDIENTS: Endosulfan — Hexachlorocyclopentadiene
ortho, endo-dimethoxy isomers ... 9.40%
INERT INGREDIENTS ... 90.60%
100.00%

**ACCEPTED
with COMMENTS
in EPA Letter Dated:**

JAN 15 1973
Under the provisions of the
Fungicide, Insecticide, and
as amended, this product is
registered in the United States.
9625-2

Manufactured by
SORBIKIL BIRD PESTICIDE CO.
601 E. Slaton Rd.
Lubbock, Texas

Batch # _____
NET CONTENTS: _____ Gallons

E.P.A. Registration No.

EPA 287-103

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

1. GENERAL INSTRUCTIONS:

SORBIKIL control liquid must be used only in the SORBIKIL perches. Do not use as a surface treatment. Not for use or storage in or around the home.

2. SITES OF APPLICATION:

SORBIKIL perches can be used only in the following areas:

- | | |
|---------------------------------|---------------------------|
| 1. In and around farm buildings | 4. Building tops |
| 2. Pipe yards | 5. Inside other buildings |
| 3. Loading docks | 6. Bridges |

Do not use inside food storage, food processing or food handling buildings. Also keep areas to be treated free from bird food and feed in order to reduce hazards to non-target species of birds.

3. BIRDS TO BE CONTROLLED ARE:

1. Starling
2. English Sparrow
3. Pigeon

4. RESTRICTIONS FOR APPLICATORS:

For use only by persons trained in bird control work. Local, State and Federal permits must be obtained by the user prior to bird control operations. Birds killed must be picked up and disposed of in accordance with the "Pesticide Disposal" section below to prevent secondary poisoning of non-target species.

5. APPLICATION DIRECTIONS:

This ready to use concentrate is put into the fill hole on the SORBIKIL perch. Fill until wick is saturated but do not over fill. Clean any spills immediately and dispose of contaminated materials in accordance with "Pesticide Disposal" section below. Wear rubber gloves when servicing the perch.

6. STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store in or around the home.

Pesticide Disposal: Pesticide mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resources Conservation and Recovery Act.

"Container Disposal": Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin. Do not breath spray mist. Do not get in eyes, on skin or on clothing.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED AND VICTIM IS CONSCIOUS AND NOT CONVULSING:

Call a physician immediately. Give a glass or two of water and induce vomiting by touching back of tongue with finger. It is preferable to induce vomiting under medical supervision or to use gastric lavage with a cuffed endotracheal tube because of aspiration hazard. Remove victim immediately to emergency treatment facilities.

IF SWALLOWED AND VICTIM IS UNCONSCIOUS:

Clear the upper airway and administer mouth to mouth resuscitation. If heart beat is absent, administer cardiac resuscitation. Do not give anything by mouth. If convulsing hold head back with jaw forward to keep upper airway clear. Transport immediately to emergency treatment facility maintaining clear airway and administer artificial respiration.

IF ON SKIN:

Remove by washing with soap and water. Get medical attention.

IF IN EYES:

Flush the eyes with clean water for 10 minutes. Get medical attention.

IF INHALED:

Remove victim to fresh air. Transport immediately to emergency treatment facility.

INFORMATION FOR PHYSICIANS:

Endrin is a CNS depressant and hepatotoxin. Toxic dosage causes convulsions, respiratory depression and liver damage. Impaired respiration must be supported by oxygen given by mechanical ventilization. Diazepam is useful in controlling convulsions. Intravenous glucose and vitamins help to protect the liver. There is no specific antidote. Do not give vegetable oils or milk (which increases GI absorption) Large amounts of activated charcoal and saline

laxative help to limit GI absorption. Do not give adrenergic agents (myocardial irritability). Excretion of endrin from the body may require days or weeks.

WORK SAFETY RULES

Wear clean synthetic gloves and a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30CFR Part II. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing daily.

REQUIRED CLOTHING FOR FEMALE WORKERS

Female workers handling this product must wear longsleeved shirts and long pant made of closely woven fabric, wide-brimmed hats, and rubber or synthetic rubber aprons.

WARNING TO FEMALE WORKERS

The United States Environmental Protection Agency has determined that endrin causes birth defects in laboratory animals. Exposure to endrin during pregnancy should be avoided. Female workers must be sure to wear all protective clothing and use all protective equipment specified on this label. In case of accidental spills or other unusual exposure, cease work immediately and follow directions for contact with endrin.

ENVIRONMENTAL HAZARDS:

THIS PESTICIDE IS TOXIC TO FISH AND WILDLIFE. SORBIKIL Concentrate will kill fish if accidentally discharged into fish bearing water. Non-target birds and wildlife coming into contact with SORBIKIL concentrate could be killed or injured. Bird and wildlife food and feed must be kept away from treated areas to minimize hazard to them.

Do not Contaminate Water by Cleaning of Equipment or Disposal of Wastes:

SPECIAL WARNING:

Do not use within one mile of roosting sites or within two miles of nesting sites of peregrine falcons as identified by the United States Fish and Wildlife Service.

NOTE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

SORBIKIL INSTALLATION INSTRUCTIONS

PERCH LOCATIONS




Each Sorbikil package contains 8 perches. Fasten one Sorbikil perch on the center post on each end of the building, or as close to the center as possible (see Fig 1 and 3). Fasten two Sorbikil perches on the first truss in from each end of the building (see Fig 1). Fasten the remaining two perches on the truss in the center of the side door (see Fig 1).

If there is no side door, fasten them to the truss nearest the center of the building. These center perches should be mounted as shown in Fig 3.

PERCH MOUNTING

The perch must be mounted with fill holes up (see detail). The wick will then be at a slight angle.

Face the wick toward the opening through which the birds enter the building. Be certain to include leveling nail for support on all perch installations mounted according to Fig 2.



NOTE: Additional perches should be installed on all buildings exceeding 81' in length. Add 4 perches for each additional 36' of building.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

16/ 85309
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____