

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

EPA Registration No. 9929-8

NET CONTENT:
ONE GAL. (3.78 liters)

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. MPG is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection from environmental surfaces

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

*At 1/2 ounce (1 tablespoon) per gallon use-level, MPG is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A, as represented by the strains commonly called the Hong Kong Flu and the London Flu. It is also virucidal on inanimate environmental surfaces.



Highly Concentrated Germicide Based on a Unique Blend of Quaternaries
Cleaner—Disinfectant—Deodorizer—Fungicide—Virucide*
for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	104.0
Salmonella typhosa (ATCC No. 6539)	40.6

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Dioctyl Dimethyl Ammonium Chloride	1.875%
Didecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C ₁₄ 50%; C ₁₂ 40%; C ₁₆ 10%)	
Benzy! Dimethyl Ammonium Chloride	5.000%
Tetrasodium Ethylenediamine Tetraacetate	3.420%
Isopropyl Alcohol	3.000%
Ethyl Alcohol	1.000%

Inert Ingredients

	80.080%
	100.000%

30

CHAMPION
CHEMICAL

8319 So. Greenleaf Avenue - Whittier, California 90602 - Tel. (Area 213) 945-14



Germicide Based on a Unique Blend of Quaternaries
Disinfectant—Deodorizer—Fungicide—Virucide*
for Hospital and Institutional Use

Ingredients	
ATCC No. 6538)	104.0
phosa (ATCC No. 6539)	40.6
Active Ingredients	
Dimethyl Ammonium Chloride	3.750%
Methyl Ammonium Chloride	1.875%
Trimethyl Ammonium Chloride	1.875%
(C ₁₂ 40% C ₁₆ 10%)	
Methyl Ammonium Chloride	5.000%
Ethylenediamine Tetraacetate	3.420%
Alcohol	3.000%
	1.000%
	80.080%
	100.000%

30



Whittier, California 90602 - Tel. (Area 213) 945-1456

ACCEPTED
 MAR 24 1981
 Under the Federal
 Fungicide and Rodenticide Act,
 registered under
 EPA Reg. No. 9829-8

Directions for Use
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add 1/2 ounce (1 tablespoon) per gallon of water.

Apply MPG to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 1/2 ounce (1 tablespoon) per gallon use-level, MPG is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against *Trinterdigitale* was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of MPG is shown by its germicidal action against the following additional organisms.

- Escherichia coli
- Klebsiella pneumoniae
- Aerobacter aerogenes (enterobacter)
- Salmonella schottmuelleri
- Streptococcus faecalis
- Shigella dysenteriae
- Brevibacterium ammoniagenes

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

31