DIRECTIONS FOR USE

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS AROUND THE HOME

FLYING INSECTS (Flies, Mosquitoes, Gnats and Moths) Direct Spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows: Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes and vendlate before reoccupying. Do not remain in treated areas.

CRAWLING PESTS (Ants, Boxelder Bugs, Crickets, Earwigs and Sowbugs) - Spray into cracks or woodwork, walls, floors and other hiding and breeding places. Direct spray to contact pests when possible. Spray ant trails and areas around door sills and window frames.

WASPS AND HORNETS - Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

FOR CONTROL OF PESTS ON OKNAMENTAL PLANTS

For control of aphids, two-spotted spider mites and adult white flies on ornamental house and greenhouse plants (African violet, aralia, Christmas cherry, chrysanthemum, cineraria, diffenbachia, fuschia, gloxinia, ivy, lantana, Neanthe bella palm, petunia, rese and snap dragor, and on outdoor plants azalea, chrysanthemum, euonymus, ivy, maricold, petunia, rose, snap dragon and zinria). Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors spray when air is still.

For control of these pests as well as tent caterpillars, canker worms and garden we bworm on ornamental crab-apple, chamical the plum trees, apray as above. Do not spray bearing fruit trees.

conomined there had

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before re-use. When using the product in these areas apply only when the facility is not in operation.

Do not use on or around animals. Cover or remove fish bowls for 1 hour.

ACTIVE INGREDIENTS:

* Tetramethrin	. 0.250% . 0.034%
methylpropenyl cyclopropenecarboxylate and related compounds	0.014%
Petroleum Distillate	9.000%
INERT INGREDIENTS:	90.596%

- * 1-Cyclohexene-1, 2-dicarboximidomethyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate
- ** Cis/trans isomer content: Max. 30% (土) els and Min. 70% (土) trans. U.S. Patent No. 3,465,007.

RITE-OFF CORPORATION PLAINVIEW, NEW YORK 11803

163 DUPONT STREET

Multi-Purpose

INSECTICIDE

FOR CONTROL OF PESTS IN HOUSE AND GARDEN

EPA REG. NO. 9852-18

AST KNOCK DOWN

KEER OUT OF REACH OF CHILDREN

Avoid his estain of venter and with contact. Avoid contact with layers, In case of contact, flush with water. Do not spope while epraying.

NEO-PYNAMIN REG. U.S. PAT. OFF. SUMITOMO CHEMICAL CO. LTD.

NET WT. 1 LB., 1/2 OZ.

WARNING! Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never

patrones i contrata de la companya de la companya

throw container into fire or incinerator.

SEE BACK PANEL FOR ADDITIONAL CAUTIONS