

[9852-25]

Industrial Spray Emulsifiable Concentrate contains piperonyl butoxide, a chemical that increases the activity of pyrethrins. Diluted with water, it is specifically recommended for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions, and in other situations where an effective fast-acting insecticide is required. As a space spray, it gives rapid kill of flying and crawling insects contacted by the mist.

**DIRECTIONS**

**AS A CONTACT SPRAY**

For best application for an initial clean-up with Industrial Spray Emulsifiable Concentrate, dilute 1 gallon of concentrate with four gallons of water and apply in a good machine adjusted to deliver a coarse droplet spray, using approximately 1 gallon of diluted material to each 750 square feet of surface. This dilution should not be applied in the edible products areas of federally inspected meat, poultry and egg packing plants. Against roaches, silverfish, crickets, scorpions, spiders, box elder bugs, clover mites and cheese mites with this water diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found including walls, baseboards, molding, floors, cabinets, shelves, sinks and pipes, with special attention to cracks, crevices, niches, dark corners, drains and similar hiding places. Treat ant trails, runs and nest. Repeat treatment at a dilution of 1 to 9 at the same rate of application after an interval of a month or repeat as needed.

**SPACE SPRAY**

For rapid control of flies, moths, skipper flies, mosquitoes and gnats, dilute 1 gallon of Industrial Spray Emulsifiable Concentrate with 39 gallons of water and apply in a good sprayer adjusted to deliver a fine mist. Direct the diluted spray toward the upper portions of the enclosure, filling the room with the mist, and using approximately 2 ounces of diluted material for each 1,000 cubic feet of space. Whenever practicable, keep doors and windows closed for 10 minutes after application. Do not remain in treated areas and ventilate the area after treatment is completed. Remove pets, birds, and cover fish aquariums before spraying.



**INDUSTRIAL  
SPRAY  
EMULSIFIABLE CONCENTRATE**

**A FOOD INDUSTRY INSECT SPRAY**

**EPA Reg. No. 9852-25**

**Contains PYRENONE®**

Properly diluted with water and applied, Industrial Spray Emulsifiable Concentrate kills on contact the exposed stages of:

Roaches - Silverfish - Crickets - Ants - Spiders - Flies - Flying Moths - Gnats - Mosquitoes - Box Elder Bugs - Skipper Flies - Cheese Mites - Scorpions - Clover Mites


Industrial Spray Emulsifiable Concentrate can be used around food, food products, utensils and food handling equipment, but should not be applied directly to uncovered food or food products.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN.**

**See rear panel for additional precautions**

PYRENONE - Registered Trademark of FMC Corporation



**RITE-OFF**  
163 DUPONT STREET  
PLAINVIEW, N.Y. 11803

**VAPOR SPRAY**

Rapid control of all of the insect species named on this label may be obtained through dispensing this concentrate as a vapor. For use as a vapor spray in special electric, steam or compressed air applicators, dilute 1 gallon of Industrial Spray Emulsifiable Concentrate with 9 gallons of water or oil and use in accordance with manufacturers' directions for the type of equipment selected. Dosages vary with different types of applicators, but many special generators are designed to give most effective results when the material is used at the rate of 1 pint to each 8000 - 15,000 cubic feet of space. In all cases, the dosage should be sufficient to fill thoroughly the enclosure with fog or vapor. Keep the room closed for 4 to 6 hours for best control of cockroaches. Do not remain in treated areas and ventilate the area after treatment is completed. Remove pets, birds, and cover fish aquariums before spraying.

**ACTIVE INGREDIENTS:**

Pyrethrins..... 1.0%  
Piperonyl Butoxide Technical \* ..... 10.0%  
Petroleum Distillate..... 79.0%

**INERT INGREDIENTS ..... 10.0%**

\*Equivalent to 8.0% of (butylcarbityl) (6-propylpiperonyl) ether and to 2.0% of related compounds.

**CAUTION**

Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

9852-25

Industrial Spray Emulsifiable Concentrate contains piperonyl butoxide, a chemical that increases the activity of pyrethrins. Diluted with water, it is specifically recommended for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions, and in other situations where an effective fast-acting insecticide is required. As a space spray, it gives rapid kill of flying and crawling insects contacted by the mist.

**DIRECTIONS**

**AS A CONTACT SPRAY**

For best application for an initial clean-up with Industrial Spray Emulsifiable Concentrate, dilute 1 gallon of concentrate with four gallons of water and apply in a good machine adjusted to deliver a coarse droplet spray, using approximately 1 gallon of diluted material to each 750 square feet of surface. This dilution should not be applied in the edible products areas of federally inspected meat, poultry and egg packing plants. Against roaches, silverfish, crickets, scorpions, spiders, box elder bugs, clover mites and cheese mites with this water diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found including walls, baseboards, molding, floors, cabinets, shelves, sinks and pipes, with special attention to cracks, crevices, niches, dark corners, drains and similar hiding places. Treat ant trails, runs and nest. Repeat treatment at a dilution of 1 to 9 at the same rate of application after an interval of a month or repeat as needed.

**SPACE SPRAY**

For rapid control of flies, moths, skipper flies, mosquitoes and gnats, dilute 1 gallon of Industrial Spray Emulsifiable Concentrate with 39 gallons of water and apply in a good sprayer adjusted to deliver a fine mist. Direct the diluted spray toward the upper portions of the enclosure, filling the room with the mist, and using approximately 2 ounces of diluted material for each 1,000 cubic feet of space. Whenever practicable, keep doors and windows closed for 10 minutes after application. Do not remain in treated areas and ventilate the area after treatment is complete. Remove pets, birds, and cover fish aquariums before spraying.



**INDUSTRIAL  
SPRAY**

**EMULSIFIABLE CONCENTRATE**

A FOOD INDUSTRY INSECT SPRAY

EPA Reg. No. 9852-25

Contains PYRENONE®

Properly diluted with water and applied, Industrial Spray Emulsifiable Concentrate kills on contact the exposed stages of:

Roaches - Silverfish - Crickets - Ants - Spiders - Flies - Flying Moths - Gnats - Mosquitoes - Box Elder Bugs - Skipper Flies - Cheese Mites - Scorpions - Clover Mites


Industrial Spray Emulsifiable Concentrate can be used around food, food products, utensils and food handling equipment, but should not be applied directly to uncovered food or food products.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN.**

See rear panel for additional precautions

PYRENONE - Registered Trademark of FMC Corporation



RITE-OFF  
163 DUPONT STREET  
PLAINVIEW, N.Y. 11803

**VAPOR SPRAY**

Rapid control of all of the insect species named on this label may be obtained through dispensing this concentrate as a vapor. For use as a vapor spray in special electric, steam or compressed air applicators, dilute 1 gallon of Industrial Spray Emulsifiable Concentrate with 9 gallons of water or oil and use in accordance with manufacturers' directions for the type of equipment selected. Dosages vary with different types of applicators, but many special generators are designed to give most effective results when the material is used at the rate of 1 pint to each 8000 - 15,000 cubic feet of space. In all cases, the dosage should be sufficient to fill thoroughly the enclosure with fog or vapor. Keep the room closed for 4 to 6 hours for best control of cockroaches. Do not remain in treated areas and ventilate the area after treatment is completed. Remove pets, birds, and cover fish aquariums before spraying.

**ACTIVE INGREDIENTS:**

Pyrethrins..... 1.0%  
Piperonyl Butoxide Technical \*..... 10.0%  
Petroleum Distillate..... 79.0%

INERT INGREDIENTS ..... 10.0%

\*Equivalent to 8.0% of (butylcarbityl) (6-propylpiperonyl) ether and to 2.0% of related compounds.

**CAUTION**

Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.